


ML Aggarwal Solutions for Class 8 Maths

Chapter 6- Operation On Sets Venn Diagram



www.indcareer.com/schools



ML Agrawal Solutions

CLASS 8 MATHS

Chapter 6: Operation On
Sets Venn Diagram

For any clarifications or questions you can write to info@indcareer.com

Postal Address

IndCareer.com, 52, Shilpa Nagar, Somalwada Nagpur - 440015
Maharashtra, India

WhatsApp: +91 9561 204 888, **Website:** <https://www.indcareer.com> Class 8: Biology
Chapter 6 solutions. Complete Class 8 Biology Chapter 6 Notes.

<https://www.indcareer.com/schools/ml-aggarwal-solutions-for-class-8-maths-chapter-6-operation-on-sets-venn-diagram/>

ML Aggarwal Solutions for Class 8 Maths

Chapter 6- Operation On Sets Venn Diagram

Class 8: Maths Chapter 6 solutions. Complete Class 8 Maths Chapter 6 Notes.

ML Aggarwal Solutions for Class 8 Maths Chapter 6- Operation On Sets Venn Diagram

ML Aggarwal 8th Maths Chapter 6, Class 8 Maths Chapter 6 solutions

Exercise 6.1

1. If $A = \{0, 1, 2, 3, \dots, 8\}$, $B = \{3, 5, 7, 9, 11\}$ and $C = \{0, 5, 10, 20\}$, find

(i) $A \cup B$

(ii) $A \cup C$

(iii) $B \cup C$

(iv) $A \cap B$

(v) $A \cap C$

(vi) $B \cap C$

Also find the cardinal number of the sets $B \cup C$, $A \cup B$, $A \cap C$ and $B \cap C$.

Solution:-

From the question it is given that,

$$A = \{0, 1, 2, 3, 4, 5, 6, 7, 8\}$$

$$B = \{3, 5, 7, 9, 11\}$$

$$C = \{0, 5, 10, 20\}$$

(i) $A \cup B$

$$A \cup B = \{0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 11\}$$

<https://www.indcareer.com/schools/ml-aggarwal-solutions-for-class-8-maths-chapter-6-operation-on-sets-venn-diagram/>

Cardinal number of set i.e. $n(A \cup B) = 11$

(ii) $A \cup C$

$$A \cup C = \{0, 1, 2, 3, 4, 5, 6, 7, 8, 10, 20\}$$

Cardinal number of set i.e. $n(A \cup C) = 11$

(iii) $B \cup C$

$$B \cup C = \{0, 3, 5, 7, 9, 10, 11, 20\}$$

Cardinal number of set i.e. $n(B \cup C) = 8$

(iv) $A \cap B$

$$A \cap B = \{3, 5, 7\}$$

Cardinal number of set i.e. $n(A \cap B) = 3$

(v) $A \cap C$

$$A \cap C = \{0, 5\}$$

Cardinal number of set i.e. $n(A \cap C) = 2$

(vi) $B \cap C$

$$B \cap C = \{5\}$$

Cardinal number of set i.e. $n(B \cap C) = 1$

2. Find A' when

(i) $A = \{0, 1, 4, 7\}$ and $E = \{x \mid x \in W, x \leq 10\}$

Solution:-

From the question,

$$A = \{0, 1, 4, 7\}$$

$$E = \{0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10\}$$

$$\text{Then, } A' = \{2, 3, 5, 6, 8, 9, 10\}$$

(ii) $A = \{\text{consonants}\}$ and $\xi = \{\text{alphabets of English}\}$

<https://www.indcareer.com/schools/ml-aggarwal-solutions-for-class-8-maths-chapter-6-operation-on-sets-venn-diagram/>

Solution:-

$A = \{\text{consonants}\}$

$\xi = \{\text{alphabets of English}\}$

$A' = \{\text{Vowels}\}$

(iii) $A = \{\text{boys in class VIII of all schools in Bengaluru}\}$ and $\xi = \{\text{students in class VIII of all schools in Bengaluru}\}$

Solution:-

$A' = \{\text{Girls in class VIII of all schools in Bengaluru}\}$

(iv) $A = \{\text{letters of KALKA}\}$ and $\xi = \{\text{letters of KOLKATA}\}$

Solution:-

From the question it is given that,

$A = \{K, A, L, K, A\}$

$\xi = \{K, O, L, K, A, T, A\}$

$A' = \{O, T\}$

(v) $A = \{\text{odd natural numbers}\}$ and $\xi = \{\text{whole numbers}\}$.

Solution:-

From the question it is given that,

$A = \{\text{odd natural numbers}\}$

$\xi = \{\text{whole numbers}\}$

$A' = \{0, \text{even whole numbers}\}$

3. If $A = \{x : x \in \mathbb{N} \text{ and } 3 < x < 7\}$ and $B = \{x : x \in \mathbb{W} \text{ and } x \leq 4\}$, find

(i) $A \cup B$

<https://www.indcareer.com/schools/ml-aggarwal-solutions-for-class-8-maths-chapter-6-operation-on-sets-venn-diagram/>

(ii) $A \cap B$

(iii) $A - B$

(iv) $B - A$

Solution:-

From the question it is given that,

$$A = \{x : x \in \mathbb{N} \text{ and } 3 < x < 7\}$$

$$A = \{4, 5, 6\}$$

$$B = \{x : x \in \mathbb{W} \text{ and } x \leq 4\}$$

$$B = \{0, 1, 2, 3, 4\}$$

Then,

(i) $A \cup B$

$$A \cup B = \{0, 1, 2, 3, 4, 5, 6\}$$

(ii) $A \cap B$

$$A \cap B = \{4\}$$

(iii) $A - B$

$$A - B = \{5, 6\}$$

(iv) $B - A$

$$B - A = \{0, 1, 2, 3\}$$

4. If $P = \{x : x \in \mathbb{W} \text{ and } x < 6\}$ and $Q = \{x : x \in \mathbb{N} \text{ and } 4 \leq x \leq 9\}$, find

(i) $P \cup Q$

(ii) $P \cap Q$

(iii) $P - Q$

(iv) $Q - P$

Is $P \cup Q$ a proper superset of $P \cap Q$?

Solution:-

<https://www.indcareer.com/schools/ml-aggarwal-solutions-for-class-8-maths-chapter-6-operation-on-sets-venn-diagram/>

From the question it is given that,

$$P = \{x : x \in W \text{ and } x < 6\}$$

$$P = \{0, 1, 2, 3, 4, 5\}$$

$$Q = \{x : x \in N \text{ and } 4 \leq x \leq 9\}$$

$$Q = \{4, 5, 6, 7, 8, 9\}$$

(i) $P \cup Q$

$$P \cup Q = \{0, 1, 2, 3, 4, 5, 6, 7, 8, 9\}$$

(ii) $P \cap Q$

$$P \cap Q = \{4, 5\}$$

(iii) $P - Q$

$$P - Q = \{0, 1, 2, 3\}$$

(iv) $Q - P$

$$Q - P = \{6, 7, 8, 9\}$$

By observing the above sets, $P \cup Q$ is a proper superset of $P \cap Q$.

5. If $A =$ (letters of word INTEGRITY) and $B =$ (letters of word RECKONING), find

(i) $A \cup B$

(ii) $A \cap B$

(iii) $A - B$

(iv) $B - A$

Also verify that:

(a) $n(A \cup B) = n(A) + n(B) - n(A \cap B)$

(b) $n(A - B) = n(A \cup B) - n(B) = n(A) - n(A \cap B)$

(c) $n(B - A) = n(A \cup B) - n(A) = n(B) - n(A \cap B)$

(d) $n(A \cup B) = n(A - B) + n(B - A) + n(A \cap B)$.

Solution:

<https://www.indcareer.com/schools/ml-aggarwal-solutions-for-class-8-maths-chapter-6-operation-on-sets-venn-diagram/>

From the question it is given that,

$$A = \{I, N, T, E, G, R, Y\}$$

$$n(A) = 7$$

$$B = \{R, E, C, K, O, N, I, G\}$$

$$n(B) = 8$$

Then,

$$(i) A \cup B = \{I, N, T, E, G, R, Y\} \cup \{R, E, C, K, O, N, I, G\}$$

$$A \cup B = \{I, N, T, E, G, R, Y, C, K, O\}$$

$$n(A \cup B) = 10$$

$$(ii) A \cap B = \{I, N, T, E, G, R, Y\} \cap \{R, E, C, K, O, N, I, G\}$$

$$A \cap B = \{I, N, E, G, R\}$$

$$n(A \cap B) = 5$$

$$(iii) A - B = \{I, N, T, E, G, R, Y\} - \{R, E, C, K, O, N, I, G\}$$

$$A - B = \{T, Y\}$$

$$n(A - B) = 2$$

$$(iv) B - A = \{I, N, T, E, G, R, Y\} - \{R, E, C, K, O, N, I, G\}$$

$$B - A = \{C, K, O\}$$

$$n(B - A) = 3$$

Now,

$$(a) n(A \cup B) = 10$$

$$n(A) + n(B) - n(A \cap B) = 7 + 8 - 5$$

$$= 15 - 5$$

$$= 10$$

Therefore, by comparing the above results

$$n(A \cup B) = n(A) + n(B) - n(A \cap B)$$

<https://www.indcareer.com/schools/ml-aggarwal-solutions-for-class-8-maths-chapter-6-operation-on-sets-venn-diagram/>

$$(b) n(A - B) = 2$$

$$n(A \cup B) - n(B) = 10 - 8 = 2$$

$$n(A) - n(A \cap B) = 7 - 5 = 2$$

Therefore, by comparing the above results

$$n(A - B) = n(A \cup B) - n(B) = n(A) - n(A \cap B)$$

$$(c) n(B - A) = 3$$

$$n(A \cup B) - n(A) = 10 - 7 = 3$$

$$n(B) - n(A \cap B) = 8 - 5 = 3$$

Therefore, by comparing the above results

$$n(B - A) = n(A \cup B) - n(A) = n(B) - n(A \cap B)$$

$$(d) n(A \cup B) = 10$$

$$n(A - B) + n(B - A) + n(A \cap B) = 2 + 3 + 5 = 10$$

Therefore, by comparing the above results

$$n(A \cup B) = n(A - B) + n(B - A) + n(A \cap B)$$

6. If $\xi = \{\text{natural numbers between 10 and 40}\}$

$A = \{\text{multiples of 5}\}$ and

$B = \{\text{multiples of 6}\}$, then

(i) find $A \cup B$ and $A \cap B$

(ii) verify that

$$n(A \cup B) = n(A) + n(B) - n(A \cap B)$$

Solution:-

From the question it is given that,

$$\xi = \{\text{natural numbers between 10 and 40}\}$$

$$\xi = \{11, 12, 13, 14, 15, \dots, 39\}$$

ξ is a universal set and A and B are subsets of ξ .

<https://www.indcareer.com/schools/ml-aggarwal-solutions-for-class-8-maths-chapter-6-operation-on-sets-venn-diagram/>

Then, the elements of A and B are to be taken only from ξ .

$$A = \{\text{multiples of 5}\}$$

$$A = \{15, 20, 25, 30, 35\}$$

$$B = \{\text{multiples of 6}\}$$

$$B = \{12, 18, 24, 30, 36\}$$

$$(i) A \cup B = \{15, 20, 25, 30, 35, 40\} \cup \{12, 18, 24, 30, 36\}$$

$$A \cup B = \{15, 20, 25, 30, 35, 12, 18, 24, 36\}$$

$$A \cap B = \{30\}$$

$$(ii) n(A \cup B) = n(A) + n(B) - n(A \cap B)$$

$$n(A \cup B) = 5$$

$$n(A) = 5$$

$$n(B) = 5$$

$$n(A \cap B) = 1$$

$$\text{Then, } n(A) + n(B) - n(A \cap B) = 5 + 5 - 1 = 9$$

By comparing the results,

$$9 = 9$$

$$\text{Therefore, } n(A \cup B) = n(A) + n(B) - n(A \cap B)$$

7. If $\xi = \{1, 2, 3, \dots, 9\}$, $A = \{1, 2, 3, 4, 6, 7, 8\}$ and $B = \{4, 6, 8\}$, then find.

(i) A'

(ii) B'

(iii) $A \cup B$

(iv) $A \cap B$

(v) $A - B$

(vi) $B - A$

(vii) $(A \cap B)'$

<https://www.indcareer.com/schools/ml-aggarwal-solutions-for-class-8-maths-chapter-6-operation-on-sets-venn-diagram/>

(viii) $A' \cup B'$

Also verify that:

(a) $(A \cap B)' = A' \cup B'$

(b) $n(A) + n(A') = n(\xi)$

(c) $n(A \cap B) + n((A \cap B)') = n(\xi)$

(d) $n(A - B) + n(B - A) + n(A \cap B) = n(A \cup B)$

Solution:-

From the question it is given that,

$$\xi = \{1, 2, 3, 4, 5, 6, 7, 8, 9\}$$

$$A = \{1, 2, 3, 4, 6, 7, 8\}$$

$$B = \{4, 6, 8\}$$

(i) $A' = \xi - A = \{1, 2, 3, 4, 5, 6, 7, 8, 9\} - \{1, 2, 3, 4, 6, 7, 8\}$

$$A' = \{5, 9\}$$

(ii) $B' = \xi - B = \{1, 2, 3, 4, 5, 6, 7, 8, 9\} - \{4, 6, 8\}$

$$B' = \{1, 2, 3, 5, 7, 9\}$$

(iii) $A \cup B = \{1, 2, 3, 4, 6, 7, 8\} \cup \{4, 6, 8\}$

$$A \cup B = \{1, 2, 3, 4, 6, 7, 8\}$$

(iv) $A \cap B = \{1, 2, 3, 4, 6, 7, 8\} \cap \{4, 6, 8\}$

$$A \cap B = \{4, 6, 8\}$$

(v) $A - B = \{1, 2, 3, 4, 6, 7, 8\} - \{4, 6, 8\}$

$$A - B = \{1, 2, 3, 7\}$$

(vi) $B - A = \{4, 6, 8\} - \{1, 2, 3, 4, 6, 7, 8\}$

$$B - A = \{\}$$

(vii) $(A \cap B)' = \xi - (A \cap B)$

$$(A \cap B)' = \{1, 2, 3, 4, 5, 6, 7, 8, 9\} - \{4, 6, 8\}$$

<https://www.indcareer.com/schools/ml-aggarwal-solutions-for-class-8-maths-chapter-6-operation-on-sets-venn-diagram/>

$$(A \cap B)' = \{1, 2, 3, 5, 7, 9\}$$

$$(viii) A' \cup B' = \{5, 9\} \cup \{1, 2, 3, 5, 7, 9\}$$

$$A' \cup B' = \{1, 2, 3, 5, 7, 9\}$$

Then,

$$n(\xi) = 9$$

$$n(A) = 7$$

$$n(A') = 2$$

$$n(B') = 6$$

$$n(A \cap B) = 3$$

$$n((A \cap B)') = 6$$

$$n(A' \cup B') = 6$$

$$n(A - B) = 4$$

$$n(B - A) = 0$$

$$n(A \cup B) = 7$$

$$(a) (A \cap B)' = A' \cup B'$$

$$(A \cap B)' = \{1, 2, 3, 5, 7, 9\}$$

$$A' \cup B' = \{1, 2, 3, 5, 7, 9\}$$

By comparing the results,

$$(A \cap B)' = A' \cup B'$$

$$(b) n(A) + n(A') = n(\xi)$$

$$7 + 2 = 9$$

$$9 = 9$$

Therefore, by comparing the results, $n(A) + n(A') = n(\xi)$

$$(c) n(A \cap B) + n((A \cap B)') = n(\xi)$$

$$3 + 6 = 9$$

<https://www.indcareer.com/schools/ml-aggarwal-solutions-for-class-8-maths-chapter-6-operation-on-sets-venn-diagram/>

$$9 = 9$$

Therefore, by comparing the results, $n(A \cap B) + n((A \cap B)') = n(\xi)$

$$(d) n(A - B) + n(B - A) + n(A \cap B) = n(A \cup B)$$

$$4 + 0 + 3 = 7$$

$$7 = 7$$

Therefore, by comparing the results, $n(A - B) + n(B - A) + n(A \cap B) = n(A \cup B)$

8. If $\xi = \{x : x \in W, x \leq 10\}$, $A = \{x : x \geq 5\}$ and $B = \{x : 3 \leq x < 8\}$, then verify that:

$$(i) (A \cup B)' = A' \cap B'$$

$$(ii) (A \cap B)' = A' \cup B'$$

$$(iii) A - B = A \cap B'$$

$$(iv) B - A = B \cap A'$$

Solution:-

$$\xi = \{0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10\}$$

$$A = \{5, 6, 7, 8, 9, 10\}$$

$$B = \{3, 4, 5, 6, 7\}$$

$$(i) (A \cup B)' = A' \cap B'$$

First consider the Left hand side (LHS) = $(A \cup B)'$

$$(A \cup B) = \{5, 6, 7, 8, 9, 10\} \cup \{3, 4, 5, 6, 7\}$$

$$(A \cup B) = \{3, 4, 5, 6, 7, 8, 9, 10\}$$

$$(A \cup B)' = \xi - A \cup B = \{0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10\} - \{3, 4, 5, 6, 7, 8, 9, 10\}$$

$$(A \cup B)' = \{0, 1, 2\}$$

Therefore, LHS $(A \cup B)' = \{0, 1, 2\}$

Then, Right hand side (RHS) = $A' \cap B'$

$$A' = \xi - A = \{0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10\} - \{5, 6, 7, 8, 9, 10\}$$

$$A' = \{0, 1, 2, 3, 4\}$$

<https://www.indcareer.com/schools/ml-aggarwal-solutions-for-class-8-maths-chapter-6-operation-on-sets-venn-diagram/>

$$B' = \xi - B = \{0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10\} - \{3, 4, 5, 6, 7\}$$

$$B' = \{0, 1, 2, 8, 9, 10\}$$

$$A' \cap B' = \{0, 1, 2, 3, 4\} \cap \{0, 1, 2, 8, 9, 10\}$$

$$A' \cap B' = \{0, 1, 2\}$$

$$\text{Therefore, RHS } A' \cap B' = \{0, 1, 2\}$$

By comparing LHS and RHS

$$(A \cup B)' = A' \cap B'$$

$$(ii) (A \cap B)' = A' \cup B'$$

Consider LHS $(A \cap B)'$

$$(A \cap B) = \{5, 6, 7, 8, 9, 10\} \cap \{3, 4, 5, 6, 7\}$$

$$(A \cap B) = \{5, 6, 7\}$$

$$(A \cap B)' = \xi - (A \cap B) = \{0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10\} - \{5, 6, 7\}$$

$$(A \cap B)' = \{0, 1, 2, 3, 4, 8, 9, 10\}$$

$$\text{Therefore, LHS } = (A \cap B)' = \{0, 1, 2, 3, 4, 8, 9, 10\}$$

Now, consider RHS $= A' \cup B'$

$$A' \cup B' = \{0, 1, 2, 3, 4\} \cup \{0, 1, 2, 8, 9, 10\}$$

$$A' \cup B' = \{0, 1, 2, 3, 4, 8, 9, 10\}$$

$$\text{Therefore, RHS } = A' \cup B' = \{0, 1, 2, 3, 4, 8, 9, 10\}$$

By comparing LHS and RHS

$$(A \cap B)' = A' \cup B'$$

$$(iii) A - B = A \cap B'$$

Consider the LHS $= A - B$

$$A - B = \{5, 6, 7, 8, 9, 10\} - \{3, 4, 5, 6, 7\}$$

$$A - B = \{8, 9, 10\}$$

$$\text{Therefore, LHS } = A - B = \{8, 9, 10\}$$

<https://www.indcareer.com/schools/ml-aggarwal-solutions-for-class-8-maths-chapter-6-operation-on-sets-venn-diagram/>

Now, consider $RHS = A \cap B'$

$$(A \cap B') = \{5, 6, 7, 8, 9, 10\} \cap \{0, 1, 2, 8, 9, 10\}$$

$$(A \cap B') = \{8, 9, 10\}$$

$$\text{Therefore, } RHS = (A \cap B') = \{8, 9, 10\}$$

By comparing LHS and RHS,

$$A - B = A \cap B'$$

$$(iv) B - A = B \cap A'$$

Consider the $LHS = B - A$

$$B - A = \{3, 4, 5, 6, 7\} - \{5, 6, 7, 8, 9, 10\}$$

$$B - A = \{3, 4\}$$

$$\text{Therefore, } LHS = B - A = \{3, 4\}$$

Now, consider $RHS = B \cap A'$

$$B \cap A' = \{3, 4, 5, 6, 7\} \cap \{5, 6, 7, 8, 9, 10\}$$

$$B \cap A' = \{3, 4\}$$

$$\text{Therefore, } RHS = B \cap A' = \{3, 4\}$$

By comparing the LHS and RHS, $B - A = B \cap A'$.

9. If $n(A) = 20$, $n(B) = 16$ and $n(A \cup B) = 30$, find $n(A \cap B)$.

Solution:

From the question it is given that,

$$n(A) = 20$$

$$n(B) = 16$$

$$n(A \cup B) = 30$$

$$\text{As we know that, } n(A \cup B) = n(A) + n(B) - n(A \cap B)$$

$$30 = 20 + 16 - n(A \cap B)$$

$$30 = 36 - n(A \cap B)$$

<https://www.indcareer.com/schools/ml-aggarwal-solutions-for-class-8-maths-chapter-6-operation-on-sets-venn-diagram/>

$$n(A \cap B) = 36 - 30$$

$$n(A \cap B) = 6$$

Therefore, $n(A \cap B) = 6$

10. If $n(\xi) = 20$ and $n(A') = 7$, then find $n(A)$.

Solution:

From the question it is given that,

$$n(\xi) = 20$$

$$n(A') = 7$$

We know that, $n(A') = n(\xi) - n(A)$

$$7 = 20 - n(A)$$

$$n(A) = 20 - 7$$

$$n(A) = 13$$

Therefore, $n(A) = 13$

11. If $n(\xi) = 40$, $n(A) = 20$, $n(B') = 16$ and $n(A \cup B) = 32$, then find $n(B)$ and $n(A \cap B)$.

Solution:

From the question it is given that,

$$n(\xi) = 40$$

$$n(A) = 20$$

$$n(B') = 16$$

$$n(A \cup B) = 32$$

We know that, $n(B') = n(\xi) - n(B)$

$$16 = 40 - n(B)$$

$$n(B) = 40 - 16$$

$$n(B) = 24$$

Then, $n(A \cup B) = n(A) + n(B) - n(A \cap B)$

<https://www.indcareer.com/schools/ml-aggarwal-solutions-for-class-8-maths-chapter-6-operation-on-sets-venn-diagram/>

$$32 = 20 + 24 - n(A \cap B)$$

$$32 = 44 - n(A \cap B)$$

$$n(A \cap B) = 44 - 32$$

$$n(A \cap B) = 12$$

Therefore, $n(A \cap B) = 12$

12. If $n(\xi) = 32$, $n(A) = 20$, $n(B) = 16$ and $n((A \cup B)') = 4$, find :

(i) $n(A \cup B)$

(ii) $n(A \cap B)$

(iii) $n(A - B)$

Solution:-

From the question it is given that,

$$n(\xi) = 32$$

$$n(A) = 20$$

$$n(B) = 16$$

$$n((A \cup B)') = 4$$

Then,

$$(i) \ n(A \cup B) = n(\xi) - n((A \cup B)')$$

$$= 32 - 4$$

$$n(A \cup B) = 28$$

$$(ii) \ n(A \cap B)$$

We know that, $n(A \cup B) = n(A) + n(B) - n(A \cap B)$

$$28 = 20 + 16 - n(A \cap B)$$

$$28 = 36 - n(A \cap B)$$

$$n(A \cap B) = 36 - 28$$

$$n(A \cap B) = 8$$

<https://www.indcareer.com/schools/ml-aggarwal-solutions-for-class-8-maths-chapter-6-operation-on-sets-venn-diagram/>

$$(iii) n(A - B) = n(A) - n(A \cap B)$$

$$= 20 - 8$$

$$= 12$$

Therefore, $n(A - B) = 12$

13. If $n(\xi) = 40$, $n(A') = 15$, $n(B) = 12$ and $n((A \cap B)') = 32$, find :

(i) $n(A)$

(ii) $n(B')$

(iii) $n(A \cap B)$

(iv) $n(A \cup B)$

(v) $n(A - B)$

(vi) $n(B - A)$

Solution:-

From the question it is given that,

$$n(\xi) = 40$$

$$n(A') = 15$$

$$n(B) = 12$$

$$n((A \cap B)') = 32$$

(i) $n(A)$

We know that, $n(A) = n(\xi) - n(A')$

$$n(A) = 40 - 15$$

$$n(A) = 25$$

(ii) $n(B')$

We know that, $n(B') = n(\xi) - n(B)$

$$n(B') = 40 - 12$$

$$n(B') = 28$$

<https://www.indcareer.com/schools/ml-aggarwal-solutions-for-class-8-maths-chapter-6-operation-on-sets-venn-diagram/>

$$(iii) n(A \cap B) = n(\xi) - n((A \cap B)')$$

$$= 40 - 32$$

$$= 8$$

$$(iv) n(A \cup B) = n(A) + n(B) - n(A \cap B)$$

$$= 25 + 12 - 8$$

$$= 37 - 8$$

$$= 29$$

$$(v) n(A - B) = n(A) - n(A \cap B)$$

$$= 25 - 8$$

$$= 17$$

$$(vi) n(B - A) = n(B) - n(A \cap B)$$

$$= 12 - 8$$

$$= 4$$

14. If $n(A - B) = 12$, $n(B - A) = 16$ and $n(A \cap B) = 5$, find:

(i) $n(A)$

(ii) $n(B)$

(iii) $n(A \cup B)$

Solution:-

From the question it is given that,

$$n(A - B) = 12$$

$$n(B - A) = 16$$

$$n(A \cap B) = 5$$

(i) $n(A)$

We know that, $n(A) = n(A - B) + n(A \cap B)$

$$= 12 + 5$$

<https://www.indcareer.com/schools/ml-aggarwal-solutions-for-class-8-maths-chapter-6-operation-on-sets-venn-diagram/>

$$= 17$$

(ii) $n(B)$

We know that, $n(B) = n(B - A) + n(A \cap B)$

$$= 16 + 5$$

$$n(B) = 21$$

(iii) $n(A \cup B)$

We know that, $n(A \cup B) = n(A) + n(B) - n(A \cap B)$

$$= 17 + 21 - 5$$

$$= 38 - 5$$

$$n(A \cup B) = 33$$

Exercise 6.2

1. From the adjoining Venn diagram, find the following sets :

(i) A

(ii) B

(iii) ξ

(iv) A'


(v) B'

(vi) $A \cup B$

(vii) $A \cap B$

(viii) $(A \cup B)'$

(ix) $(A \cap B)'$



Solution:-

From the Venn diagram,

(i) $A = \{0, 5, 7, 8, 9, 11\}$

(ii) $B = \{2, 5, 6, 8\}$

(iii) $\xi = \{0, 1, 2, 4, 5, 6, 7, 8, 9, 11, 12\}$

(iv) A'

We know that $A' = \xi - A$

So, $A' = \{1, 2, 4, 6, 12\}$

(v) B'

We know that $B' = \xi - B$

So, $B' = \{0, 1, 4, 7, 9, 11, 12\}$

(vi) $A \cup B = \{0, 2, 5, 6, 7, 8, 9, 11\}$


(vii) $A \cap B = \{5, 8\}$

(viii) $(A \cup B)' = \{1, 4, 12\}$

(ix) $(A \cap B)' = \{0, 1, 2, 4, 6, 7, 9, 11, 12\}$

2. From the adjoining Venn diagram, find the following sets :

<https://www.indcareer.com/schools/ml-aggarwal-solutions-for-class-8-maths-chapter-6-operation-on-sets-venn-diagram/>



- (i) P
- (ii) Q
- (iii) ξ
- (iv) P'
- (v) Q'
- (vi) $P \cup Q$
- (vii) $P \cap Q$
- (viii) $(P \cup Q)'$
- (ix) $(P \cap Q)'$

Solution:-

From the given Venn diagram, we have,

- (i) $P = \{a, b, d, e, f, g, h, i\}$
- (ii) $Q = \{b, d, e\}$
- (iii) $\xi = \{a, b, c, d, e, f, g, h, i, j\}$
- (iv) $P' = \{c, j\}$
- (v) $Q' = \{a, c, f, g, h, i, j\}$
- (vi) $P \cup Q = \{a, b, d, e, f, g, h, i\}$
- (vii) $P \cap Q = \{b, d, e\}$
- (viii) $(P \cup Q)' = \{c, j\}$

<https://www.indcareer.com/schools/ml-aggarwal-solutions-for-class-8-maths-chapter-6-operation-on-sets-venn-diagram/>

(ix) $(P \cap Q)' = \{a, c, f, g, h, i, j\}$

3. From the adjoining Venn diagram, find the following sets :

(i) ξ

(ii) $A \cap B$

(iii) $A \cap B \cap C$

(iv) C'


(v) $A - C$

(vi) $B - C$

(vii) $C - B$

(viii) $(A \cup B)'$

(ix) $(A \cup B \cup C)'$



Solution:-

From the Venn diagram,

$A = \{0, 3, 5, 8, 10\}$

$B = \{0, 1, 5, 7, 8, 11\}$

$C = \{0, 1, 3, 4, 5, 6\}$

(i) $\xi = \{1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12\}$

(ii) $A \cap B = \{0, 5, 8\}$

(iii) $A \cap B \cap C = \{0, 5\}$

<https://www.indcareer.com/schools/ml-aggarwal-solutions-for-class-8-maths-chapter-6-operation-on-sets-venn-diagram/>

(iv) C'

We know that $C' = \xi - C$

So, $C' = \{2, 7, 8, 9, 10, 11, 12\}$

(v) $A - C = \{8, 10\}$

(vi) $B - C = \{7, 8, 11\}$

(vii) $C - B = \{3, 4, 6\}$

(viii) $(A \cup B)' = \{2, 4, 6, 9, 12\}$

(ix) $(A \cup B \cup C)' = \{2, 9, 12\}$

4. Draw Venn diagrams to show the relationship between the following pairs of sets :

(i) $A = \{x \mid x \in \mathbb{N}, x = 2n, n \leq 5\}$ and

$B = \{x \mid x \in \mathbb{W}, x = 4n, n < 5\}$

Solution:-

From the question it is given that,

$A = \{x \mid x \in \mathbb{N}, x = 2n, n \leq 5\}$

$x = 2n = (2 \times 1) = 2, \dots (2 \times 5) = 10$

$A = \{2, 4, 6, 8, 10\}$

$B = \{x \mid x \in \mathbb{W}, x = 4n, n < 5\}$

$x = 4n = (4 \times 0) = 0, \dots (4 \times 4) = 16$


$B = \{4, 8, 12, 16\}$

$A \cap B = \{4, 8\}$

Therefore, the sets are overlapping.

An adjoining Venn diagrams to show the relationship between the A and B sets,

<https://www.indcareer.com/schools/ml-aggarwal-solutions-for-class-8-maths-chapter-6-operation-on-sets-venn-diagram/>



(ii) $A = \{\text{prime factors of } 42\}$ and

$B = \{\text{prime factors of } 60\}$

Solution:-

$A = \{\text{prime factors of } 42\}$

$A = \{2, 3, 7\}$


$B = \{\text{prime factors of } 60\}$

$B = \{2, 3, 5\}$

$A \cap B = \{2, 3\}$

Therefore, the sets are overlapping.

An adjoining Venn diagrams to show the relationship between the A and B sets,



(iii) $P = \{x \mid x \in W, x < 10\}$ and

$Q = \{\text{prime factors of } 210\}$

<https://www.indcareer.com/schools/ml-aggarwal-solutions-for-class-8-maths-chapter-6-operation-on-sets-venn-diagram/>

Solution:-

From the question it is given that,

$$P = \{x \mid x \in W, x < 10\}$$

$$P = \{0, 1, 2, 3, 4, 5, 6, 7, 8, 9\}$$


$$Q = \{\text{prime factors of } 210\}$$

$$Q = \{2, 3, 5, 6, 7\}$$

$$P \cap Q = \{2, 3, 5, 6, 7\}, Q \text{ is a subset of } P.$$

Therefore, the sets are overlapping.

An adjoining Venn diagrams to show the relationship between the A and B sets,



5. Draw a Venn diagram to illustrate the following information:

$$n(A) = 22, n(B) = 18 \text{ and } n(A \cap B) = 5.$$

Hence find:

(i) $n(A \cup B)$

(ii) $n(A - B)$

(iii) $n(B - A)$

Solution:-

From the question it is given that,

<https://www.indcareer.com/schools/ml-aggarwal-solutions-for-class-8-maths-chapter-6-operation-on-sets-venn-diagram/>

$$n(A) = 22$$

$$n(B) = 18$$

$$n(A \cap B) = 5$$

Then, We know that $n(\text{only } A) = n(A) - n(A \cap B)$


$$= 22 - 5$$

$$= 17$$

So, $n(\text{only } B) = n(B) - n(A \cap B)$

$$= 18 - 5$$

$$= 13$$



(i) $n(A \cup B)$

From the Venn diagram,

$$n(A \cup B) = 17 + 5 + 13 = 35$$

(ii) $n(A - B) = 17$

(iii) $n(B - A) = 13$

6. Draw a Venn diagram to illustrate the following information: $n(A) = 25$, $n(B) = 16$, $n(A \cap B) = 6$ and $n((A \cup B)') = 5$

Hence find:

(i) $n(A \cup B)$

(ii) $n(\xi)$

<https://www.indcareer.com/schools/ml-aggarwal-solutions-for-class-8-maths-chapter-6-operation-on-sets-venn-diagram/>

(iii) $n(A - B)$

(iv) $n(B - A)$

Solution:-

From the question it is given that,

$$n(A) = 25$$

$$n(B) = 16$$

$$n(A \cap B) = 6$$

$$n((A \cup B)') = 5$$

Then, We know that $n(\text{only } A) = n(A) - n(A \cap B)$

$$= 25 - 6$$


$$= 19$$

So, $n(\text{only } B) = n(B) - n(A \cap B)$

$$= 16 - 6$$

$$= 10$$

An adjoining Venn diagrams to show the relationship between the A and B sets,



From the Venn diagram,

(i) $n(A \cup B) = 19 + 6 + 10 = 35$

(ii) $n(\xi) = 19 + 6 + 10 + 5 = 40$

<https://www.indcareer.com/schools/ml-aggarwal-solutions-for-class-8-maths-chapter-6-operation-on-sets-venn-diagram/>

(iii) $n(A - B) = 19$

(iv) $n(B - A) = 10$

7. Given $n(\xi) = 25$, $n(A') = 7$, $n(B) = 10$ and $B \subset A$. Draw a Venn diagram to illustrate this information. Hence, find the cardinal number of the set $A - B$.

Solution:-

From the question it is given that,

$$n(\xi) = 25$$

$$n(A') = 7$$

$$n(B) = 10$$


$$B \subset A$$

$$\text{Then, } n(A) = n(\xi) - n(A')$$

$$= 25 - 7$$

$$= 18$$

Venn diagrams to show the relationship between the A and B sets,



Therefore, the cardinal number of the set $A - B = 8$

8. In a group of 50 boys, 20 play only cricket, 12 play only football and 5 boys play both the games. Draw a Venn diagram and find the number of boys who play

(i) at least one of the two games cricket or football.

<https://www.indcareer.com/schools/ml-aggarwal-solutions-for-class-8-maths-chapter-6-operation-on-sets-venn-diagram/>

(ii) neither cricket nor football.

Solution:-

Let us assume ξ be the all-boys

Let us assume P be the students who play cricket

And also assume that Q be the students who play football

From the question,


$$n(\xi) = 50$$

$$n(P) = 20$$

$$n(Q) = 12$$

$$n(P \cap Q) = 5$$

An adjoining Venn diagrams to show the relationship between the P and Q sets,



Then,

(i) at least one of the two games cricket or football, $n(P \cup Q) = 20 + 5 + 12 = 37$

(ii) neither cricket nor football = 13

9. In a group of 40 students, 26 students like orange but not banana, while 32 students like oranges. If all the students like at least one of the two fruits, find the number of students who like

(i) both orange and banana

(ii) only banana.

<https://www.indcareer.com/schools/ml-aggarwal-solutions-for-class-8-maths-chapter-6-operation-on-sets-venn-diagram/>

Draw a Venn diagram to represent the data.

Solution:-

Let us assume ξ be the total students

Let us assume P be the students who like orange

And also assume that Q be the students who like banana


From the question it is given that,

$$n(\xi) = 40$$

$$n(P - Q) = 26$$

$$n(Q) = 32$$

$$n(P \cup Q) = 40$$



Then,

(i) Total number of students like both orange and banana. i.e. $n(P \cap Q) = 6$

(ii) Number of students like only banana = $40 - 32 = 8$

10. In a group of 60 persons, 45 speak Bengali, 28 speak English and all the persons speak at least one language. Find how many people speak both Bengali and English. Draw a Venn diagram.

Solution:-

Let us assume ξ be the group of persons

Let us assume P be the persons who speak Bengali

<https://www.indcareer.com/schools/ml-aggarwal-solutions-for-class-8-maths-chapter-6-operation-on-sets-venn-diagram/>

And also assume that Q be the persons who speak English

From the question,

$$n(\xi) = 60$$

$$n(P) = 45$$


$$n(Q) = 28$$

$$n(P \cup Q) = 60$$

$$\text{Then, } n(P \cap Q) = n(P) + n(Q) - n(P \cup Q)$$

$$= 45 + 28 - 60$$

$$= 13$$



<https://www.indcareer.com/schools/ml-aggarwal-solutions-for-class-8-maths-chapter-6-operation-on-sets-venn-diagram/>

ML Aggarwal Solutions Class 8

Maths

- Chapter 1- Rational Numbers
- Chapter 2- Exponents and Powers
- Chapter 3- Squares and Square Roots
- Chapter 4- Cubes and Cube Roots
- Chapter 5- Playing with Numbers
- Chapter 6- Operation On Sets Venn Diagram
- Chapter 7- Percentage
- Chapter 8- Simple and Compound Interest
- Chapter 9- Direct and Inverse Variation
- Chapter 10- Algebraic Expressions and Identities
- Chapter 11- Factorisation
- Chapter 12- Linear Equations and Inequalities in One Variable
- Chapter 13- Understanding Quadrilaterals
- Chapter 14- Constructions of Quadrilaterals
- Chapter 15- Circle
- Chapter 16- Symmetry Reflection and Rotation
- Chapter 17- Visualising Solid Shapes
- Chapter 18- Mensuration
- Chapter 19- Data Handling

<https://www.indcareer.com/schools/ml-aggarwal-solutions-for-class-8-maths-chapter-6-operation-on-sets-venn-diagram/>

About ML Aggarwal

M. L. Aggarwal, is an Indian mechanical engineer, educator. His achievements include research in solutions of industrial problems related to fatigue design. Recipient Best Paper award, Manipal Institute of Technology, 2004. Member of TSTE.

<https://www.indcareer.com/schools/ml-aggarwal-solutions-for-class-8-maths-chapter-6-operation-on-sets-venn-diagram/>

About IndCareer

IndCareer.com is a leading developer of online career guidance resources for the Indian marketplace. Established in 2007, IndCareer.com is currently used by over thousands of institutions across India, including schools, employment agencies, libraries, colleges and universities.

IndCareer.com is designed to assist you in making the right career decision - a decision that meets your unique interests and personality.

For any clarifications or questions you can write to **info@indcareer.com**

Postal Address

IndCareer.com
52, Shilpa Nagar,
Somalwada
Nagpur - 440015
Maharashtra, India

WhatsApp: +91 9561 204 888

Website: <https://www.indcareer.com>

<https://www.indcareer.com/schools/ml-aggarwal-solutions-for-class-8-maths-chapter-6-operation-on-sets-venn-diagram/>