


Selina Class 8 ICSE Solutions Mathematics :

Chapter 11- Algebraic Expressions



For any clarifications or questions you can write to **info@indcareer.com**

Postal Address

IndCareer.com, 52, Shilpa Nagar, Somalwada Nagpur - 440015
Maharashtra, India

WhatsApp: +91 9561 204 888, **Website:** <https://www.indcareer.com>

<https://www.indcareer.com/schools/selina-class-8-icse-solutions-mathematics-chapter-11-algebraic-expressions/>



Selina Class 8 ICSE Solutions Mathematics :

Chapter 11- Algebraic Expressions

Class 8: Maths Chapter 11 solutions. Complete Class 8 Maths Chapter 11 Notes.

Selina Class 8 ICSE Solutions Mathematics : Chapter 11- Algebraic Expressions

Selina 8th Maths Chapter 11, Class 8 Maths Chapter 11 solutions

Exercise 11A

Question 1.

Separate the constants and variables from the following :

$$-7, 7+x, 7x+yz, \sqrt{5}, \sqrt{xy}, \frac{3yz}{8}, 4.5y-3x,$$

$$8-5, 8-5x, 8x-5y \times p \text{ and } 3y^2z+4x$$

Solution:

Clearly constants are : $-7, \sqrt{5}, 8-5$

Variable are : $7+x, 7x+yz, \sqrt{xy}, \frac{3yz}{8}, 4.5y$

$-3x$

$8-5x, 8x-5y \times p \text{ and } 3y^2z+4x$

Question 2.

<https://www.indcareer.com/schools/selina-class-8-icse-solutions-mathematics-chapter-11-algebraic-expressions/>

Write the number of terms in each of the following polynomials.

(i) $5x^2 + 3 \times ax$

(ii) $ax \div 4 - 7$

(iii) $ax - by + y \times z$

(iv) $23 + a \times b \div 2$.

Solution:

(i) $5x^2 + 3 \times ax = 5x^2 + 3ax$

$\therefore$ The number of terms in this polynomial
= 2

(ii) $ax \div 4 - 7 = \frac{ax}{4} - 7$

$\therefore$ The number of terms in this polynomial
= 2

(iii) $ax - by + y \times z = ax - by + yz$

$\therefore$ The number of terms in this polynomial
= 3

(iv) $23 + a \times b \div 2 = 23 + \frac{ab}{2}$

$\therefore$ The number of terms in this Polynomial
= 2

Question 3.

Separate monomials, binomials, trinomials and polynomials from the following algebraic expressions :

$8 - 3x$, xy^2 , $3y^2 - 5y + 8$, $9x - 3x^2 + 15x^3 - 7$,
 $3x \times 5y$, $3x \div 5y$, $2y \div 7 + 3x - 7$ and $4 - ax^2 + bx + y$

Solution:

<https://www.indcareer.com/schools/selina-class-8-icse-solutions-mathematics-chapter-11-algebraic-expressions/>

Monomials are : xy^2 , $3x \times 5y$, $3x \div 5y$;

Bionomials are : $8 - 3x$

Trinomials are : $3y^2 - 5y + 8$, $2y \div 7 + 3x - 7$

Polynomials are : $8 - 3x$, $3y^2 - 5y + 8$, $9x - 3x^2 + 15x^3 - 7$, $2y \div 7 + 3x - 7$, $4 - ax^2 + bx + y$

Question 4.

Write the degree of each polynomial given below :

- (i) $xy + 7z$ (ii) $x^2 - 6x^3 + 8$
(iii) $y - 6y^2 + 5y^8$ (iv) $xyz - 3$
(v) $xy + yz^2 - zx^3$ (vi) $x^5y^7 - 8x^3y^8 + 10x^4y^4z^4$

Solution:

- (i) degree = 2 (Polynomial is $xy + 7z$)
(ii) degree = 3 (Polynomial is $x^2 - 6x^3 + 8y$)
(iii) degree = 8 (Polynomial is $y - 6y^2 + 5y^8$)
(iv) degree = 3 (Polynomial is $xyz - 3$)
(v) degree = 4 (Polynomial is $xy + yz^2 - xz^3$)
(vi) degree = 12 (Polynomial is $x^5y^7 - 8x^3y^8 + 10x^4y^4z^4$)

Question 5.

Write the coefficient of :

- (i) ab in $7abx$,
(ii) $7a$ in $7abx$;
(iii) $5x^2$ in $5x^2 - 5x$;
(iv) 8 in $a^2 - 8ax + a$;

<https://www.indcareer.com/schools/selina-class-8-icse-solutions-mathematics-chapter-11-algebraic-expressions/>

(v) $4xy$ in $x^2 - 4xy + y^2$.

Solution:

(i) The coefficient of ab in $7abx = 7x$

(ii) The coefficient of $7a$ in $7abx = bx$

(iii) The coefficient of $5x^2$ in $5x^2 - 5x = 1$

(iv) The coefficient of 8 in $a^2 - 8ax + a = -ax$

(v) The coefficient of $4xy$ in $x^2 - 4xy + y^2 = -1$

Question 6.

In $57xy^2z^3$, write the coefficient of

- | | | |
|---------------|------------------------|-------------|
| (i) 5 | (ii) $\frac{5}{7}$ | (iii) $5x$ |
| (iv) xy^2 | (v) z^3 | (vi) xz^3 |
| (vii) $5xy^2$ | (viii) $\frac{1}{7}yz$ | (ix) z |
| (x) yz^2 | (xi) $5xyz$ | |

Solution:

<https://www.indcareer.com/schools/selina-class-8-icse-solutions-mathematics-chapter-11-algebraic-expressions/>

In $\frac{5}{7} xy^2z^3$, Co-efficient of

(i) 5 is $\frac{1}{7} xy^2z^3$

(ii) $\frac{5}{7}$ is xy^2z^3

(iii) 5x is $\frac{1}{7} y^2z^3$

(iv) xy^2 is $\frac{5}{7} z^3$

(v) z^3 is $\frac{5}{7} xy^2$

(vi) xz^3 is $\frac{5}{7} y^2$

(vii) $5xy^2$ is $\frac{1}{7} z^3$

(viii) $\frac{1}{7} yz$ is $5xyz^2$

(ix) z is $\frac{5}{7} xy^2 z^2$

(x) yz^2 is $\frac{5}{7} xy - z$

(xi) $5xyz$ is $\frac{1}{7} yz^2$

Question 7.

In each polynomial, given below, separate the like terms :

(i) $3xy, -4yx^2, 2xy^2, 2.5x^2y, -8yx, -3.2y^2x$ and x^2y

(ii) $y^2z^3, xy^2z^3, -5x^2yz, -4y^2z^3, -8xz^3y^2, 3x^2yz$ and $2z^3y^2$

Solution:

<https://www.indcareer.com/schools/selina-class-8-icse-solutions-mathematics-chapter-11-algebraic-expressions/>

- (i) Like terms are
 $3xy$, $-8yx$; $-4yx^2$, $2.5x^2y$ and x^2y ; $2xy^2$ and $-3.2y^2x$
(ii) y^2z^3 , $-x^2z^3$ and $2z^3y^2$; xy^2z^3 and $-8xz^3y^2$;
 $-5x^2yz$ and $3x^2yz$

Exercise 11B

Question 1.

Evaluate :

- (i) $-7x^2 + 18x^2 + 3x^2 - 5x^2$
(ii) $b^2y - 9b^2y + 2b^2y - 5b^2y$
(iii) $abx - 15abx - 10abx + 32abx$.
(iv) $7x - 9y + 3 - 3x - 5y + 8$
(v) $3x^2 + 5xy - 4y^2 + x^2 - 8xy - 5y^2$

Solution:

- (i) $-7x^2 + 18x^2 + 3x^2 - 5x^2$
 $= 21x^2 - 12x^2$
 $= 9x^2$
- (ii) $b^2y - 9b^2y + 2b^2y - 5b^2y$
 $= 3b^2y - 14b^2y$
 $= -11b^2y$
- (iii) $abx - 15abx - 10abx + 32abx$
 $= 33abx - 25abx$
 $= 8abx$
- (iv) $7x - 9y + 3 - 3x - 5y + 8$
 $= 7x - 3x - 9y - 5y + 3 + 8$
 $= 4x - 14y + 11$
- (v) $3x^2 + 5xy - 4y^2 - 8xy - 5y^2$
 $= 3x^2 + 5xy - 8xy - 4y^2 - 5y^2$
 $= 3x^2 - 3xy - 9y^2$

Question 2.

Add :

- (i) $5a + 3b, a - 2b, 3a + 5b$
- (ii) $8x - 3y + 7z, -4x + 5y - 4z, -x - y - 2z$
- (iii) $3b - 7c + 10, 5c - 2b - 15, 15 + 12c + b$
- (iv) $a - 3b + 3 ; 2a + 5 - 3c ; 6c - 15 + 6b$
- (v) $13ab - 9cd - xy ; 5xy ; 15cd - 7ab ; 6xy - 3cd$
- (vi) $x^3 - x^2y + 5xy^2 + y^3 ; -x^3 - 9xy^2 + y^3 ; 3x^2y + 9xy^2$
- (vii) $a^6 - 4a^4 + 6a ; 5a^6 + 5a^4 + 6a ; 12a^6 - 10a$
- (viii) $2ax - 6by + 4cz, 4by - 14ax, 9cz - 4ax - 6by$

Solution:

<https://www.indcareer.com/schools/selina-class-8-icse-solutions-mathematics-chapter-11-algebraic-expressions/>

$$\begin{array}{r}
 (i) \quad 5a + 3b \\
 \quad \quad a - 2b \\
 \hline
 \quad \quad 3a + 5b \\
 \hline
 \quad \quad 9a + 6b
 \end{array}$$

$$\begin{array}{r}
 (ii) \quad 8x - 3y + 7z \\
 \quad \quad -4x + 5y - 4z \\
 \hline
 \quad \quad -x - y - 2z \\
 \hline
 \quad \quad 3x + y + z
 \end{array}$$

$$\begin{array}{r}
 (iii) \quad 3b - 7c + 10 \\
 \quad \quad -2b + 5c - 15 \\
 \hline
 \quad \quad +b + 12c + 15 \\
 \hline
 \quad \quad 2b + 10c + 10
 \end{array}$$

$$\begin{array}{r}
 (iv) \quad a - 3b \quad \quad + 3 \\
 \quad \quad 2a \quad \quad - 3c + 5 \\
 \hline
 \quad \quad + 6b + 6c - 15 \\
 \hline
 \quad \quad 3a + 3b + 3c - 7
 \end{array}$$

$$\begin{array}{r}
 (v) \quad 13ab - 9cd + xy \\
 \quad \quad \quad \quad + 5xy \\
 \hline
 \quad \quad -7ab + 15cd \\
 \quad \quad \quad - 3cd + 6xy \\
 \hline
 \quad \quad 6ab + 3cd + 10xy
 \end{array}$$

$$\begin{array}{r}
 (vi) \quad x^3 - x^2y + 5xy^2 + y^3 \\
 \quad \quad -x^3 \quad \quad - 9xy^2 + y^3 \\
 \hline
 \quad \quad + 3x^2y + 9xy^2 \\
 \hline
 \quad \quad 2x^2y + 5xy^2 + 2y^3
 \end{array}$$

Question 3.

<https://www.indcareer.com/schools/selina-class-8-icse-solutions-mathematics-chapter-11-algebraic-expressions/>

Find the total savings of a boy who saves ₹ $(4x - 6y)$; ₹ $(6x + 2y)$; ₹ $(4y - x)$ and ₹ $(y - 2x)$ for four consecutive weeks.

Solution:

$$\begin{array}{r} 4x-6y \\ 6x+2y \\ -x+4y \\ -2x+y \\ \hline 7x+y \end{array}$$

$$\therefore \text{Total savings} = ₹(7x + y)$$

Question 4.

Subtract :

- (i) $4xy^2$ from $3xy^2$;
- (ii) $-2x^2y + 3xy^2$ from $8x^2y$;
- (iii) $3a-5b+c+2d$ from $7a-3b+c-2d$
- (iv) $x^3 - 4x - 1$ from $3x^3 - x^2 + 6$
- (v) $6a+3$ from a^3-3a^2+4a+1
- (vi) $cab - 4cad - cbd$ from $3abc + 5bcd - cda$
- (vii) $a^2 + ab + b^2$ from $4a^2 - 3ab + 2b^2$.

Solution:

<https://www.indcareer.com/schools/selina-class-8-icse-solutions-mathematics-chapter-11-algebraic-expressions/>

(i) $3xy^2 - 4xy^2 = -xy^2$

(ii)

$$\begin{array}{r} 8x^2y \\ -2x^2y + 3xy^2 \\ + \quad - \\ \hline 10x^2y - 3xy^2 \end{array}$$

(iii)

$$\begin{array}{r} 7a - 3b + c - 2d \\ 3a - 5b + c + 2d \\ - + \quad - - \\ \hline 4a + 2b \quad - 4d \end{array}$$

(iv)

$$\begin{array}{r} 3x^3 - x^2 \quad + 6 \\ x^3 \quad - 4x - 1 \\ - \quad + \quad + \\ \hline 2x^3 - x^2 + 4x + 7 \end{array}$$

(v)

$$\begin{array}{r} a^3 - 3a^2 + 4a + 1 \\ \quad + 6a + 3 \\ - \quad - \\ \hline a^3 - 3a^2 - 2a - 2 \end{array}$$

(vi)

$$\begin{array}{r} 3abc + 5bcd - cda \\ + cab - cbd - 4cad \\ - \quad + \quad + \\ \hline 2abc + 6bcd + 3cad \end{array}$$

(vii)

$$\begin{array}{r} 4a^2 - 3ab + 2b^2 \\ + a^2 + ab + b^2 \\ - \quad - \quad - \\ \hline 3a^2 - 4ab + b^2 \end{array}$$

Question 5.

(i) Take away $-3x^3 + 4x^2 - 5x + 6$ from $3x^3 - 4x^2 + 5x - 6$

(ii) Take $m^2 + m + 4$ from $-m^2 + 3m + 6$ and the result from $m^2 + m + 1$.

<https://www.indcareer.com/schools/selina-class-8-icse-solutions-mathematics-chapter-11-algebraic-expressions/>

Solution:

$$\begin{array}{r}
 (i) \quad 3x^3 - 4x^2 + 5x - 6 \\
 -3x^3 + 4x^2 - 5x + 6 \\
 \hline
 6x^3 - 8x^2 + 10x - 12
 \end{array}$$

$$\begin{array}{r}
 (ii) \quad -m^2 + 3m + 6 \\
 + m^2 + m + 4 \\
 \hline
 -2m^2 + 2m + 2
 \end{array}$$

$$\begin{array}{r}
 \text{A.T.Q.} \quad m^2 + m + 1 \\
 -2m^2 + 2m + 2 \\
 \hline
 3m^2 - m - 1
 \end{array}$$

Question 6.

Subtract the sum of $5y^2 + y - 3$ and $y^2 - 3y + 7$ from $6y^2 + y - 2$.

Solution:

$$\begin{array}{r}
 5y^2 + y - 3 \\
 y^2 - 3y + 7 \\
 \hline
 6y^2 - 2y + 4 \\
 6y^2 + y - 2 \\
 6y^2 - 2y + 4 \\
 - \quad + \quad - \\
 \hline
 3y - 6
 \end{array}$$

Question 7.

What must be added to $x^4 - x^3 + x^2 + x + 3$ to obtain $x^4 + x^2 - 1$?

Solution:

<https://www.indcareer.com/schools/selina-class-8-icse-solutions-mathematics-chapter-11-algebraic-expressions/>

$$\begin{array}{r}
 x^4 \quad \quad + x^2 \quad \quad - 1 \\
 +x^4 - x^3 + x^2 + x + 3 \\
 - \quad + \quad - \quad \quad - \quad - \\
 \hline
 \quad x^3 \quad \quad - x \quad - 4 \\
 \hline
 \end{array}$$

Question 8.

(i) How much more than $2x^2 + 4xy + 2y^2$ is $5x^2 + 10xy - y^2$?

(ii) How much less $2a^2 + 1$ is than $3a^2 - 6$?

Solution:

$$\begin{array}{r}
 (i) \quad \quad 5x^2 \quad + \quad 10xy \quad - \quad y^2 \\
 \quad + 2x^2 \quad + \quad 4xy \quad + \quad 2y^2 \\
 \quad - \quad \quad - \quad \quad - \\
 \hline
 \quad 3x^2 \quad + \quad 6xy \quad - \quad 3y^2
 \end{array}$$

$$\begin{array}{r}
 (ii) \quad \quad 3a^2 - 6 \\
 \quad + 2a^2 + 1 \\
 \quad - \quad \quad - \\
 \hline
 \quad a^2 - 7
 \end{array}$$

Question 9.

If $x = 6a + 8b + 9c$; $y = 2b - 3a - 6c$ and $z = c - b + 3a$; find

(i) $x + y + z$

(ii) $x - y + z$

(iii) $2x - y - 3z$

(iv) $3y - 2z - 5x$

Solution:

<https://www.indcareer.com/schools/selina-class-8-icse-solutions-mathematics-chapter-11-algebraic-expressions/>

$$(i) \quad x = 6a + 8b + 9c$$

$$y = -3a + 2b - 6c$$

$$z = +3a - b + c$$

$$\text{Adding } x+y+z = 6a + 9b + 4c$$

$$(ii) \quad x-y+z = (6a + 8b + 9c) - (2b - 3a - 6c) + (c - b + 3a) \\ = 6a + 8b + 9c - 2b + 3a + 6c + c - b + 3a$$

$$= 6a + 3a + 3a + 8b - 2b - b + 9c + 6c + c$$

$$= 12a + 5b + 16c$$

$$(iii) \quad 2x - y - 3z = 2(6a + 8b + 9c) - (2b - 3a - 6c) - 3(c - b + 3a)$$

$$= 12a + 16b + 18c - 2b + 3a + 6c - 3c + 3b - 9a$$

$$= 12a + 3a - 9a + 16b + 3b - 2b + 18c + 6c - 3c$$

$$= 6a + 17b + 21c$$

$$(iv) \quad 3y - 2z - 5x = 3(2b - 3a - 6c) - 2(c - b + 3a) - 5(6a + 8b + 9c)$$

$$= 6b - 9a - 18c - 2c + 2b - 6a - 30a - 40b - 45c$$

$$= -9a - 6a - 30a + 6b + 2b - 40b - 18c - 2c - 45c$$

$$= -45a - 32b - 65c$$

Question 10.

The sides of a triangle are $x^2 - 3xy + 8$, $4x^2 + 5xy - 3$ and $6 - 3x^2 + 4xy$. Find its perimeter.

Solution:

$$\begin{aligned} \text{Required perimeter} &= \text{Sum of three sides} \\ &= x^2 - 3xy + 8 + 4x^2 + 5xy - 3 + 6 - 3x^2 + 4xy \\ &= x^2 + 4x^2 - 3x^2 - 3xy + 5xy + 4xy + 8 - 3 + 6 \\ &= 2x^2 + 6xy + 11 \end{aligned}$$

<https://www.indcareer.com/schools/selina-class-8-icse-solutions-mathematics-chapter-11-algebraic-expressions/>

Question 11.

The perimeter of a triangle is $8y^2 - 9y + 4$ and its two sides are $3y^2 - 5y$ and $4y^2 + 12$. Find its third side.

Solution:

Perimeter of the triangle = Sum of three sides

$$= 8y^2 - 9y + 4$$

$$\text{Sum of two sides} = 3y^2 - 5y + 4y^2 + 12$$

$$= 7y^2 - 5y + 12$$

$$\therefore (8y^2 - 9y + 4) - (7y^2 - 5y + 12)$$

$$= 8y^2 - 9y + 4 - 7y^2 + 5y - 12$$

$$= y^2 - 4y - 8$$

$$\text{Hence third side} = y^2 - 4y - 8$$

Question 12.

The two adjacent sides of a rectangle are $2x^2 - 5xy + 3z^2$ and $4xy - x^2 - z^2$. Find its perimeter.

Solution:

Adjacent sides of a rectangle are

$$2x^2 - 5xy + 3z^2 \text{ and } 4xy - x^2 - z^2$$

$$\therefore \text{Perimeter} = 2(2x^2 - 5xy + 3z^2 + 4xy - x^2 - z^2)$$

$$= 4x^2 - 10xy + 6z^2 + 8xy - 2x^2 - 2z^2$$

$$= 2x^2 - 2xy + 4z^2$$

Question 13.

What must be subtracted from $19x^4 + 2x^3 + 30x - 37$ to get $8x^4 + 22x^3 - 7x - 60$?

Solution:

<https://www.indcareer.com/schools/selina-class-8-icse-solutions-mathematics-chapter-11-algebraic-expressions/>

The required result will be

$$\begin{aligned}& (19x^4 + 2x^3 + 30x - 37) - (8x^4 + 22x^3 - 7x - 60) \\&= 19x^4 + 2x^3 + 30x - 37 - 8x^4 - 22x^3 + 7x + 60 \\&= 11x^4 - 20x^3 + 37x + 23\end{aligned}$$

Question 14.

How much smaller is $15x - 18y + 19z$ than $22x - 20y - 13z + 26$?

Solution:

The required result is

$$\begin{aligned}& (22x - 20y - 13z + 26) - (15x - 18y + 19z) \\&= 22x - 20y - 13z + 26 - 15x + 18y - 19z \\&= 7x - 2y - 32z + 26\end{aligned}$$

Question 15.

How much bigger is $15x^2y^2 - 18xy^2 - 10x^2y$ than $-5x^2 + 6x^2y - 7xy$?

Solution:

The required result,

$$\begin{aligned}& (5x^2y^2 - 18xy^2 - 10x^2y) - (-5x^2 + 6x^2y - 7xy) \\&= 5x^2y^2 - 18xy^2 - 10x^2y + 5x^2 - 6x^2y + 7xy \\&= 5x^2y^2 - 18xy^2 - 16x^2y + 5x^2 + 7xy\end{aligned}$$

Exercise 11C

Question 1.

Multiply :

<https://www.indcareer.com/schools/selina-class-8-icse-solutions-mathematics-chapter-11-algebraic-expressions/>

- (i) $8ab^2$ by $-4a^3b^4$
- (ii) $\frac{2}{3}ab$ by $-\frac{1}{4}a^2b$
- (iii) $-5cd^2$ by $-5cd^2$.
- (iv) $4a$ and $(6a + 7)$
- (v) $-8x$ and $(4 - 2x - x^2)$
- (vi) $2a^2 - 5a - 4$ and $-3a$.
- (vii) $x + 4$ by $x - 5$
- (viii) $5a - 1$ by $7a - 3$
- (ix) $12a + 5b$ by $7a - b$
- (x) $x^2 + x + 1$ by $1 - x$
- (xi) $2m^2 - 3m - 1$ and $4m^2 - m - 1$
- (xii) a^2 , ab and b^2
- (xiii) abx , $-3a^2x$ and $7b^2x^3$
- (xiv) $-3bx$, $-5xy$ and $-7b^3y^2$
- (xv) $\left(-\frac{3}{2}x^5y^3\right)$ and $\left(\frac{4}{9}a^2x^3y\right)$
- (xvi) $\left(-\frac{2}{3}a^7b^2\right)$ and $\left(-\frac{9}{4}ab^5\right)$
- (xvii) $(2a^3 - 3a^2b)$ and $\left(-\frac{1}{2}ab^2\right)$
- (xviii) $\left(2x + \frac{1}{2}y\right)$ and $\left(2x - \frac{1}{2}y\right)$

Solution:

<https://www.indcareer.com/schools/selina-class-8-icse-solutions-mathematics-chapter-11-algebraic-expressions/>

$$\begin{aligned}(i) \quad 8ab^2 \times -4a^3b^4 &= (8 \times -4)(ab^2 \times a^3b^4) \\ &= -32a^{1+3} \cdot b^{2+4} \\ &= -32a^4b^6\end{aligned}$$

$$\begin{aligned}(ii) \quad \frac{2}{3}ab \times -\frac{1}{4}a^2b &= \left(\frac{2}{3} \times \frac{-1}{4}\right) (ab \times a^2b) \\ &= -\frac{1}{6}a^{1+2} \cdot b^{1+1} \\ &= -\frac{1}{6}a^3b^2\end{aligned}$$

$$\begin{aligned}(iii) \quad -5cd^2 \times -5cd^2 &= (-5 \times -5) (cd^2 \times cd^2) \\ &= 25c^{1+1}d^{2+2} \\ &= 25c^2d^4\end{aligned}$$

$$\begin{aligned}(iv) \quad 4a(6a + 7) \\ &= 4a \times 6a + 4a \times 7 \\ &= 24a^2 + 28a\end{aligned}$$

$$\begin{aligned}(v) \quad -8x(4 - 2x - x^2) \\ &= -8x \times 4 - 8x \times -2x - 8x \times -x^2 \\ &= -32x + 16x^2 + 8x^3\end{aligned}$$

$$\begin{aligned} \text{(vi)} \quad & -3a (2a^2 - 5a - 4) \\ &= -3a \times 2a^2 - 5a \times -3a - 4 \times -3a \\ &= -6a^3 + 15a^2 + 12a \end{aligned}$$

$$\begin{aligned} \text{(vii)} \quad & (x+4)(x-5) = x(x-5) + 4(x-5) \\ &= x^2 - 5x + 4x - 20 \\ &= x^2 - x - 20 \end{aligned}$$

$$\begin{aligned} \text{(viii)} \quad & (5a - 1)(7a - 3) \\ &= 5a(7a - 3) - 1(7a - 3) \\ &= 35a^2 - 15a - 7a + 3 \\ &= 35a^2 - 22a + 3 \end{aligned}$$

$$\begin{aligned} \text{(ix)} \quad & (12a + 5b)(7a - b) = 12a(7a - b) + 5b(7a - b) \\ &= 84a^2 - 12ab + 35ab - 5b^2 \\ &= 84a^2 + 23ab - 5b^2 \end{aligned}$$

$$\begin{aligned} \text{(x)} \quad & (x^2 + x + 1)(1 - x) = 1(x^2 + x + 1) - x(x^2 + x + 1) \\ &= x^2 + x + 1 - x^3 - x^2 - x \\ &= 1 - x^3 \end{aligned}$$

$$\begin{aligned}
 (xi) \quad & (2m^2 - 3m - 1)(4m^2 - m - 1) \\
 &= 2m^2(4m^2 - m - 1) - 3m(4m^2 - m - 1) - 1(4m^2 - m - 1) \\
 &= 8m^4 - 2m^3 - 2m^2 - 12m^3 + 3m^2 + 3m - 4m^2 + m + 1 \\
 &= 8m^4 - 14m^3 - 6m^2 + 3m^2 + 4m + 1 \\
 &= 8m^4 - 14m^3 - 3m^2 + 4m + 1
 \end{aligned}$$

$$\begin{aligned}
 (xii) \quad a^2 \times ab \times b^2 &= a^{2+1} \cdot b^{1+2} \\
 &= a^3 b^3
 \end{aligned}$$

$$\begin{aligned}
 (xiii) \quad abx \times -3a^2x \times 7b^2x^3 \\
 &= (-3 \times 7)(a \times a^2)(b \times b^2)(x \times x \times x^3) \\
 &= -21a^3b^3x^5
 \end{aligned}$$

$$\begin{aligned}
 (xiv) \quad -3bx \times -5xy \times -7b^3y^2 \\
 &= (-3 \times -5 \times -7)(b \times b^3)(x \times x)(y \times y^2) \\
 &= -105 b^4x^2y^3
 \end{aligned}$$

$$\begin{aligned}
 (xv) \quad \left(-\frac{3}{2}x^5y^3\right)\left(\frac{4}{9}a^2x^3y\right) \\
 &= \left(-\frac{3}{2} \times \frac{4}{9}\right)(a^2)(x^5 \times x^3)(y^3 \times y) \\
 &= \frac{-2}{3} a^2x^8y^4
 \end{aligned}$$

$$\begin{aligned} \text{(xvi)} \quad & \left(-\frac{2}{3}a^7b^2\right)\left(-\frac{9}{4}ab^5\right) \\ &= \left(-\frac{2}{3} \times -\frac{9}{4}\right)(a^7 \times a)(b^2 \times b^5) \\ &= \frac{3}{2}a^8b^7 \end{aligned}$$

$$\begin{aligned} \text{(xvii)} \quad & (2a^3 - 3a^2b) \left(-\frac{1}{2}ab^2\right) \\ &= -\frac{1}{2}ab^2(2a^3 - 3a^2b) \\ &= 2a^3 \times -\frac{1}{2}ab^2 - 3a^2b \times -\frac{1}{2}ab^2 \\ &= -a^4b^2 + \frac{3}{2}a^3b^3 \end{aligned}$$

$$\begin{aligned} \text{(xviii)} \quad & \left(2x + \frac{1}{2}y\right)\left(2x - \frac{1}{2}y\right) \\ &= 2x\left(2x - \frac{1}{2}y\right) + \frac{1}{2}y\left(2x - \frac{1}{2}y\right) \\ &= 4x^2 - xy + xy - \frac{1}{4}y^2 \\ &= 4x^2 - \frac{1}{4}y^2 \end{aligned}$$

Question 2.

Multiply :

<https://www.indcareer.com/schools/selina-class-8-icse-solutions-mathematics-chapter-11-algebraic-expressions/>

(i) $5x^2 - 8xy + 6y^2 - 3$ by $-3xy$

(ii) $3 - \frac{2}{3}xy + \frac{5}{7}xy^2 - \frac{16}{21}x^2y$ by $-21x^2y^2$

(iii) $6x^3 - 5x + 10$ by $4 - 3x^2$

(iv) $2y - 4y^3 + 6y^5$ by $y^2 + y - 3$

(v) $5p^2 + 25pq + 4q^2$ by $2p^2 - 2pq + 3q^2$

Solution:

$$\begin{aligned} \text{(i)} \quad & 5x^2 - 8xy + 6y^2 - 3 \times -3xy \\ & = 15x^3y^3 + 24x^2y^2 - 18xy^3 + 9xy \end{aligned}$$

$$\begin{aligned} \text{(ii)} \quad & 3 - \frac{2}{3}xy + \frac{5}{7}xy^2 - \frac{16}{21}x^2y \\ & \times -21x^2y^2 \\ & -63x^2y^2 + 14x^3y^3 - 15x^3y^4 + 16x^4y^3 \end{aligned}$$

$$\begin{array}{r} \text{(iii)} \quad 6x^3 - 5x + 10 \\ \times \quad 4 - 3x^2 \\ \hline 24x^3 - 20x + 40 \\ - 18x^5 + 15x^3 - 30x^2 \\ \hline - 18x^5 + 39x^3 - 30x^2 - 20x + 40 \end{array}$$

$$\begin{array}{r} \text{(iv)} \quad 2y - 4y^3 + 6y^5 \\ \times \quad y^2 + y - 3 \\ \hline 2y^3 - 4y^5 + 6y^7 \\ + 2y^2 - 4y^4 + 6y^6 \\ \hline - 6y + 12y^3 - 18y^5 \\ \hline 6y^7 + 6y^6 - (4 + 18)y^5 - 4y^4 + (2 + 12)y^3 + 2y^2 - 6y \\ = 6y^7 + 6y^6 - 22y^5 - 4y^4 + 14y^3 + 2y^2 - 6y \end{array}$$

<https://www.indcareer.com/schools/selina-class-8-icse-solutions-mathematics-chapter-11-algebraic-expressions/>

$$\begin{array}{r} \text{(v)} \quad 5p^2 + 25pq + 4q^2 \\ \times \quad 2p^2 - 2pq + 3q^2 \\ \hline 10p^4 + 50p^3q + 8p^2q^2 \\ - 10p^3q - 50p^2q^2 - 8pq^3 \\ + 15p^2q^2 + 75pq^3 + 12q^4 \\ \hline 10p^4 + 40p^3q - 27p^2q^2 + 67pq^3 + 12q^4 \end{array}$$

Question 3.

Simplify :

(i) $(7x - 8)(3x + 2)$

(ii) $(px - q)(px + q)$

(iii) $(5a + 5b - c)(2b - 3c)$

(iv) $(4x - 5y)(5x - 4y)$

(v) $(3y + 4z)(3y - 4z) + (2y + 7z)(y + z)$

Solution:

<https://www.indcareer.com/schools/selina-class-8-icse-solutions-mathematics-chapter-11-algebraic-expressions/>

$$\begin{aligned} \text{(i)} \quad (7x - 8)(3x + 2) &= 7x(3x + 2) - 8(3x + 2) \\ &= 21x^2 + 14x - 24x - 16 = 21x^2 - 10x - 16 \end{aligned}$$

$$\begin{aligned} \text{(ii)} \quad (px - q)(px + q) &= px(px + q) - q(px + q) \\ &= p^2x^2 + pxq - pqx - q^2 = p^2x^2 - q^2 \end{aligned}$$

$$\begin{aligned} \text{(iii)} \quad (5a + 5b - c)(2b - 3c) \\ &= 5a(2b - 3c) + 5b(2b - 3c) - c(2b - 3c) \\ &= 10ab - 15ac + 10b^2 - 15bc - 2bc + 3c^2 \\ &= 10ab + 10b^2 - 17bc - 15ac + 3c^2 \end{aligned}$$

$$\begin{aligned} \text{(iv)} \quad (4x - 5y)(5x - 4y) \\ &= 4x(5x - 4y) - 5y(5x - 4y) \\ &= 20x^2 - 16xy - 25xy + 20y^2 \\ &= 20x^2 - 41xy + 20y^2 \end{aligned}$$

$$\begin{aligned} \text{(v)} \quad (3y + 4z)(3y - 4z) + (2y + 7z)(y + z) \\ &= 3y(3y - 4z) + 4z(3y - 4z) + 2y(y + z) + 7z(y + z) \\ &= 9y^2 - 12yz + 12yz - 16z^2 + 2y^2 + 2yz + 7yz + 7z^2 \\ &= (9 + 2)y^2 + (-12 + 12 + 2 + 7)yz + (-16 + 7)z^2 \\ &= 11y^2 + 9yz - 9z^2 \end{aligned}$$

Question 4.

The adjacent sides of a rectangle are $x^2 - 4xy + 7y^2$ and $x^3 - 5xy^2$. Find its area.

Solution:

$$\begin{aligned} \text{Reqd. area} &= (x^2 - 4xy + 7y^2)(x^3 - 5xy^2) \\ &= x^2(x^3 - 5xy^2) - 4xy(x^3 - 5xy^2) + 7y^2(x^3 - 5xy^2) \\ &= x^5 - 5x^3y^2 - 4x^4y + 20x^2y^3 + 7x^3y^2 - 35xy^4 \\ &= x^5 + (7 - 5)x^3y^2 - 4x^4y + 20x^2y^3 - 35xy^4 \\ &= x^5 + 2x^3y^2 - 4x^4y + 20x^2y^3 - 35xy^4 \\ &= (x^5 - 4x^4y + 2x^3y^2 + 20x^2y^3 - 35xy^4) \text{ sq. unit.} \end{aligned}$$

<https://www.indcareer.com/schools/selina-class-8-icse-solutions-mathematics-chapter-11-algebraic-expressions/>

Question 5.

The base and the altitude of a triangle are $(3x - 4y)$ and $(6x + 5y)$ respectively. Find its area.

Solution:

$$\begin{aligned}\text{Reqd. Area} &= \frac{1}{2} (\text{base}) \times (\text{altitude}) \\ &= \frac{1}{2} (3x - 4y) (6x + 5y) \\ &= \frac{1}{2} (18x^2 + 15xy - 24xy - 20y^2) \\ &= \frac{1}{2} (18x^2 - 9xy - 20y^2) \text{ sq. unit.}\end{aligned}$$

Question 6.

Multiply $-4xy^3$ and $6x^2y$ and verify your result for $x = 2$ and $y = 1$.

Solution:

$$\begin{aligned}(-4xy^3) \times (6x^2y) &= (-4 \times 6) (x \times x^2) (y^3 \times y) \\ &= -24x^3y^4\end{aligned}$$

For $x = 2$ and $y = 1$

$$\begin{aligned}(-4xy^3) \times (6x^2y) &= (-4 \times 2 \times 1^3) \times (6 \times 2^2 \times \\ &1)\end{aligned}$$

$$= (-8) \times 24 = -192$$

$$\text{And, } -24x^3y^4 = -24 \times 2^3 \times 1^4$$

$$= -24 \times 8 \times 1 = -192$$

$\therefore$ For $x = 2$ and $y = 1$, it is verified that

$$(-4xy^3) \times (6x^2y) = -24x^3y^4$$

Question 7.

<https://www.indcareer.com/schools/selina-class-8-icse-solutions-mathematics-chapter-11-algebraic-expressions/>

Find the value of $(3x^3) \times (-5xy^2) \times (2x^2yz^3)$ for $x = 1$, $y = 2$ and $z = 3$.

Solution:

For $x = 1$, $y = 2$ and $z = 3$

$$(3x^3) \times (-5xy^2) \times (2x^2yz^3)$$

$$(3 \times 1^3) \times (-5 \times 1 \times 2^2) \times (2 \times 1^2 \times 2 \times 3^3)$$

$$3 \times (-5 \times 4) \times (2 \times 1 \times 2 \times 27)$$

$$3 \times (-20) \times 108 = -6480$$

Question 8.

Evaluate $(3x^4y^2) (2x^2y^3)$ for $x = 1$ and $y = 2$.

Solution:

$$(3x^4y^2) (2x^2y^3)$$

$$(3 \times 1^4 \times 2^2) \times (2 \times 1^2 \times 2^3)$$

$$(3 \times 1 \times 4) \times (2 \times 1 \times 8)$$

$$= 12 \times 16 = 192$$

Question 9.

Evaluate $(x^5) \times (3x^2) \times (-2x)$ for $x = 1$.

Solution:

For $x = 1$

$$(x^5) \times (3x^2) \times (-2x)$$

$$(1^5) \times (3 \times 1^2) \times (-2 \times 1)$$

$$1 \times 3 \times (-2) = -6$$

Question 10.

If $x = 2$ and $y = 1$; find the value of $(-4x^2y^3) \times (-5x^2y^5)$.

<https://www.indcareer.com/schools/selina-class-8-icse-solutions-mathematics-chapter-11-algebraic-expressions/>

Solution:

For $x = 2$ and $y = 1$

$$(-4x^2y^3) \times (-5x^2y^5)$$

$$(-4 \times 2^2 \times 1^3) \times (-5 \times 2^2 \times 1^5)$$

$$(-4 \times 4 \times 1) \times (-5 \times 4 \times 1)$$

$$-16 \times -20 = 320$$

Question 11.

Evaluate:

(i) $(3x - 2)(x + 5)$ for $x = 2$.

(ii) $(2x - 5y)(2x + 3y)$ for $x = 2$ and $y = 3$.

(iii) $xz(x^2 + y^2)$ for $x = 2$, $y = 1$ and $z = 1$.

Solution:

<https://www.indcareer.com/schools/selina-class-8-icse-solutions-mathematics-chapter-11-algebraic-expressions/>



(i) For $x = 2$

$$(3x - 2)(x + 5)$$

$$(3 \times 2 - 2)(2 + 5)$$

$$(6 - 2) \times 7$$

$$4 \times 7 = 28$$

(ii) For $x = 2$ and $y = 1$

$$xy^2(x - 5y) + 1$$

$$2 \times 1^2(2 - 5 \times 1) + 1$$

$$2 \times (2 - 5) + 1$$

$$2 \times (-3) + 1$$

$$-6 + 1 = -5$$

(iii) For $x = 2$, $y = 1$ and $z = 1$

$$xz(x^2 + y^2)$$

$$2 \times 1(2^2 + 1^2)$$

$$2(2 + 1)$$

$$= 2 \times 3 = 6$$

Question 12.

Evaluate:

(i) $x(x - 5) + 2$ for $x = 1$.

(ii) $xy^2(x - 5y) + 1$ for $x = 2$ and $y = 1$.

(iii) $2x(3x - 5) - 5(x - 2) - 18$ for $x = 2$.

Solution:

<https://www.indcareer.com/schools/selina-class-8-icse-solutions-mathematics-chapter-11-algebraic-expressions/>

(i) For $x = 1$

$$x(x - 5) + 2$$

$$1(1 - 5) + 2$$

$$-4 + 2 = -2$$

(ii) For $x = 2$ and $y = 1$

$$xy^2(x - 5y)$$

$$2 \times 1^2(2 - 5 \times 1)$$

$$2 \times (2 - 5)$$

$$2 \times (-3) = -6$$

(iii) For $x = 2$

$$2x(3x - 5) - 5(x - 2) - 18$$

$$2 \times 2(3 \times 2 - 5) - 5(2 - 2) - 18$$

$$4(6 - 5) - 5 \times 0 - 18$$

$$4 - 18 = -14$$

Question 13.

Multiply and then verify :

$-3x^2y^2$ and $(x - 2y)$ for $x = 1$ and $y = 2$.

Solution:

<https://www.indcareer.com/schools/selina-class-8-icse-solutions-mathematics-chapter-11-algebraic-expressions/>

$$\begin{aligned} & (-3x^2y^2) \times (x - 2y) \\ &= (-3x^2y^2) \times (x) - (-3x^2y^2)(2y) \\ &= -3x^3y^2 + 6x^2y^3 \\ &= 6x^2y^3 - 3x^3y^2 \end{aligned}$$

For $x = 1$ and $y = 2$

$$\begin{aligned} & (-3x^2y^2) \times (x - 2y) \\ &= (-3 \times 1^2 \times 2^2) \times (1 - 2 \times 2) \\ &= (6 \times 1 \times 8) - (3 \times 1 \times 4) \\ &= 48 - 12 = 36 \end{aligned}$$

$\therefore$ For $x = 1$ and $y = 2$, it is verified that,

$$(-3x^2y^2) \times (x - 2y) = 6x^2y^3 - 3x^3y^2$$

Question 14.

Multiply:

(i) $2x^2 - 4x + 5$ by $x^2 + 3x - 7$

(ii) $(ab - 1)(3 - 2ab)$

Solution:

(i) $2x^2 - 4x + 5$ by $x^2 + 3x - 7$

$$(2x^2 - 4x + 5) \times (x^2 + 3x - 7)$$

$$2x^2(x^2 + 3x - 7) - 4x(x^2 + 3x - 7) + 5(x^2 + 3x - 7)$$

$$2x^4 + 6x^3 - 14x^2 - 4x^3 - 12x^2 + 28x + 5x^2 + 15x - 35$$

$$2x^4 + 6x^3 - 4x^3 - 14x^2 - 12x^2 + 5x^2 + 28x + 15x - 35$$

$$2x^4 + 2x^3 - 21x^2 + 43x - 35$$

(ii) $(ab - 1)(3 - 2ab)$

$$ab(3 - 2ab) - 1(3 - 2ab)$$

$$3ab - 2a^2b^2 - 3 + 2ab$$

$$-2a^2b^2 + 5ab - 3$$

$$2a^2b^2 - 5ab + 3$$

Question 15.

Simplify : $(5 - x)(6 - 5x)(2 - x)$.

Solution:

$$(5 - x)(6 - 5x)(2 - x)$$

$$[(5 - x)(6 - 5x)](2 - x)$$

$$[5(6 - 5x) - x(6 - 5x)](2 - x)$$

$$[30 - 25x - 6x + 5x^2](2 - x)$$

$$(5x^2 - 31x + 30)(2 - x)$$

$$2(5x^2 - 31x + 30) - x(5x^2 - 31x + 30)$$

$$10x^2 - 62x + 60 - 5x^3 + 31x^2 - 30x$$

$$-5x^3 + 10x^2 + 31x^2 - 62x - 30x + 60$$

$$-5x^3 + 41x^2 - 92x + 60$$

<https://www.indcareer.com/schools/selina-class-8-icse-solutions-mathematics-chapter-11-algebraic-expressions/>

Exercise 11D

Question 1.

Divide :

- (i) $-70a^3$ by $14a^2$
- (ii) $24x^3y^3$ by $-8y^2$
- (iii) $15a^4b$ by $-5a^3b$
- (iv) $-24x^4d^3$ by $-2x^2d^5$
- (v) $63a^4b^5c^6$ by $-9a^2b^4c^3$
- (vi) $8x - 10y + 6c$ by 2.
- (vii) $15a^3b^4 - 10a^4b^3 - 25a^3b^6$ by $-5a^3b^2$
- (viii) $-14x^6y^3 - 21x^4y^5 + 7x^5y^4$ by $7x^2y^2$
- (ix) $a^2 + 7a + 12$ by $a + 4$
- (x) $x^2 + 3x - 54$ by $x - 6$
- (xi) $12x^2 + 7xy - 12y^2$ by $3x + 4y$
- (xii) $x^6 - 8$ by $x^2 - 2$
- (xiii) $6x^3 - 13x^2 - 13x + 30$ by $2x^2 - x - 6$
- (xiv) $4a^2 + 12ab + 9b^2 - 25c^2$ by $2a + 3b + 5c$.
- (xv) $16 + 8x + x^6 - 8x^3 - 2x^4 + x^2$ by $x + 4 - x^3$

Solution:

<https://www.indcareer.com/schools/selina-class-8-icse-solutions-mathematics-chapter-11-algebraic-expressions/>

$$\begin{aligned}(i) \quad \frac{-70a^3}{14a^2} &= \left(\frac{-70}{14}\right)\left(\frac{a^3}{a^2}\right) \\ &= -5a^{3-2} \\ &= -5a\end{aligned}$$

$$\begin{aligned}(ii) \quad \frac{24x^3y^3}{-8y^2} &= \left(\frac{24}{-8}\right)(x^3)\left(\frac{y^3}{y^2}\right) \\ &= -3x^3y^{3-2} \\ &= -3x^3y\end{aligned}$$

$$\begin{aligned}(iii) \quad \frac{15a^4b}{-5a^3b} &= \left(\frac{15}{-5}\right)\left(\frac{a^4}{a^3}\right)\left(\frac{b}{b}\right) \\ &= -3a^{4-3}b^{1-1} \\ &= -3a b^0 \\ &= -3a \times 1 \quad (\because b^0 = 1) \\ &= -3a\end{aligned}$$

$$\begin{aligned} \text{(iv)} \quad \frac{-24x^4d^3}{-2x^2d^5} &= \left(\frac{-24}{-2}\right)\left(\frac{x^4}{x^2}\right)\left(\frac{d^3}{d^5}\right) \\ &= 12x^{4-2}d^{3-5} = 12x^2d^{-2} \\ &= \frac{12x^2}{d^2} \end{aligned}$$

$$\begin{aligned} \text{(v)} \quad \frac{63a^4b^5c^6}{-9a^2b^4c^3} &= \left(\frac{63}{-9}\right)\left(\frac{a^4}{a^2}\right)\left(\frac{b^5}{b^4}\right)\left(\frac{c^6}{c^3}\right) \\ &= -7a^{4-2} \cdot b^{5-4} \cdot c^{6-3} \\ &= -7a^2bc^3 \end{aligned}$$

$$\begin{aligned} \text{(vi)} \quad \frac{8x-10y+6c}{2} \\ &= \frac{8x}{2} - \frac{10y}{2} + \frac{6c}{2} \\ &= 4x-5y+3c \end{aligned}$$

$$\begin{aligned} \text{(vii)} \quad & \frac{15a^3b^4 - 10a^4b^3 - 25a^3b^6}{-5a^3b^2} \\ &= \frac{15a^3b^4}{-5a^3b^2} - \frac{10a^4b^3}{-5a^3b^2} - \frac{25a^3b^6}{-5a^3b^2} \\ &= -3b^{4-2} + 2a^{4-3}b^{3-2} + 5b^{6-2} \\ &= -3b^2 + 2ab + 5b^4 \end{aligned}$$

$$\begin{aligned} \text{(viii)} \quad & \frac{-14x^6y^3 - 21x^4y^5 + 7x^5y^4}{7x^2y^2} \\ &= \frac{-14x^6y^3}{7x^2y^2} - \frac{21x^4y^5}{7x^2y^2} + \frac{7x^5y^4}{7x^2y^2} \\ &= -2x^{6-2}y^{3-2} - 3x^{4-2}y^{5-2} + x^{5-2}y^{4-2} \\ &= -2x^4y - 3x^2y^3 + x^3y^2 \end{aligned}$$

$$(ix) \quad a+4 \overline{) a^2+7a+12} (a+3$$

$$a^2+4a$$

$$\underline{- \quad -}$$

$$3a+12$$

$$3a+12$$

$$\underline{- \quad -}$$

$$\times$$

$$\therefore \text{Answer} = a + 3$$

$$(x) \quad x-6 \overline{) x^2+3x-54} (x+9$$

$$x^2-6x$$

$$\underline{- \quad +}$$

$$9x-54$$

$$+ 9x-54$$

$$\underline{- \quad +}$$

$$\times$$

$$\therefore \text{Answer} = x + 9$$

$$\begin{array}{r}
 (xi) \quad 3x+4y \overline{)12x^2+7xy-12y^2} \quad (4x-3y \\
 \underline{12x^2+16xy} \\
 -9xy-12y^2 \\
 \underline{-9xy-12y^2} \\
 + + \\
 \hline
 \times
 \end{array}$$

$\therefore \text{Answer} = 4x - 3y$

(xii)

$$\begin{array}{r}
 x^2-2 \overline{)x^6-8} \quad (x^4+2x^2+4 \\
 \underline{x^6 -2x^4} \\
 - + \\
 \hline
 2x^4 - 8 \\
 2x^4 - 4x^2 \\
 - + \\
 \hline
 4x^2 - 8 \\
 4x^2 - 8 \\
 - + \\
 \hline
 \times
 \end{array}$$

$\therefore \text{Answer} = x^4 + 2x^2 + 4$

(xiii) $2x^2 - x - 6 \overline{) 6x^3 - 13x^2 - 13x + 30}$ ($3x - 5$

$$\begin{array}{r}
 6x^3 - 3x^2 - 18x \\
 \underline{- \quad + \quad +} \\
 -10x^2 + 5x + 30 \\
 \underline{-10x^2 + 5x + 30} \\
 + \quad - \quad - \\
 \underline{\hspace{1.5cm} \times}
 \end{array}$$

$\therefore \text{Answer} = 3x - 5$

(xiv)

$2a + 3b + 5c \overline{) 4a^2 + 12ab + 9b^2 - 25c^2}$ ($2a + 3b - 5c$

$$\begin{array}{r}
 4a^2 + 6ab \qquad \qquad + 10ca \\
 \underline{- \quad - \qquad \qquad -} \\
 6ab + 9b^2 - 25c^2 - 10ca \\
 6ab + 9b^2 \qquad \qquad + 15bc \\
 \underline{- \quad - \qquad \qquad -} \\
 -10ca - 25c^2 - 15bc \\
 -10ca - 25c^2 - 15bc \\
 \underline{+ \quad + \quad +} \\
 \underline{\hspace{1.5cm} \times}
 \end{array}$$

$\therefore \text{Answer} = 2a + 3b - 5c$

(xv)

$$\begin{array}{r}
 \overline{(-x^3+x+4) + x^6-2x^4-8x^3+x^2+8x+16} \quad (-x^3+x+4) \\
 +x^6 - x^4 - 4x^3 \\
 - \quad + \quad + \\
 \overline{-x^4-4x^3+x^2+8x+16} \\
 -x^4 \quad +x^2+4x \\
 + \quad - \quad - \\
 \overline{-4x^3+4x+16} \\
 -4x^3+4x+16 \\
 + \quad - \quad - \\
 \overline{ \times} \\
 \times
 \end{array}$$

$$\therefore \text{Answer} = -x^3 + x + 4$$

Question 2.

Find the quotient and the remainder (if any) when :

- (i) $a^3 - 5a^2 + 8a + 15$ is divided by $a + 1$.
- (ii) $3x^4 + 6x^3 - 6x^2 + 2x - 7$ is divided by $x - 3$.
- (iii) $6x^2 + x - 15$ is divided by $3x + 5$. In each case, verify your answer.
- (iv) $6y^5 + 30y^4 + 18y^3 + 6y^2 + 15y + 3$ is divided by $2y^3 + 1$.

Solution:

<https://www.indcareer.com/schools/selina-class-8-icse-solutions-mathematics-chapter-11-algebraic-expressions/>

(i) $a + 1 \overline{) a^3 - 5a^2 + 8a + 15} (a^2 - 6a + 14$

$$\begin{array}{r}
 a^3 + a^2 \\
 \hline
 -6a^2 + 8a + 15 \\
 -6a^2 - 6a \\
 \hline
 14a + 15 \\
 14a + 14 \\
 \hline
 1
 \end{array}$$

$\therefore$ Quotient = $a^2 - 6a + 14$ and remainder = 1

(ii)

$x - 3 \overline{) 3x^4 + 6x^3 - 6x^2 + 2x - 7} (3x^3 + 15x^2 + 39x + 119$

$$\begin{array}{r}
 3x^4 - 9x^3 \\
 \hline
 15x^3 - 6x^2 + 2x - 7 \\
 15x^3 - 45x^2 \\
 \hline
 39x^2 + 2x - 7 \\
 39x^2 - 117x \\
 \hline
 119x - 7 \\
 119x - 357 \\
 \hline
 350
 \end{array}$$

$\therefore$ Quotient = $3x^3 + 15x^2 + 39x + 119$ and
remainder = 350

$$\begin{array}{r} \text{(iii) } 3x + 5 \overline{) 6x^2 + x - 15} \\ \underline{6x^2 + 10x} \\ -9x - 15 \\ \underline{-9x - 15} \\ + \\ \hline \times \end{array}$$

$\therefore$ Quotient = $2x - 3$ and remainder = 0

$$\begin{array}{r} \text{(iv) } 2y^3 + 1 \overline{) 6y^5 + 30y^4 + 18y^3 + 6y^2 + 15y + 3} \\ \underline{6y^5 + 3y^2} \\ 30y^4 + 18y^3 + 3y^2 + 15y + 3 \\ \underline{30y^4 + 15y} \\ 18y^3 + 3y^2 + 3 \\ \underline{18y^3 + 9} \\ 3y^2 - 6 \end{array}$$

$\therefore$ Quotient = $3y^2 + 15y + 9$ and remainder = $3y^2 - 6$

(i) Verification:

$$\begin{aligned}\text{Dividend} &= \text{Quotient} \times \text{Divisor} + \text{Remainder} \\ &= (a^2 - 6a + 14) \times (a + 1) + 1 \\ &= a^3 - 6a^2 + 14a + a^2 - 6a + 14 + 1 \\ &= a^3 - 5a^2 + 8a + 15 \text{ which is given}\end{aligned}$$

(ii) Verification:

$$\begin{aligned}\text{Dividend} &= \text{Quotient} \times \text{Divisor} + \text{Remainder} \\ &= (3x^3 + 15x^2 + 39x + 119)(x - 3) + 350 \\ &= 3x^4 + 15x^3 + 39x^2 + 119x - 9x^3 - 45x^2 - 117x - 357 + 350 \\ &= 3x^4 + 6x^3 - 6x^2 + 2x - 7 \text{ which is given}\end{aligned}$$

(iii) Verification:

$$\begin{aligned}\text{Dividend} &= \text{Quotient} \times \text{Divisor} + \text{Remainder} \\ &= (2x - 3)(3x + 5) + 0 \\ &= 6x^2 + 10x - 9x - 15 + 0 \\ &= 6x^2 - x - 15 \text{ which is given}\end{aligned}$$

(iv) Verification:

$$\begin{aligned}\text{Dividend} &= \text{Quotient} \times \text{Divisor} + \text{Remainder} \\ &= (3y^2 + 15y + 9)(2y^3 + 1) + 3y^2 - 6 \\ &= 6y^5 + 30y^4 + 18y^3 + 3y^2 + 15y + 9 + 3y^2 - 6 \\ &= 6y^5 + 30y^4 + 18y^3 + 6y^2 + 15y + 3 \text{ which is given}\end{aligned}$$

Question 3.

The area of a rectangle is $x^3 - 8x^2 + 7$ and one of its sides is $x - 1$. Find the length of the adjacent side.

Solution:

<https://www.indcareer.com/schools/selina-class-8-icse-solutions-mathematics-chapter-11-algebraic-expressions/>

$$\text{Area} = x^3 - 8x^2 + 7$$

$$\text{One side} = x - 1$$

$$\therefore \text{Adjacent side} = (x^3 - 8x^2 + 7) \div (x - 1)$$

$$x - 1 \overline{) x^3 - 8x^2 + 7} \quad (x^2 - 7x - 7)$$

$$x^3 - x^2$$

$$- \quad +$$

$$- 7x^2 + 7$$

$$- 7x^2 + 7x$$

$$+ \quad -$$

$$- 7x + 7$$

$$- 7x + 7$$

$$+ \quad -$$

$$\times$$

$$\therefore \text{Other side} = x^2 - 7x - 7$$

Question 4.

The product of two numbers is $16x^4 - 1$. If one number is $2x - 1$, find the other.

Solution:

<https://www.indcareer.com/schools/selina-class-8-icse-solutions-mathematics-chapter-11-algebraic-expressions/>

Product of two numbers = $16x^4 - 1$

One number = $2x - 1$

Then second number = $\frac{16x^4 - 1}{2x - 1}$

$$= 8x^3 + 4x^2 + 2x + 1$$

$$\begin{array}{r}
 8x^3 + 4x^2 + 2x + 1 \\
 2x - 1 \overline{) 16x^4} - 1(\\
 \underline{16x^4 - 8x^3} \\
 - + \\
 \underline{ 8x^3} \\
 8x^3 - 4x^2 \\
 - + \\
 \underline{ 4x^2} \\
 4x^2 - 2x \\
 - + \\
 \underline{ 2x - 1} \\
 2x - 1 \\
 - + \\
 \underline{ x}
 \end{array}$$

Question 5.

Divide $x^6 - y^6$ by the product of $x^2 + xy + y^2$ and $x - y$.

Solution:

<https://www.indcareer.com/schools/selina-class-8-icse-solutions-mathematics-chapter-11-algebraic-expressions/>

Product of $(x^2 + xy + y^2)$ and $(x - y)$

$$= (x - y)(x^2 + xy + y^2)$$

$$= x(x^2 + xy + y^2) - y(x^2 + xy + y^2)$$

$$= x^3 + x^2y + xy^2 - x^2y - xy^2 - y^3$$

$$= x^3 - y^3$$

Now, $(x^6 - y^6) \div (x^3 - y^3)$

$$= x^3 + y^3$$

$$\begin{array}{r} x^3 - y^3 \overline{) x^6 - x^3y^3 - y^6} \\ \underline{x^6 - x^3y^3} \\ - + \\ x^3y^3 - y^6 \\ \underline{x^3y^3 - y^6} \\ - + \\ \underline{x} \end{array}$$

Simplification

(Using removal of brackets)

The signs for different types of brackets are :

1. ____ ; Vinculum or bar brackets,
2. () ; Parenthesis or small brackets,
3. { } ; Curly brackets or middle brackets,
4. [] ; Square brackets or big brackets.

In a combined operation, the brackets must be removed in the same order as written above:

Exercise 11E

Simplify :

Question 1.

$$a^2 - 2a + \{5a^2 - (3a - 4a^2)\}$$

Solution:

<https://www.indcareer.com/schools/selina-class-8-icse-solutions-mathematics-chapter-11-algebraic-expressions/>

$$\begin{aligned} &= a^2 - 2a + \{5a^2 - 3a + 4a^2\} \\ &= a^2 - 2a + \{9a^2 - 3a\} \\ &= a^2 - 2a + 9a^2 - 3a = 10a^2 - 5a \end{aligned}$$

Question 2.

$$x - y - \{x - y - (x + y) - \overline{x - y}\}$$

Solution:

$$\begin{aligned} &x - y - \{x - y - (x + y) - \overline{x - y}\} \\ &= x - y - \{x - y - (x + y) - x + y\} \\ &= x - y - \{x - y - x - y - x + y\} \\ &= x - y - x + y + x + y + x - y = 2x \end{aligned}$$

Question 3.

$$-3(1 - x^2) - 2\{x^2 - (3 - 2x^2)\}$$

Solution:

$$\begin{aligned} &-3(1 - x^2) - 2\{x^2 - (3 - 2x^2)\} \\ &= -3 + 3x^2 - 2\{x^2 - 3 + 2x^2\} \\ &= -3 + 3x^2 - 2\{3x^2 - 3\} \\ &= -3 + 3x^2 - 6x^2 + 6 = 3 - 3x^2 \end{aligned}$$

Question 4.

$$2\{m - 3(n + \overline{m - 2n})\}$$

Solution:

<https://www.indcareer.com/schools/selina-class-8-icse-solutions-mathematics-chapter-11-algebraic-expressions/>

$$\begin{aligned} & 2\{m - 3(n + \overline{m - 2n})\} \\ &= 2\{m - 3(n + m - 2n)\} = 2\{m - 3(m - n)\} \\ &= 2\{m - 3m + 3n\} = 2\{3n - 2m\} = 6n - 4m \end{aligned}$$

Question 5.

$$3x - [3x - \{3x - (3x - \overline{3x - y})\}]$$

Solution:

$$\begin{aligned} & 3x - [3x - \{3x - (3x - \overline{3x - y})\}] \\ &= 3x - [3x - \{3x - (3x - 3x + y)\}] \\ &= 3x - [3x - \{3x - y\}] = 3x - [3x - 3x + y] \\ &= 3x - y \end{aligned}$$

Question 6.

$$p^2x - 2\{px - 3x(x^2 - \overline{3a - x^2})\}$$

Solution:

$$\begin{aligned} & p^2x - 2\{px - 3x(x^2 - \overline{3a - x^2})\} \\ &= p^2x - 2\{px - 3x(x^2 - 3a + x^2)\} \\ &= p^2x - 2\{px - 3x(2x^2 - 3a)\} \\ &= p^2x - 2\{px - 6x^3 + 9ax\} \\ &= p^2x - 2px + 12x^3 - 18ax \end{aligned}$$

Question 7.

$$2[6 + 4\{m - 6(7 - \overline{n + p}) + q\}]$$

<https://www.indcareer.com/schools/selina-class-8-icse-solutions-mathematics-chapter-11-algebraic-expressions/>

Solution:

$$\begin{aligned} & 2[6 + 4\{m - 6(7 - \overline{n+p}) + q\}] \\ &= 2[6 + 4\{m - 6(7 - n - p) + q\}] \\ &= 2[6 + 4\{m - 42 + 6n + 6p + q\}] \\ &= 2[6 + 4m - 168 + 24n + 24p + 4q] \\ &= 2[4m + 24n + 24p + 4q - 162] \\ &= 8m + 48n + 48p + 8q - 324 \end{aligned}$$

Question 8.

$$a - [a - \overline{b+a} - \{a - (a - \overline{b-a})\}]$$

Solution:

$$\begin{aligned} & a - [a - \overline{b+a} - \{a - (a - \overline{b-a})\}] \\ &= a - [a - b - a - \{a - (a - b + a)\}] \\ &= a - [-b - \{a - a + b - a\}] \\ &= a - [-b - b + a] \\ &= a + b + b - a = 2b \end{aligned}$$

Question 9.

$$3x - [4x - \overline{3x-5y} - 3\{2x - (3x - \overline{2x-3y})\}]$$

Solution:

<https://www.indcareer.com/schools/selina-class-8-icse-solutions-mathematics-chapter-11-algebraic-expressions/>

$$\begin{aligned} & 3x - [4x - \overline{3x-5y} - 3 \{2x - (3x - \overline{2x-3y})\}] \\ &= 3x - [4x - 3x + 5y - 3 \{2x - (3x - 2x + 3y)\}] \\ &= 3x - [4x - 3x + 5y - 3 \{2x - (x + 3y)\}] \\ &= 3x - [4x - 3x + 5y - 3 \{2x - x - 3y\}] \\ &= 3x - [x + 5y - 6x + 3x + 9y] \\ &= 3x - [-2x + 14y] \\ &= 3x + 2x - 14y \\ &= 5x - 14y \end{aligned}$$

Question 10.

$$a^5 \div a^3 + 3a \times 2a$$

Solution:

$$a^5 \div a^3 + 3a \times 2a = a^{5-3} + 3a \times 2a = a^2 + 6a^2 = 7a^2$$

Question 11.

$$x^5 \div (x^2 \times y^2) \times y^3$$

Solution:

$$x^5 \div (x^2 \times y^2) \times y^3 = \frac{x^5}{x^2 y^2} \times y^3 = x^{5-2} \times y^{3-2} = x^3 y$$

Question 12.

$$(x^5 \div x^2) \times y^2 \times y^3$$

Solution:

<https://www.indcareer.com/schools/selina-class-8-icse-solutions-mathematics-chapter-11-algebraic-expressions/>

$$(x^5 \div x^2) \times y^2 \times y^3 = x^{5-2} \times y^{2+3} = x^3 y^5$$

Question 13.

$$(y^3 - 5y^2) \div y \times (y - 1)$$

Solution:

$$\begin{aligned}(y^3 - 5y^2) \div y \times (y - 1) &= \frac{y^3 - 5y^2}{y} \times y - 1 \\ &= (y^2 - 5y) \times (y - 1) = y^2(y - 1) - 5y(y - 1) = y^3 - y^2 - 5y^2 + 5y = y^3 - 6y^2 + 5y\end{aligned}$$

Question 14.

$$3a \times [8b \div 4 - 6 \{a - (5a - \overline{3b - 2a})\}]$$

Solution:

$$\begin{aligned}3a \times [8b \div 4 - 6 \{a - (5a - \overline{3b - 2a})\}] \\ &= 3a \times \left[\frac{8b}{4} - 6\{a - (5a - 3b + 2a)\} \right] = 3a \times [2b - 6 \{a - 7a + 3b\}] = 3a \times [2b - 6 \{-6a + 3b\}] \\ &= 3a \times [2b + 36a - 18b] = 3a \times [36a - 16b] = 108a^2 - 48ab\end{aligned}$$

Question 15.

$$7x + 4 \{x^2 \div (5x \div 10)\} - 3\{2 - x^3 \div (3x^2 \div x)\}$$

Solution:

<https://www.indcareer.com/schools/selina-class-8-icse-solutions-mathematics-chapter-11-algebraic-expressions/>

$$\begin{aligned} & 7x + 4\{x^2 \div (5x \div 10)\} - 3\{2 - x^3 \div (3x^2 \div x)\} \\ &= 7x + 4\left\{x^2 \div \left(\frac{5x}{10}\right)\right\} - 3\left\{2 - x^3 \div \left(\frac{3x^2}{x}\right)\right\} \\ &= 7x + 4\left\{x^2 \div \frac{x}{2}\right\} - 3\{2 - x^3 \div 3x\} = 7x + 4\left\{x^2 \times \frac{2}{x}\right\} - 3\left\{2 - \frac{x^3}{3x}\right\} \\ &= 7x + 8x - 6 + x^2 = x^2 + 15x - 6 \end{aligned}$$



Selina Publishers ICSE Solutions

Class 8 Maths

- Chapter 1- Rational Numbers
- Chapter 2- Exponents (Powers)
- Chapter 3- Squares and Square Roots
- Chapter 4- Cubes and Cube-Roots
- Chapter 5- Playing with Number
- Chapter 6- Sets
- Chapter 7- Percent and Percentage
- Chapter 8- Profit, Loss and Discount
- Chapter 9- Simple and Compound Interest
- Chapter 10- Direct and Inverse Variations
- Chapter 11- Algebraic Expressions
- Chapter 12- Algebraic Identities
- Chapter 13- Factorisation
- Chapter 14- Linear Equations in one Variable
- Chapter 15- Linear Inequations
- Chapter 16- Understanding Shapes
- Chapter 17- Special Types of Quadrilaterals
- Chapter 18- Constructions
- Chapter 19- Representing 3-D in 2-D
- Chapter 20- Area of Trapezium and a Polygon
- Chapter 21- Surface Area, Volume and Capacity
- Chapter 22- Data Handling
- Chapter 23- Probability

<https://www.indcareer.com/schools/selina-class-8-icse-solutions-mathematics-chapter-11-algebraic-expressions/>

About About Selina Publishers ICSE

Selina Publishers has been serving the students since 1976 and is one of the quality ICSE school textbooks publication houses. Mathematics and Science books for classes 6-10 form the core of our business, apart from certain English and Hindi literature as well as a few primary books. All these books are based upon the syllabus published by the Council for the I.C.S.E. Examinations, New Delhi. The textbooks are composed by a panel of subject experts and vetted by teachers practising in ICSE schools all over the country. Continuous efforts are made in complying with the standards and ensuring lucidity and clarity in content, which makes them stand tall in the industry.

<https://www.indcareer.com/schools/selina-class-8-icse-solutions-mathematics-chapter-11-algebraic-expressions/>

About IndCareer

IndCareer.com is a leading developer of online career guidance resources for the Indian marketplace. Established in 2007, IndCareer.com is currently used by over thousands of institutions across India, including schools, employment agencies, libraries, colleges and universities.

IndCareer.com is designed to assist you in making the right career decision - a decision that meets your unique interests and personality.

For any clarifications or questions you can write to **info@indcareer.com**

Postal Address

IndCareer.com
52, Shilpa Nagar,
Somalwada
Nagpur - 440015
Maharashtra, India

WhatsApp: +91 9561 204 888

Website: <https://www.indcareer.com>

<https://www.indcareer.com/schools/selina-class-8-icse-solutions-mathematics-chapter-11-algebraic-expressions/>