



# **CLASS 9 MATHS NOTES**

**POLYNOMIALS**

# CHAPTER-2

## POLYNOMIALS

### KEY POINTS

1. A Polynomial  $p(x)$  in one variable  $x$  is an algebraic expression in  $x$  of the form  $p(x) = a_n x^n + a_{n-1} x^{n-1} + a_{n-2} x^{n-2} + \dots + a_2 x^2 + a_1 x + a_0$ , where
  - (i)  $a_0, a_1, a_2, \dots, a_n$  are constants and  $a_n \neq 0$
  - (ii)  $a_0, a_1, a_2, \dots, a_n$  are respectively the coefficients of  $x^0, x, x^2, \dots, x^n$ ,
  - (iii) Each of  $a_n x^n + a_{n-1} x^{n-1} + a_{n-2} x^{n-2} + \dots + a_2 x^2 + a_1 x + a_0$ , is called a term of the polynomial.
  - (iv)  $n$  is called the degree of the polynomial where  $n$  is a non-negative integers.
2. **Degree of the Polynomial** : Highest power of  $x$  in the algebraic expression is called the degree of the polynomial.

### 3. Different types of polynomials :

Generally, we divide the polynomials in the following categories :

#### (i) Based on degrees

	Degree	Polynomial	General form	Examples
(a)	1	Linear	$ax + b,$	$x + 1, 2x$ etc.
(b)	2	Quadratic	$ax^2 + bx + c,$	$4x^2 + 5x + \frac{2}{3}$ etc.
(c)	3	Cubic	$ax^3 + bx^2 + cx + d,$	$x^3 - 3x^2 + 5$ etc.
(d)	4	Biquadratic	$ax^4 + bx^3 + cx^2 + dx + e,$	$x^4 - 16$ etc.

$a, b, c, d, e$  are real constants and  $a \neq 0$ .

**Note** : A polynomial of degree five or more than five does not have any particular name. Such a polynomial usually called a polynomial of degree five or six or ... etc.

#### (ii) Based on Number of Terms:

	No. of Terms	Polynomial	Examples
(a)	1	Monomial	$5, 3x, \frac{1}{3}y$ etc.
(b)	2	Binomial	$\sqrt{3} + 6x, x - 5y, x^2 + 2$ etc.
(c)	3	Trinomial	$\sqrt{2}x^2 + 4x + 2, 5y^4 + 2y + 6$ etc.

**Note :** A polynomial having four or more than four terms does not have particular name. These are simply called polynomials.

**(iii) Zero degree polynomial or non-zero constant polynomial.**

Any non-zero number (constant) is regarded as polynomial of degree zero or zero degree polynomial. i.e.,  $p(x) = a$  where  $a \neq 0$  is a zero degree polynomial, since we can write  $p(x) = a$ ,

as 
$$p(x) = ax^0$$

e.g., 
$$5 = 5x^0 \quad , \quad \frac{\sqrt{7}}{2} = \frac{\sqrt{7}}{2} x^0$$

**(iv) Zero Polynomial :** A polynomial whose all coefficients are zero is called as zero polynomial i.e.,  $p(x) = 0$ . The degree of zero polynomial is not defined or we can not determine the degree of zero polynomial.

4. For a polynomial  $p(x)$  if  $p(a) = 0$  where  $a$  is a real number we say that 'a' is a zero of the polynomial.
5. If  $p(x)$  is any polynomial of degree greater than or equal to 1 and  $p(x)$  is divided by a linear polynomial  $x - a$ , then the remainder is  $p(a)$ . This is called remainder theorem.
6. If  $p(x)$  is a polynomial of degree  $\geq 1$  and 'a' is any real number then
  - (i)  $(x - a)$  is a factor of  $p(x)$ , if  $p(a) = 0$  and
  - (ii)  $p(a) = 0$  if  $(x - a)$  is a factor of  $p(x)$ .

This is called factor theorem.

7. A polynomial of degree 'n' can have at most n zeroes.

• Some algebraic identities :-

(i)  $(x+y)^2 = x^2 + 2xy + y^2$

(ii)  $(x-y)^2 = x^2 - 2xy + y^2$

(iii)  $x^2 - y^2 = (x+y)(x-y)$

(iv)  $(x+a)(x+b) = x^2 + (a+b)x + ab$

(v)  $(x+y+z)^2 = x^2 + y^2 + z^2 + 2xy + 2yz + 2zx$

$$(vi) \quad (x+y)^3 = x^3 + y^3 + 3xy(x+y) = x^3 + y^3 + 3x^2y + 3xy^2$$

$$(vii) \quad (x-y)^3 = x^3 - y^3 - 3xy(x-y) = x^3 - y^3 - 3x^2y + 3xy^2$$

$$(viii) \quad x^3 + y^3 = (x+y)(x^2 - xy + y^2)$$

$$ix) \quad x^3 - y^3 = (x-y)(x^2 + xy + y^2)$$

$$x) \quad x^3 + y^3 + z^3 - 3xyz = (x+y+z)(x^2 + y^2 + z^2 - xy - yz - zx) \\ = \frac{1}{2}(x+y+z)\{(x-y)^2 + (y-z)^2 + (z-x)^2\}$$

$$xi) \quad \text{If } x+y+z=0, \text{ then } x^3 + y^3 + z^3 = 3xyz$$

Important  
Questions  
with  
Solutions

### Part-A

1. Write the coefficient of  $y^3$  in  $5y^3 + 2y^2 - y + 5$
2. Find the coefficient of  $x^2$  in  $(x^2 - 1)(x - 2)$
3. If  $(x - 2)$  is one of the factor of  $3x - 2a$ , then find the value of  $a$ .
4. Find the degree of polynomial  $\frac{x^3 + 3x - 1}{5} - \frac{5}{2}x^2 - x^5$
5. If  $p(x) = x^3 - 3x^2 + 2x - 3$  find the value of  $p(1) + p(-1)$ .
6. Find zeros of the polynomial  $z^2 - 8$
7. Dividend = Divisor  $\times$  Quotient + \_\_\_\_\_.
8. Give an example of Trinomial of degree 3.
9. Give one example each of monomial, binomial and quadratic polynomial.
10. Check whether  $x = 3$  is a zero of polynomial  $x^2 - 3x + x - 3$ .
11. Write the degree of the polynomial  $\sqrt{7}$
12. If one of the zero of polynomial  $3x^2 + 5x + k$  is  $-1$ , then find out the value of  $k$ .
13. Express  $4x^2 - 4x + 1$  as a square of binomial.

### Part - B

14. Check whether  $q(x)$  is a multiple of  $r(x)$  or not.  
If  $q(x) = 2x^3 - 11x^2 - 4x + 5$ ,  $r(x) = 2x + 1$
15. Show that  $(x - 5)$  is a factor of  $x^3 - 3x^2 - 4x - 30$ .
16. Evaluate by using suitable identity :  $(997)^3$

17. Find the zeroes of the polynomial  $p(x) = x(x - 2)(x + 3)$
18. Find the quotient when  $3x^2 - 7x - 6$  is divided by  $(x - 3)$
19. Factorise  $8x^3 + \sqrt{27}y^3$ .
20. If  $p(x) = x + 9$ , then find  $p(x) + p(-x)$ .
21. Find the product without multiplying directly  
 $106 \times 94$
22. IF  $36x^2 - b = \left(6x + \frac{1}{5}\right)\left(6x - \frac{1}{5}\right)$  then find the value of  $b$ .
23. Expand using suitable identity  $(2x - 3y + z)^2$
24. Find the value of  $(351)^2 - (350)^2$ .

### Part – C

25. Factorise :  $64a^2 + 96ab + 36b^2$
26. Factorise :  $x^3 + 6x^2 + 11x + 6$
27. If  $x^2 + y^2 = 49$  and  $x - y = 3$ , then find the value of  $x^3 - y^3$ .
28. Simplify :  $(5a - 2b)(25a^2 + 10ab + 4b^2) - (2a + 5b)(4a^2 - 10ab + 25b^2)$
29. Find the sum of remainders when  $x^3 - 3x^2 + 4x - 4$  is divided by  $(x - 1)$  and  $(x + 2)$ .
30. Find the product  $\left(p - \frac{1}{p}\right)\left(p + \frac{1}{p}\right)\left(p^2 + \frac{1}{p^2}\right)\left(p^4 + \frac{1}{p^4}\right)$
31. Factorise :  $7\sqrt{2}k^2 - 10k - 4\sqrt{2}$ .
32. Simplify :  $(3x - 4y)^3 - (3x + 4y)^3$
33. Expand :  $\left(\frac{1}{2}x - \frac{1}{4}y + 2\right)^2$  using suitable identity.
34. Simplify :  $(x + y + z)^2 - (x - y - z)^2$ .

## Part – D

35. Factorise :  $125x^3 + 8y^3 + z^3 - 30xyz$ .
36.  $x + 2$  is a factor of polynomial  $ax^3 + bx^2 + x - 2$  and the remainder 4 is obtained by dividing this polynomial by  $(x - 2)$ . Find the value of  $a$  and  $b$ .
37. Check whether  
 $p(t) = 6t^3 + 3t^2 + 3t + 18$  is a multiple of  $(2t + 3)$ .
38. Find the value of  $k$  if  $(x + k)$  is a factor of the polynomial  $x^3 + kx^2 - 2x + k + 4$  and factorise  $x^4 - x$ .
39. If  $(x - 3)$  and  $\left(x - \frac{1}{3}\right)$  are factors of the polynomial  $px^2 + 3x + r$ , show that  $p = r$ .
40. (i) Using Identity, find the value of  $(-7)^3 + (5)^3 + (2)^3$ .  
(ii) Find dimensions of cube whose volume is given by expression  $4x^3 + 14x^2 + 6x$
41. Give possible expression for the length and breadth of each of the following rectangles if.  
(i) Area =  $(x^2 + 5\sqrt{5}x + 30)$  sq. unit.  
(ii) Area =  $(24x^2 - 26x - 8)$  sq. unit.
42. A literacy campaign was organised by Class IX girl students under NSS. Students made  $(x - 5)$  rows and  $(3x - 4)$  columns for the rally.  
Write the total number of students in the form of a polynomial.
43. Under tree plantation programme students of Class IX planted total  $(3x^2 - 4x - 4)$  trees in school.  
If total number of students in the class are  $(x - 2)$  then find out number of trees planted by each student. (Assuming each student planted equal number of trees).

44. If  $a + b + c = 0$ , find the value of

$$\frac{(b+c)^2}{bc} + \frac{(c+a)^2}{ca} + \frac{(a+b)^2}{ab}$$

45. Simplify :

$$\frac{(a^2-b^2)^3 + (b^2-c^2)^3 + (c^2-a^2)^3}{(a-b)^3 + (b-c)^3 + (c-a)^3}$$

46. Factorise :

$$(2a-b-c)^3 + (2b-c-a)^3 + (2c-a-b)^3$$

47. If the polynomial  $4x^3 - 16x^2 + ax + 7$  is exactly divisible by  $x-1$ , then find the value of  $a$ . Hence factorise the polynomial.

48. Factorise:  $x^2 - \frac{13}{24}x - \frac{1}{12}$

49. Factorise:  $9x^3 - 27x^2 - 100x + 300$

50. Factorise:  $x^4 - 5x^2 + 4$

51. If  $\frac{x}{y} + \frac{y}{x} = -1$  where  $x \neq 0$ ,  $y \neq 0$  then find the value of  $x^3 - y^3$ .

52. Simplify:  $\frac{155 \times 155 + 155 \times 55 + 55 \times 55}{155 \times 155 \times 155 - 55 \times 55 \times 55}$



41. (i)  $(x + 2\sqrt{5}), (x + 3\sqrt{5})$

(ii)  $(4x + 1), (6x - 8)$

42.  $3x^2 - 19x + 20$

43.  $(3x + 2)$

44. 3

45.  $(a+b)(b+c)(c+a)$

46.  $3(2a-b-c)(2b-c-a)(2c-a-b)$

47.  $a=5, (x-1)(2x+1)(2x-7)$

48.  $\frac{1}{24}(3x-2)(8x+1)$

49.  $(3x+10)(x-3)(3x-10)$

50.  $(x-1)(x+1)(x-2)(x+2)$

51. 0

52. 0.01

**Practice Test**  
**POLYNOMIALS**

Time : 50 Min.

M.M. 20

1. Is  $(x^2)^{1/2} + 2\sqrt{5}a$  a polynomial? (1)
2. Show that  $x = 1$  is a zero of the polynomial  $3x^3 - 4x^2 + 8x - 7$ . (1)
3. Find the zeroes of the polynomial  $x^2 - 4x + 3$  (2)
4. If  $x + y + z = 6$ ,  $xy + yz + zx = 11$ . Find the value of  $x^2 + y^2 + z^2$ . (2)
5. If  $3x - 4$  is a factor of the polynomial  $p(x) = 2x^3 - 11x^2 + kx - 20$ , find the value  $k$  (3)
6. Factorise :  $a^2 + b^2 + 2(ab + bc + ca)$  (3)
7. If  $a + b + c = 0$  then find the value of (4)  
$$\frac{a^2}{bc} + \frac{b^2}{ca} + \frac{c^2}{ab}$$
8. Factorise  $x^3 - 23x^2 + 142x - 120$  by using factor theorem. (4)