



Roll No.....

Total No. of Questions : 20]

[Total No. of Printed Pages : 7 + Graph

*SSERKNO17*

*15103-C*

*MATHEMATICS*

**Time : 3 Hours]**

**[Maximum Marks : 100**

1. In each of the following write down the correct answer on your answer-book :

(i)  $\sqrt{121}$  is :

- (a) an irrational number
- (b) a composite number
- (c) a rational number
- (d) none of these

(ii) The zero's of the quadratic polynomial  $x^2 + 3x - 10$  is :

- (a) 2, -5
- (b) 2, 5
- (c) 5, -2
- (d) None of these

(iii) The common difference of an A.P. 34, 32, 30..... is.

- (a) 2
- (b) 3
- (c) -2
- (d) None of these

(iv) How many tangents can a circle have ?

- (a) One

- (b) Infinite
  - (c) Two
  - (d) None of these
- (v) The volume of cylinder is :
- (a)  $\frac{1}{3} \pi r^2 h$
  - (b)  $\pi r^2 h$
  - (c)  $\frac{2}{3} \pi r h$
  - (d) None of these
- (vi) Probability of an impossible event is :
- (a) 1
  - (b) 0
  - (c) 2
  - (d) None of these

2. Find the point on x-axis which is equidistant from (2, -5) and (-2, 9).

3. Draw a circle and two lines parallel to a given line such that one is a tangent and the other a secant to the circle. <https://www.jkboseonline.com>

4. Show that :

$$\tan 48^\circ \tan 23^\circ \tan 42^\circ \tan 67^\circ = 1$$

5. Use Euclid's algorithm to find the H. C. F. of 135 and 225.

6. Obtain all other zero's of  $3x^4 + 6x^3 - 2x^2 - 10x - 5$ , if two of its zero's are  $\sqrt{5}/3$  and  $-\sqrt{5}/3$ .

7. How many multiples of 4 lies between 10 and 250 ?

8. The larger of two supplementary angles exceeds the smaller by 18 degree, find them.

9. Solve the pair of linear equations  $3x - 5y = 4$  and  $9x - 2y = 7$  by the elimination method.

10. Three coins are tossed simultaneously 200 times with the following frequencies of different outcomes :

Outcome	3 Heads	2 Heads	1 Head	No Head
Frequency	23	72	77	28

It the three coins are simultaneously tossed again. Compute the probability of 2 heads coming up.

11. Find the roots of the quadratic equation  $2x^2 - 7x + 3 = 0$  by the method of completing square.

Or

A train travels 360 km at a uniform speed. If the speed has been 5 km/h more, it would have taken one hour less for the same journey. Find the speed of the train.

12. Find two numbers whose sum is 27 and product is 182.

Or

The sum of the resprocals of Rehman's age, (in years) 3 years ago and 5 years from now is  $\frac{1}{3}$ . Find his present age.

13. ABCD is a trapezium in which  $AB \parallel DC$  and its diagonals intersect each other at a point O. Show that :

$$\frac{AO}{BO} = \frac{CO}{DO}$$

Or

If AD and PM are medians of triangles ABC and PQR respectively where  $\Delta ABC \sim \Delta PQR$ . Prove that :

$$\frac{AB}{PQ} = \frac{AD}{PM}$$

14. In a triangle, the square of hypotenuse is equal to the sum of the squares of the other two sides. Prove it.

Or

In an equilateral  $\Delta ABC$ , D is a point on side BC such that  $BD = \frac{1}{3} BC$ . Prove that  $9AD^2 = 7AB^2$ .

15. Find the area of a rhombus if its vertices are (3, 0), (4, 5), (-1, 4) and (-2, -1) taken in order.

Or

Find the area of the triangle formed by joining the mid points of the sides of the triangle whose vertices are (0, -1), (2, 1) and (0, 3). Find the ratio of this area to the area of the given triangle. <https://www.jkboseonline.com>

16. If A, B and C are interior angles of a triangle ABC, then show that :

$$\sin\left(\frac{B+C}{2}\right) = \cos\frac{A}{2}$$

If  $\angle A$  and  $\angle B$  are acute angles such that  $\cos A = \cos B$ , then show that  $\angle A = \angle B$ .

17. Prove that :

$$\sqrt{\frac{1+\sin A}{1-\sin A}} = \sec A + \tan A$$

Or

A tree breaks due to storm and the broken part bends so that the top of the tree touches the ground making the angle  $30^\circ$  with it. The distance between the foot of the tree to the point where the top touches the ground is 8 m. Find the height of the tree.

18. Two concentric circles are of radii 5 cm and 3 cm. Find the length of the chord of the larger circle which touches the smaller circle.

Prove that the lengths of tangents drawn from an external point to a circle are equal.

19. Construct a triangle with sides 5 cm, 6 cm and 7 cm and then another triangle whose sides are  $\frac{7}{5}$  of the corresponding sides of the first triangle. (Steps of construction is not required)

Or

Draw a circle of radius 3 cm. Take two points P and Q on one of its extended diameter each at a distance of 7 cm from its centre. Draw tangents to the circle from these two points P and Q. (Steps of construction is not required)

20. Metallic spheres of radii 6 cm, 8 cm and 10 cm, respectively, are melted to form a single solid sphere. Find the radius of the resulting sphere.

Or

A vessel is in the form of a hollow hemisphere mounted by a hollow cylinder. The diameter of the hemisphere is 14 cm and total height of the vessel is 13 cm. Find the inner surface area of the vessel.