


ML Aggarwal Solutions for Class 8 Maths

Chapter 2- Exponents and Powers



www.indcareer.com/schools



ML Aggarwal Solutions

CLASS 8 MATHS

Chapter 2: Exponents and
Powers

For any clarifications or questions you can write to info@indcareer.com

Postal Address

IndCareer.com, 52, Shilpa Nagar, Somalwada Nagpur - 440015
Maharashtra, India

WhatsApp: +91 9561 204 888, **Website:** <https://www.indcareer.com> Class 8: Biology
Chapter 6 solutions. Complete Class 8 Biology Chapter 6 Notes.

<https://www.indcareer.com/schools/ml-aggarwal-solutions-for-class-8-maths-chapter-2-exponents-and-powers/>

ML Aggarwal Solutions for Class 8 Maths

Chapter 2- Exponents and Powers

Class 8: Maths Chapter 2 solutions. Complete Class 8 Maths Chapter 2 Notes.

ML Aggarwal Solutions for Class 8 Maths Chapter 2- Exponents and Powers

ML Aggarwal 8th Maths Chapter 2, Class 8 Maths Chapter 2 solutions

EXERCISE 2.1

1. Evaluate:

(i) $(\frac{3}{5})^{-2}$

(ii) $(-3)^{-3}$

(iii) $(\frac{2}{7})^{-4}$

Solution:

(i) $(\frac{3}{5})^{-2}$

Let us evaluate the given expression,

By using the formula, $(a^{-n} = 1/a^n)$

So,

$$(\frac{3}{5})^{-2} = (\frac{5}{3})^2$$

$$= (\frac{5}{3}) \times (\frac{5}{3})$$

$$= \frac{25}{9}$$

(ii) $(-3)^{-3}$

Let us evaluate the given expression,

By using the formula, $(a^{-n} = 1/a^n)$

<https://www.indcareer.com/schools/ml-aggarwal-solutions-for-class-8-maths-chapter-2-exponents-and-powers/>

So,

$$\begin{aligned}(-3)^{-3} &= (-1/3)^3 \\&= (-1/3) \times (-1/3) \times (-1/3) \\&= -1/27\end{aligned}$$

(iii) $(2/7)^{-4}$

Let us evaluate the given expression,

By using the formula, $(a^n = 1/a^n)$

So,

$$\begin{aligned}(2/7)^{-4} &= (7/2)^4 \\&= (7/2) \times (7/2) \times (7/2) \times (7/2) \\&= 2401/16\end{aligned}$$

2. Simplify:

(i) $[(2)^{-1} + (4)^{-1} + (3)^{-1}]^{-1}$

(ii) $[(4)^{-1} - (5)^{-1}]^2 \times (5/8)^{-1}$

(iii) $[4^0 + 4^2 - 2^3] \times 3^{-2}$

(iv) $[(5)^2 - (1/4)^{-2}] \times (3/4)^{-2}$

Solution:

(i) $[(2)^{-1} + (4)^{-1} + (3)^{-1}]^{-1}$

Let us simplify the given expression, $[(2)^{-1} + (4)^{-1} + (3)^{-1}]^{-1} = [(1/2) + (1/4) + (1/3)]^{-1}$

$$= [(6+3+4)/12]^{-1}$$

$$= [13/12]^{-1}$$

$$= 12/13$$

(ii) $[(4)^{-1} - (5)^{-1}]^2 \times (5/8)^{-1}$

Let us simplify the given expression, $[(4)^{-1} - (5)^{-1}]^2 \times (5/8)^{-1} = [(1/4) - (1/5)]^2 \times (8/5)^1$

$$= [(5-4)/20]^2 \times (8/5)$$

<https://www.indcareer.com/schools/ml-aggarwal-solutions-for-class-8-maths-chapter-2-exponents-and-powers/>

$$= [1/20]^2 \times (8/5)$$

$$= (1/20) \times (1/20) \times (8/5)$$

$$= 1/250$$

$$(iii) [4^0 + 4^2 - 2^3] \times 3^{-2}$$

Let us simplify the given expression, $[4^0 + 4^2 - 2^3] \times 3^{-2} = [1 + 16 - 8] \times (1/3^2)$

$$= 9 \times (1/9)$$

$$= 1$$

$$(iv) [(5)^2 - (1/4)^{-2}] \times (3/4)^{-2}$$

Let us simplify the given expression, $[(5)^2 - (1/4)^{-2}] \times (3/4)^{-2} = [25 - (4)^2] \times (4/3)^2$

$$= [25 - 16] \times (16/9)$$

$$= 9 \times (16/9)$$

$$= 16$$

3. Find the multiplicative inverse of the following:

$$(i) (81/16)^{-3/4}$$

$$(ii) \{(-3/2)^{-4}\}^{1/2}$$

$$(iii) (5/7)^{-2} \times (5/7)^4 \div (5/7)^3$$

Solution:

$$(i) (81/16)^{-3/4}$$

Let us simplify to find the multiplicative inverse of the given expression,

$$(81/16)^{-3/4} = (16/81)^{3/4}$$

$$= (2^4/3^4)^{3/4}$$

$$= (2/3)^{4 \times 3/4}$$

$$= (2/3)^3$$

$$= (2/3) \times (2/3) \times (2/3)$$

$$= 8/27$$

<https://www.indcareer.com/schools/ml-aggarwal-solutions-for-class-8-maths-chapter-2-exponents-and-powers/>

So, the multiplicative inverse of $8/27$ is $27/8$.

(ii) $\{(-3/2)^{-4}\}^{1/2}$

Let us simplify to find the multiplicative inverse of the given expression,

$$\{(-3/2)^{-4}\}^{1/2} = (-3/2)^{-4 \times 1/2}$$

$$= (-3/2)^{-2}$$

$$= (2/-3)^2$$

$$= (2/-3) \times (2/-3)$$

$$= 4/9$$

So, the multiplicative inverse of $4/9$ is $9/4$.

(iii) $(5/7)^{-2} \times (5/7)^4 \div (5/7)^3$

Let us simplify to find the multiplicative inverse of the given expression,

$$(5/7)^{-2} \times (5/7)^4 \div (5/7)^3 = (7/5)^2 \times (5/7)^4 \div (5/7)^3$$

$$= (7/5)^2 \times (5/7)^{4-3}$$

$$= (7/5)^2 \times (5/7)$$

$$= (7/5) \times (7/5) \times (5/7)$$

$$= 7/5$$

So, the multiplicative inverse of $7/5$ is $5/7$.

4. (i) Express 16^{-2} as a power with base 2.

(ii) Express 125^{-4} as a power with base 5.

Solution:

(i) Express 16^{-2} as a power with base 2.

Let us simplify,

$$(16)^{-2} = (2^4)^{-2}$$

$$= 2^{-8}$$

$$= 1/2^8$$

<https://www.indcareer.com/schools/ml-aggarwal-solutions-for-class-8-maths-chapter-2-exponents-and-powers/>

(ii) Express 125^{-4} as a power with base 5.

Let us simplify,

$$(125)^{-4} = (5^3)^{-4}$$

$$= 5^{-12}$$

$$= 1/5^{12}$$

5. Write the following numbers in expanded form using exponents:

(i) 2789.453

(ii) 3007.805

Solution:

(i) 2789.453

The expanded form of

$$2789.453 = 2 \times 10^3 + 7 \times 10^2 + 8 \times 10^1 + 9 \times 10^0 + 4 \times 10^{-1} + 5 \times 10^{-2} + 3 \times 10^{-3}$$

(ii) 3007.805

The expanded form of

$$3007.805 = 3 \times 10^3 + 7 \times 10^0 + 8 \times 10^{-1} + 5 \times 10^{-3}$$

6. Simplify and write in exponential form with positive exponent:

(i) $[\{(5/7)^2\}^{-1}]^{-3}$

(ii) $(2/7)^2 \times (7/2)^{-3} \div \{(7/5)^{-2}\}^{-4}$

(iii) $(4/5)^2 \times 5^4 \times (2/5)^{-2} \div (5/2)^{-3}$

(iv) $[8^{-1} \times 5^3]/2^{-4}$

Solution:

(i) $[\{(5/7)^2\}^{-1}]^{-3}$

Let us simplify, $[\{(5/7)^2\}^{-1}]^{-3} = \{(5/7)^2\}^{-1 \times -3}$

<https://www.indcareer.com/schools/ml-aggarwal-solutions-for-class-8-maths-chapter-2-exponents-and-powers/>

$$= (5/7)^{2 \times 3}$$

$$= (5/7)^6$$

The exponential form is $(5/7)^6$.

$$(ii) (2/7)^2 \times (7/2)^{-3} \div \{(7/5)^{-2}\}^{-4}$$

Let us simplify,

$$(2/7)^2 \times (7/2)^{-3} \div \{(7/5)^{-2}\}^{-4} = (2/7)^2 \times (2/7)^3 \div (7/5)^8$$

$$= (2/7)^2 \times (2/7)^3 \times (5/7)^8$$

$$= (2^2/7^2) \times (2^3/7^3) \times (5^8/7^8)$$

$$= (2^{2+3}/7^{2+3}) \times (5^8/7^8)$$

$$= (2^5/7^5) \times (5^8/7^8)$$

$$= (2^5 \times 5^8)/7^{5+8}$$

$$= (2^5 \times 5^8)/7^{13}$$

The exponential form is $(2^5 \times 5^8)/7^{13}$.

$$(iii) (4/5)^2 \times 5^4 \times (2/5)^{-2} \div (5/2)^{-3}$$

Let us simplify,

$$(4/5)^2 \times 5^4 \times (2/5)^{-2} \div (5/2)^{-3} = ((2^2)^2/5^2) \times 5^4 \times (2^{-2}/5^{-2}) \times (2^{-3}/5^{-3})$$

$$= (2^4 \times 5^4 \times 2^{-2} \times 2^{-3}) / (5^2 \times 5^{-2} \times 5^{-3})$$

$$= 2^{4-2-3} \times 5^{4-2+2+3}$$

$$= 2^{-1} \times 5^7$$

$$= 5^7/2^1$$

The exponential form is $5^7/2^1$.

$$(iv) [8^{-1} \times 5^3]/2^{-4}$$

$$\text{Let us simplify, } [8^{-1} \times 5^3]/2^{-4} = [(2^3)^{-1} \times 5^3]/2^{-4}$$

$$= [2^{-3} \times 5^3]/2^{-4}$$

$$= 2^{-3+4} \times 5^3$$

<https://www.indcareer.com/schools/ml-aggarwal-solutions-for-class-8-maths-chapter-2-exponents-and-powers/>

$$= 2^1 \times 5^3$$

$$= 2 \times 5 \times 5 \times 5$$

$$= 250$$

The exponential form is 250.

7. Simplify and write the following in exponential form:

(i) $((-2)^3)^2 + 5^{-3} \div 5^{-5} - (-1/2)^0$

(ii) $3^{-5} \times 3^2 \div 3^{-6} + (2^2 \times 3)^2 + (2/3)^{-1} + 2^{-1} + (1/19)^{-1}$

Solution:

(i) $((-2)^3)^2 + 5^{-3} \div 5^{-5} - (-1/2)^0$

Let us simplify,

$$((-2)^3)^2 + 5^{-3} \div 5^{-5} - (-1/2)^0 = (-2)^6 + 1/5^3 \div 1/5^5 - 1$$

$$= 64 + 1/5^3 \times 5^5 - 1$$

$$= 64 + 5^{5-3} - 1$$

$$= 64 + 5^2 - 1$$

$$= 64 + 25 - 1$$

$$= 88$$

The exponential form is 88.

(ii) $3^{-5} \times 3^2 \div 3^{-6} + (2^2 \times 3)^2 + (2/3)^{-1} + 2^{-1} + (1/19)^{-1}$

Let us simplify,

$$3^{-5} \times 3^2 \div 3^{-6} + (2^2 \times 3)^2 + (2/3)^{-1} + 2^{-1} + (1/19)^{-1} = 3^{-5+2+6} + (2^4 \times 3^2) + 3/2 + 1/2 + 19^1$$

$$= 3^3 + (16 \times 9) + 4/2 + 19$$

$$= 27 + 144 + 2 + 19$$

$$= 192$$

The exponential form is 192.

8. Simplify and write in exponential form with negative exponent:

<https://www.indcareer.com/schools/ml-aggarwal-solutions-for-class-8-maths-chapter-2-exponents-and-powers/>

(i) $5^3 \times (4/5)^3$

(ii) $[(3/7)^{-2}]^{-3}$

(iii) $(5/9)^{-2} \times (5/3)^2 \div (1/5)^{-2}$

(iv) $2^{-1} [(5/3)^4 + (3/5)^{-2}] \div (17/9)$

(v) $(-7)^3 \times (1/-7)^{-9} \div (-7)^{10}$

Solution:

(i) $5^3 \times (4/5)^3$

Let us simplify,

$$5^3 \times (4/5)^3 = 5^3 \times (4^3/5^3)$$

$$= 5^{3-3} \times 4^3$$

$$= 5^0 \times 4^3$$

$$= 1 \times 4^3$$

$$= (1/4)^{-3}$$

The exponential form is $(1/4)^{-3}$.

(ii) $[(3/7)^{-2}]^{-3}$

Let us simplify, $[(3/7)^{-2}]^{-3} = (3/7)^{-2 \times -3}$

$$= (3/7)^6$$

$$= (7/3)^{-6}$$

The exponential form is $(7/3)^{-6}$.

(iii) $(5/9)^{-2} \times (5/3)^2 \div (1/5)^{-2}$

Let us simplify,

$$(5/9)^{-2} \times (5/3)^2 \div (1/5)^{-2} = (5^{-2}/9^{-2}) \times (5^2/3^2) \div (1/5^{-2})$$

$$= (5^{-2} \times 5^2 \times 5^{-2}) / [(3^2)^{-2} \times 3^2]$$

$$= (5^{-2+2-2}) / (3^{-4+2})$$

$$= 5^{-2}/3^{-2}$$

<https://www.indcareer.com/schools/ml-aggarwal-solutions-for-class-8-maths-chapter-2-exponents-and-powers/>

$$= (5/3)^{-2}$$

The exponential form is $(5/3)^{-2}$.

$$\text{(iv)} \quad 2^{-1} [(5/3)^4 + (3/5)^{-2}] \div (17/9)$$

Let us simplify,

$$2^{-1} [(5/3)^4 + (3/5)^{-2}] \div (17/9) = 2^{-1} [(5^4/3^4) + (3^{-2}/5^{-2})] \div (17/9)$$

$$= 2^{-1} [(5^4/3^4) + (5^2/3^2)] \div (17/9)$$

$$= 2^{-1} [(625/81) + (25/9)] \div (17/9)$$

$$= \frac{1}{2} [(625 + 225)/81] \times (9/17)$$

$$= \frac{1}{2} \times (850/81) \times 9/17$$

$$= 25/9$$

$$= (5/3)^2$$

$$= (3/5)^{-2}$$

The exponential form is $(3/5)^{-2}$.

$$\text{(v)} \quad (-7)^3 \times (1/-7)^{-9} \div (-7)^{10}$$

Let us simplify,

$$(-7)^3 \times (1/-7)^{-9} \div (-7)^{10} = (-7)^3 \times (-7)^9 \div (-7)^{10}$$

$$= (-7)^{3+9-10}$$

$$= (-7)^2$$

$$= (1/-7)^{-2}$$

The exponential form is $(1/-7)^{-2}$.

9. Simplify:

$$\text{(i)} \quad (49 \times z^{-3}) / (7^{-3} \times 10 \times z^{-5}) \quad (z \neq 0)$$

$$\text{(ii)} \quad (9^3 \times 27 \times t^4) / (3^2 \times 3^4 \times t^2)$$

$$\text{(iii)} \quad [(3^2)^2 \times (5^2)^{-3} \times (-t^3)^2] / [(3^{-2})^5 \times (5^3)^{-2} \times (t^{-4})^3]$$

$$\text{(iv)} \quad (2^{-5} \times 15^{-5} \times 500) / (5^{-6} \times 6^{-5})$$

<https://www.indcareer.com/schools/ml-aggarwal-solutions-for-class-8-maths-chapter-2-exponents-and-powers/>

Solution:

(i) $(49 \times z^{-3}) / (7^{-3} \times 10 \times z^{-5})$ ($z \neq 0$)

Let us simplify the given expression,

$$\begin{aligned}(49 \times z^{-3}) / (7^{-3} \times 10 \times z^{-5}) &= (7^2 \times z^{-3}) / (7^{-3} \times 10 \times z^{-5}) \\&= (7^{2+3} \times z^{-3+5}) / 10 \\&= (7^5 \times z^2) / 10\end{aligned}$$

(ii) $(9^3 \times 27 \times t^4) / (3^2 \times 3^4 \times t^2)$

Let us simplify the given expression,

$$\begin{aligned}(9^3 \times 27 \times t^4) / (3^2 \times 3^4 \times t^2) &= [(3^2)^3 \times (3)^3 \times t^4] / (3^2 \times 3^4 \times t^2) \\&= (3^6 \times 3^3 \times t^4) / (3^2 \times 3^4 \times t^2) \\&= 3^{6+3-2-4} \times t^{4-2} \\&= 3^3 \times t^2 \\&= 27t^2\end{aligned}$$

(iii) $[(3^{-2})^2 \times (5^2)^{-3} \times (t^{-3})^2] / [(3^{-2})^5 \times (5^3)^{-2} \times (t^4)^3]$

Let us simplify the given expression, $[(3^{-2})^2 \times (5^2)^{-3} \times (t^{-3})^2] / [(3^{-2})^5 \times (5^3)^{-2} \times (t^4)^3] = [3^{-4} \times 5^{-6} \times t^6] / [3^{-10} \times 5^{-6} \times t^{12}]$

$$\begin{aligned}&= 3^{-4+10} \times 5^{-6+6} \times t^{6+12} \\&= 3^6 \times 5^0 \times t^6 \\&= 3^6 \times 1 \times t^6 \\&= 729t^6\end{aligned}$$

(iv) $(2^{-5} \times 15^{-5} \times 500) / (5^{-6} \times 6^{-5})$

Let us simplify the given expression,

$$\begin{aligned}(2^{-5} \times 15^{-5} \times 500) / (5^{-6} \times 6^{-5}) &= (2^{-5} \times (3 \times 5)^{-5} \times 2^2 \times 5^3) / (5^{-6} \times (2 \times 3)^{-5}) \\&= (2^{-5} \times 3^{-5} \times 5^{-5} \times 2^2 \times 5^3) / (5^{-6} \times 2^{-5} \times 3^{-5}) \\&= 2^{-5+2+5} \times 3^{-5+5} \times 5^{-5+3+6}\end{aligned}$$

<https://www.indcareer.com/schools/ml-aggarwal-solutions-for-class-8-maths-chapter-2-exponents-and-powers/>

$$= 2^2 \times 3^0 \times 5^4$$

$$= 4 \times 1 \times 625$$

$$= 2500$$

10. By what number should $(3/-2)^{-3}$ be divided to get $(2/3)^2$?

Solution:

The required number is $(3/-2)^{-3} \div (2/3)^2$

Let us simplify the expression,

$$(3/-2)^{-3} \div (2/3)^2 = (3^{-3})/(-2)^{-3} \times (3^2)/(2^2)$$

$$= [3^{-3} \times 3^2]/[-2^{-3} \times -2^2]$$

$$= [3^{-3+2}]/(-2)^{-3+2}$$

$$= 3^{-1}/-2^{-1}$$

$$= -2^1/3^1$$

$$= -2/3$$

11. Find the value of m for which $9^m \div 3^{-2} = 9^4$.

Solution:

Let us simplify the expression,

$$9^m \div 3^{-2} = 9^4$$

$$(3^2)^m \div 3^{-2} = (3^2)^4$$

$$3^{2m} \div 3^{-2} = 3^8$$

$$3^{2m+2} = 3^8$$

<https://www.indcareer.com/schools/ml-aggarwal-solutions-for-class-8-maths-chapter-2-exponents-and-powers/>

Now by comparing the powers, we get

$$2m + 2 = 8$$

$$2m = 8 - 2$$

$$= 6$$

$$m = 6/2$$

$$= 3$$

12. If $(-5/7)^{-4} \times (-5/7)^{12} = \{(-5/7)^3\} \times (-5/7)^{-1}$, find the value of x.

Solution:

Let us simplify the given expression,

$$(-5/7)^{-4} \times (-5/7)^{12} = \{(-5/7)^3\} \times (-5/7)^{-1}$$

$$(-5/7)^{-4} \times (-5/7)^{12} = (-5/7)^{3x} \times (-5/7)^{-1}$$

$$(-5/7)^{-4+12} = (-5/7)^{3x-1}$$

$$(-5/7)^8 = (-5/7)^{3x-1}$$

Now by comparing the powers, we get

$$8 = 3x - 1$$

$$3x = 8 + 1$$

$$3x = 9$$

$$x = 9/3$$

$$= 3$$

13. Find x, if $(-2/3)^{-13} \times (3/-2)^8 = (-2/3)^{-2x+1}$

Solution:

Let us simplify the given expression,

<https://www.indcareer.com/schools/ml-aggarwal-solutions-for-class-8-maths-chapter-2-exponents-and-powers/>

$$(-2/3)^{-13} \times (3/-2)^8 = (-2/3)^{-2x+1}$$

$$(-2/3)^{-13} \times (-2/3)^{-8} = (-2/3)^{-2x+1}$$

$$(-2/3)^{-13-8} = (-2/3)^{-2x+1}$$

$$(-2/3)^{-21} = (-2/3)^{-2x+1}$$

Now by comparing the powers, we get

$$-21 = -2x + 1$$

$$2x = 1 + 21$$

$$2x = 22$$

$$x = 22/2$$

$$= 11$$

14. (i) If $5^{2x-1} = 1/(125)^{x-3}$, find x.

(ii) If $(9^n \times 3^5 \times 27^3)/(3 \times 81^4) = 27$, find n.

Solution:

(i) If $5^{2x-1} = 1/(125)^{x-3}$, find x.

Let us simplify the given expression,

$$5^{2x-1} = 1/(5^3)^{x-3}$$

$$5^{2x-1} = 1/5^{3x-9}$$

$$5^{2x-1} = 5^{-3x+9}$$

Now by comparing the powers, we get

$$2x - 1 = -3x + 9$$

$$2x + 3x = 9 + 1$$

$$5x = 10$$

$$x = 10/5$$

$$= 2$$

(ii) If $(9^n \times 3^5 \times 27^3)/(3 \times 81^4) = 27$

<https://www.indcareer.com/schools/ml-aggarwal-solutions-for-class-8-maths-chapter-2-exponents-and-powers/>

Let us simplify the given expression, $[(3^2)^n \times 3^5 \times (3^3)^3] / (3 \times (3^4)^4) = 3^3 [3^{2n} \times 3^5 \times 3^9] = (3 \times 3^{16}) = 3^3$

$$3^{2n+5+9-1-16} = 3^3$$

Now by comparing the powers, we get

$$2n + 5 + 9 - 1 - 16 = 3$$

$$2n - 3 = 3$$

$$2n = 3 + 3$$

$$2n = 6$$

$$n = 6/2$$

$$= 3$$

EXERCISE 2.2

1. Express the following numbers in standard form:

(i) 0.00000000000085

(ii) 0.000000000000942

(iii) 6020000000000000

(iv) 0.00000000837

Solution:

Let us express the numbers in their standard form,

(i) $0.00000000000085 = 8.5 \times 10^{-12}$

(ii) $0.000000000000942 = 9.42 \times 10^{-13}$

(iii) $6020000000000000 = 6.02 \times 10^{15}$

(iv) $0.00000000837 = 8.37 \times 10^{-9}$

2. Express the following numbers in usual form:

(i) 3.02×10^{-6}

<https://www.indcareer.com/schools/ml-aggarwal-solutions-for-class-8-maths-chapter-2-exponents-and-powers/>

(ii) 1.007×10^{11}

(iii) 5.375×10^{14}

(iv) 7.579×10^{-14}

Solution:

Let us express the numbers in their usual form,

(i) $3.02 \times 10^{-6} = 0.00000302$

(ii) $1.007 \times 10^{11} = 100700000000$

(iii) $5.375 \times 10^{14} = 537500000000000$

(iv) $7.579 \times 10^{-14} = 0.00000000000007579$

3. Express the number appearing in the following statements in standard form:

(i) The mass of a proton is 0.0000000000000000000000001673 gram.

(ii) The thickness of a piece of paper is 0.0016 cm.

(iii) The diameter of a wire on a computer chip is 0.000003 m.

(iv) A helium atom has a diameter of $22/100000000000$ m.

(v) Mass of a molecule of hydrogen gas is about 0.000000000000000000000000334 tons.

(vi) The human body has 1 trillion cells which vary in shapes and sizes.

(vii) The distance from the Earth of the Sun is 149,600,000,000 m.

(viii) The speed of light is 300,000,000 m/sec.

(ix) Mass of the Earth is 5,970,000,000,000,000,000,000 kg.

(x) Express 3 years in seconds.

(xi) Express 7 hectares in cm^2 .

(xii) A sugar factory has annual sales of 3 billion 720 million kilograms of sugar.

Solution:

<https://www.indcareer.com/schools/ml-aggarwal-solutions-for-class-8-maths-chapter-2-exponents-and-powers/>

(i) The mass of a proton is 0.0000000000000000000000001673 gram, it is expressed in standard form as 1.673×10^{-24} gram.

(ii) Thickness of a piece of paper in standard form is 0.0016 cm; it is expressed in standard form as 1.6×10^{-3}

(iii) Diameter of a wire on a computer chip is 0.000003 m; it is expressed in standard form as 3.0×10^{-6} m

(iv) A helium atom has a diameter of 22/100000000000 m; it is expressed in standard form as $22 \times 10^{-12} = 2.2 \times 10^{-10}$

(v) Mass of a molecule of hydrogen gas is about 0.0000000000000000000000334 tons; it is expressed in standard form as $= 3.34 \times 10^{-21}$ tons

(vi) Human body has 1 trillion of cells which vary in shapes and sizes; it is expressed in standard form as $1,000,000,000,000 = 10^{12}$

(vii) The distance from the Earth of the Sun is expressed in standard form as

$$149,600,000,000 \text{ m} = 1.496 \times 10^{11}$$

(viii) The speed of light is 300,000,000 m/sec; it is expressed in standard form as

$$3.0 \times 10^8 \text{ m/sec}$$

(ix) Mass of the Earth is 5,970,000,000,000,000,000,000 kg; it is expressed in standard form as 5.97×10^{24} kg

(x) Express 3 years in seconds, it is expressed in standard form as

$$3 \text{ years} = 3 \times 365 \text{ days}$$

$$= 3 \times 365 \times 24 \text{ hours}$$

$$= 3 \times 365 \times 24 \times 3600 \text{ seconds}$$

$$= 1040688000 \text{ seconds}$$

$$= 1.040688 \times 10^9 \text{ seconds}$$

<https://www.indcareer.com/schools/ml-aggarwal-solutions-for-class-8-maths-chapter-2-exponents-and-powers/>

(xi) Express 7 hectares in cm^2 , it is expressed in standard form as

$$7 \text{ hectares} = 7 \times 10000 \text{ m}^2$$

$$= 7 \times 10000 \times 100 \times 100 \text{ cm}^2$$

$$= 700000000 \text{ cm}^2$$

$$= 7.0 \times 10^8 \text{ cm}^2$$

(xii) A sugar factory has annual sales of 3 billion 720 million kilograms of sugar, it is expressed in standard form as

Annual sale of a sugar factory = 3 billion

720 million kilograms sugar = 3,720,000,000 kg = 3.72×10^9 kg

4. Compare the following:

(i) Size of a plant cell to the thickness of a piece of paper.

(ii) Size of a plant cell to the diameter of a wire on a computer chip.

(iii) The thickness of a piece of paper to the diameter of a wire on a computer chip.

Given size of plant cell = 0.00001275 m

Thickness of a piece of paper = 0.0016 cm

Diameter of a wire on a computer chip = 0.000003 m

Solution:

Given:

<https://www.indcareer.com/schools/ml-aggarwal-solutions-for-class-8-maths-chapter-2-exponents-and-powers/>

Size of plant cell = $0.00001275 \text{ m} = 1.275 \times 10^{-5} \text{ m}$

Thickness of a piece of paper = $0.0016 \text{ cm} = 1.6 \times 10^{-3} \text{ cm}$

Diameter of a wire on a computer chip = $0.000003 \text{ m} = 3.0 \times 10^{-6} \text{ m}$

(i) Size of plant cell: thickness of a piece of paper

$$1.275 \times 10^{-5} : 1.6 \times 10^{-3}$$

Size of plant cell = $1.2/1.6 = 3/4$ times of thickness of paper.

(ii) Size of plant cell: diameter of wire on a computer chip

$$1.275 \times 10^{-5} : 3.0 \times 10^{-6}$$

$$12.75 : 3.00$$

Size of plant cell is 4 times of diameter of wire.

(iii) Thickness of a piece of paper: diameter of a wire on a computer chip

$$1.6 \times 10^{-3} : 3.0 \times 10^{-6} \times 100 \text{ cm}$$

$$1.6 \times 1000 : 300$$

$$16.1 : 3$$

Approximately 5 times is the thickness of paper to diameter of wire.

<https://www.indcareer.com/schools/ml-aggarwal-solutions-for-class-8-maths-chapter-2-exponents-and-powers/>

5. The number of red blood cells per cubic millimeter of blood is approximately 5.5 million. If the average body contains 5 liters of blood, what is the total number of red cell in the body? (1 liter = 1,00,000 mm³)

Solution:

Given:

Red blood per cubic millimeter = 5.5 million = 5.5×10^6

Red blood in 5 liters of blood = $5.5 \times 10^6 \times 5 \times 10^5$ (1 litre = 10^5 mm)

$$= 27.5 \times 10^{6+5}$$

$$= 27.5 \times 10^{11}$$

$$= 2.75 \times 10 \times 10^{11}$$

$$= 2.75 \times 10^{12}$$

∴ Total number of red blood cells in the body is 2.75×10^{12} .

6. Mass of Mars is 6.42×10^{29} kg and the mass of the sun is 1.99×10^{30} kg. What is the total mass?

Solution:

Given:

Mass of Mars = 6.42×10^{29} kg

and mass of sun = 1.99×10^{30}

<https://www.indcareer.com/schools/ml-aggarwal-solutions-for-class-8-maths-chapter-2-exponents-and-powers/>

$$\text{Total mass} = 6.42 \times 10^{29} + 1.99 \times 10^{30}$$

$$= 10^{29} (6.42 + 1.99 \times 10)$$

$$= 10^{29} (6.42 + 19.9)$$

$$= 26.32 \times 10^{29}$$

∴ Total mass of mars is 26.32×10^{29} .

7. A particular star is at a distance of about 8.1×10^{13} km from the Earth. Assuming that the light travels at 3×10^8 m/sec, find how long does light take from that star to reach the Earth.

Solution:

Given:

Distance between earth and a particular star = 8.1×10^{13} km

Speed of light = 3×10^8 m/sec.

Time is taken to reach the earth = $(8.1 \times 10^{13}) / (3 \times 10^8)$

$$= 2.7 \times 10^{16-8}$$

$$= 2.7 \times 10^8 \text{ sec}$$

∴ Light takes 2.7×10^8 sec from star to reach the earth.



ML Aggarwal Solutions Class 8 Maths

- Chapter 1- Rational Numbers
- Chapter 2- Exponents and Powers
- Chapter 3- Squares and Square Roots
- Chapter 4- Cubes and Cube Roots
- Chapter 5- Playing with Numbers
- Chapter 6- Operation On Sets Venn Diagram
- Chapter 7- Percentage
- Chapter 8- Simple and Compound Interest
- Chapter 9- Direct and Inverse Variation
- Chapter 10- Algebraic Expressions and Identities
- Chapter 11- Factorisation
- Chapter 12- Linear Equations and Inequalities in One Variable
- Chapter 13- Understanding Quadrilaterals
- Chapter 14- Constructions of Quadrilaterals
- Chapter 15- Circle
- Chapter 16- Symmetry Reflection and Rotation
- Chapter 17- Visualising Solid Shapes
- Chapter 18- Mensuration
- Chapter 19- Data Handling

<https://www.indcareer.com/schools/ml-aggarwal-solutions-for-class-8-maths-chapter-2-exponents-and-powers/>

About ML Aggarwal

M. L. Aggarwal, is an Indian mechanical engineer, educator. His achievements include research in solutions of industrial problems related to fatigue design. Recipient Best Paper award, Manipal Institute of Technology, 2004. Member of TSTE.

<https://www.indcareer.com/schools/ml-aggarwal-solutions-for-class-8-maths-chapter-2-exponents-and-powers/>

About IndCareer

IndCareer.com is a leading developer of online career guidance resources for the Indian marketplace. Established in 2007, IndCareer.com is currently used by over thousands of institutions across India, including schools, employment agencies, libraries, colleges and universities.

IndCareer.com is designed to assist you in making the right career decision - a decision that meets your unique interests and personality.

For any clarifications or questions you can write to **info@indcareer.com**

Postal Address

IndCareer.com
52, Shilpa Nagar,
Somalwada
Nagpur - 440015
Maharashtra, India

WhatsApp: +91 9561 204 888

Website: <https://www.indcareer.com>

<https://www.indcareer.com/schools/ml-aggarwal-solutions-for-class-8-maths-chapter-2-exponents-and-powers/>