

-
- 1 PHP Stands for
A. Php Hypertext Processor B. Php Hypertext Preprocessor
C. PhpHypermarkup Preprocessor D. PhpHypermarkup Processor
 - 2 PHP Scripts starts with _____
A. <php> ... </php> B. <?php ?> C. ?php ... ?php D. <p> ... </p>
 - 3 In PHP Language variables are case sensitive
A. True B. False C. Depends on website D. Depends on server
 - 4 Which of the following statements prints in PHP?
A. Out B. Write C. Echo D. Display
 - 5 Which of the following is not the scope of Variable in PHP?
A. Local B. Global C. Static D. Extern
 - 6 PHP is a language?
A. user-side scripting B. client-side scripting C. server-side scripting D. Both B and C
 - 7 Who among this is the founder of php language?
A. Tim Berners-Lee B. Brendan Eich C. Guido van Rossum D. RasmusLerdorf
 - 8 In which year php was created?
A. 1993 B. 1994 C. 1995 D. 1996
 - 9 PHP files have a default file extension of _____.
A. .html B. .xml C. .php D. .hphp
 - 10 Which of the following is the latest version of php?
A. 7.1 B. 7.2 C. 7.3 D. 7.4
 - 11 Which of the below statements is equivalent to \$sub -= \$sub?
A. \$sub = \$sub B. \$sub = \$sub - \$sub C. \$sub = \$sub - 1 D. \$sub = \$sub - \$sub - 1
 - 12 How many return value does echo statement has?
A. 1 B. 2 C. 3 D. 0
 - 13 print statement can take _____ argument?
A. 1 B. 2 C. 3 D. 4
 - 14 Any variables declared in PHP must begin with a.....?
A. . B. # C. & D. \$
 - 15 A variable can have?
A. long descriptive names B. short names C. Both A and B D. None of the above
 - 16 PHP variables are case-sensitive?
A. True B. False C. For "sum" variable it is case-sensitive D. None of the above
 - 17 How many different data types are available in php?
A. 6 B. 7 C. 8 D. 9
 - 18 How many compound data types are available in php?
A. 1 B. 2 C. 3 D. 4
 - 19 Which one is not a data type in PHP?
A. Resources B. Objects C. Null D. Void
 - 20 Objects are defined as instances of user defined classes that can hold?
A. values B. functions C. both values and functions D. None of the above
 - 21 PHP supports _____ types of looping techniques?
A. 2 B. 3 C. 4 D. 5
 - 22 How many main parameter are used in for loop?
A. 2 B. 3 C. 4 D. 1
 - 23 do-while loop is an _____ control loop ?
A. exit B. exist C. easy D. entry
 - 24 foreach loop is used to iterate over?
A. number B. object C. function D. array
 - 25 How many types of functions are available in php?
A. 5 B. 4 C. 3 D. 2
 - 26 Which of the following is not a built-in function in php ?
A. print_r() B. fopen() C. fclose() D. gettype()

- 27 Why should we use functions?
A. Reusability B. Easier error detection C. Easily maintained D. All of the above
- 28 A function name cannot start with a _____.
A. alphabet B. underscore C. number D. Both C and B
- 29 A function name is not case-sensitive?
A. True B. False C. Only user-defined function is case-sensitive D. None of the above
- 30 Type Hinting was introduced in which version of PHP?
A. PHP 5.1 B. PHP 5 C. PHP 5.3 D. PHP 5.4
- 31 A function in PHP which starts with double underscore is known as _____.
A. Magic Function B. Inbuilt Function C. Default Function D. User Defined Function
- 32 How many types of array are available in php?
A. 1 B. 2 C. 3 D. 4
- 33 By default, the index of array in php starts from _____.
A. 0 B. 1 C. -1 D. 2
- 34 A is an array with more than two dimensions.
A. single dimensional array B. multi dimensional array C. Both A and B D. None of the above
- 35 Which of the following are correct ways of creating an array?
i) `arr[0] = "letsfindcourse";` ii) `$arr[] = array("letsfindcourse");`
iii) `$arr[0] = "letsfindcourse";` iv) `$arr = array("letsfindcourse");`
A. ii), iii) and iv) B. ii) and iii) C. Only i) D. iii) and iv)
- 36 Which in-built function will add a value to the end of an array?
A. `array_unshift()` B. `into_array()` C. `inend_array()` D. `array_push()`
- 37 Which function returns an array consisting of associative key/value pairs?
A. `count()` B. `array_count()` C. `array_count_values()` D. `count_values()`
- 38 As compared to associative arrays vector arrays are much
A. Faster B. Slower C. Stable D. None of the above
- 39 In how many ways we can create strings in PHP?
A. 1 B. 2 C. 3 D. 4
- 40 Which of the following is not a Built-in String functions in php?
A. `strlen()` B. `str_replace()` C. `strpos()` D. `strreverse()`
- 41 Why `trim()` function is used in php?
A. to remove whitespaces B. to remove lowercase alphabet
C. to remove uppercase alphabet D. to remove underscore
- 42 Which is true about `var_dump()` function?
A. `var_dump()` loops infinitely
B. `var_dump()` cuts off loop after getting same element two times
C. `var_dump()` cuts off loop after getting the same element three times
D. `var_dump()` cuts off loop after getting the same element five times
- 43 The function compares the two strings `s1` and `s2`, ignoring the case of the characters.
A. `strtolower()` B. `toLowerCase()` C. `strcasecmp()` D. `lc()`
- 44 Returns a string arguments with trailing blank space removed, is a behavior of
A. `starts()` function B. `chop()` function C. `rtrim()` function D. `lc()`
- 45 Objects are also known as _____.
A. reference B. template C. class D. instances
- 46 Object are created using ____ keyword?
A. create B. object C. new D. None of the above
- 47 A member function typically accesses members of object only
A. current B. previous C. next D. All of the above
- 48 Constructor is also called function
A. find B. key C. automatic D. magic
- 49 Classes are the of objects.
A. type B. blueprints C. reference D. instances
- 50 Class is a programmer-defined data type, which includes..... methods and variable?
A. local, global B. global, global C. global, local D. local, local
-