

NCERT Solutions for 11th Class Biology: Chapter 3- Plant Kingdom



IndCareer
Schools



indCareer



indCareer



indCareer

NCERT Solutions for 11th Class Biology: Chapter 3-Plant Kingdom

Class 11: Biology Chapter 3 solutions. Complete Class 11 Biology Chapter 3 Notes.

NCERT Solutions for 11th Class Biology: Chapter 3-Plant Kingdom

NCERT 11th Biology Chapter 3, class 11 Biology chapter 3 solutions

Page No: 44

Exercises

1. What is the basis of classification of algae?

Answer

The presence or absence of pigments is the main basis of classification of algae.

- Chlorophyceae: Chlorophyll a and b are present in them and impart green colour. Chlorophyceae are also called 'blue-green algae'.
- Phaeophyceae: Chlorophyll a and c and fucoxanthin are present. Fucoxanthin imparts brown colour. Phaeophyceae are also called 'brown algae'.
- Rhodophyceae: Chlorophyll a and d and phycoerythrin are present. Phycoerythrin imparts red colour. Rhodophyceae are also called 'red algae'.

2. When and where does reduction division take place in the life cycle of a liverwort, a moss, a fern, a gymnosperm and an angiosperm?

Answer

In liverwort, moss and fern, the saprophytic plant produces haploid spores after meiosis while in gymnosperm and angiosperm, meiosis takes place in antheridium and ovary for the formation of pollen grains and ovules.

3. Name three groups of plants that bear archegonia. Briefly describe the life cycle of any one of them.

Answer

Bryophytes, Pteridophytes and Gymnosperms bear distinct archegonia.

Life cycle of gymnosperms

<https://www.indcareer.com/schools/ncert-solutions-for-11th-class-biology-chapter-3-plant-kingdom/>

- **Reproduction:** The gymnosperms are heterosporous; they produce haploid microspores and megaspores. The two kinds of spores are produced within sporangia that are borne on sporophylls which are arranged spirally along an axis to form lax or compact strobili or cones.
- **Male gamete:** The strobili bearing microsporophylls and microsporangia are called microsporangiate or male strobili. The microspores develop into a male gametophytic generation which is highly reduced and is confined to only a limited number of cells. This reduced gametophyte is called a pollen grain. The development of pollen grains takes place within the microsporangia.
- **Female gamete:** The cones bearing megasporophylls with ovules or megasporangia are called macrosporangiate or female strobili. The male or female cones or strobili may be borne on the same tree (Pinus) or on different trees (Cycas). The megaspore mother cell is differentiated from one of the cells of the nucellus. The nucellus is protected by envelopes and the composite structure is called an ovule. The ovules are borne on megasporophylls which may be clustered to form the female cones. The megaspore mother cell divides meiotically to form four megaspores. One of the megaspores enclosed within the megasporangium (nucellus) develops into a multicellular female gametophyte that bears two or more archegonia or female sex organs. The multicellular female gametophyte is also retained within megasporangium.
- **Fertilization:** The pollen grain is released from the microsporangium. They are carried in air currents and come in contact with the opening of the ovules borne on megasporophylls. The pollen tube carrying the male gametes grows towards archegonia in the ovules and discharge their contents near the mouth of the archegonia. Following fertilisation, zygote develops into an embryo and the ovules into seeds.

4. Mention the ploidy of the following: protonemal cell of a moss; primary endosperm nucleus in dicot, leaf cell of a moss;

<https://www.indcareer.com/schools/ncert-solutions-for-11th-class-biology-chapter-3-plant-kingdom/>

prothallus cell of a fern; gemma cell in Marchantia; meristem cell of monocot, ovum of a liverwort, and zygote of a fern.

Answer

- Protonemal cell of a moss - Haploid
- Primary endosperm nucleus in a dicot - Triploid
- Leaf cell of a moss - Haploid
- Prothallus of a fern - Haploid
- Gemma cell in Marchantia- Haploid
- Meristem cell of a monocot - Diploid
- Ovum of a liverwort - Haploid
- Zygote of a fern - Diploid

5. Write a note on economic importance of algae and gymnosperms.

Answer

Economic importance of algae: Algae are useful to man in a variety of ways. They perform half of the total carbon dioxide-fixation on earth by photosynthesis, acting as the primary producers in aquatic habitats. Many species of marine algae such as Porphyra, Sargassum, and Laminaria are edible. Chlorella and Spirulina are rich in proteins. Thus, they are used as food supplements. Agar is used in the preparation of jellies and ice-cream. It is obtained from Gelidium and Gracilaria. Carrageenin is used as an emulsifier in chocolates, paints, and toothpastes. It is obtained from the red algae. Many red algae such as Corallina are used in treating worm infections.

<https://www.indcareer.com/schools/ncert-solutions-for-11th-class-biology-chapter-3-plant-kingdom/>

Economic importance of gymnosperms: Gymnospermous plants are widely used as ornamentals. Many conifers such as pine, cedar, etc., are sources of the soft wood used in construction and packing. Medicinal uses: An anticancer drug Taxol is obtained from Taxus. Many species of Ephedra produce ephedrine, which can be used in the treatment of asthma and bronchitis. The seeds of Pinus gerardiana are edible. Resins are used commercially for manufacturing sealing waxes and water-proof paints. A type of resin known as turpentine is obtained from various species of Pinus.

6. Both gymnosperms and angiosperms bear seeds, then why are they classified separately?

Answer

The seeds of gymnosperms are naked, while that of angiosperms are covered by a membrane. Therefore, they are classified separately.

7. What is heterospory? Briefly comment on its significance. Give two examples.

Answer

Heterospory is a phenomenon in which two kinds of spores are borne by the same plant. These spores differ in size. The smaller one are called microspore and the bigger ones are called megaspore. Microspore produce male gametophytes and megaspores produces female gametophyte. Thus it is considered as a crucial step in evolution as it is a precursor to the seed habit.

This ultimately led to seed development in gymnosperms and angiosperms.

NCERT 11th Biology Chapter 3, class 11 Biology chapter 3 solutions

Page No: 45

8. Explain briefly the following terms with suitable examples:-

<https://www.indcareer.com/schools/ncert-solutions-for-11th-class-biology-chapter-3-plant-kingdom/>

(i) protonema

(ii) antheridium

(iii) archegonium

(iv) diplontic

(v) sporophyll

(vi) isogamy

Answer

(i) Protonema: It is the first stage in the life cycle of a moss, developing directly from the spore. It consists of creeping, green, branched, and often filamentous structures.

(ii) Antheridium: It is the male sex organ present in bryophytes and pteridophytes and is surrounded by a jacket of sterile cells. It encloses the sperm mother cells, which give rise to the male gametes.

(iii) Archegonium: It is the female sex organ present in bryophytes, pteridophytes, and gymnosperms. In bryophytes and pteridophytes, it generally has a swollen venter and a tubular neck, and contains the female gamete called the egg.

(iv) Diplontic: It is the term used for the life cycles of seed-bearing plants (gymnosperms and angiosperms). In these plants, the diploid sporophyte is dominant, photosynthetic, and independent. The gametophyte is represented by a single-celled (or a few-celled) structure.

(v) Sporophyll: In pteridophytes, the sporophytic plant body bears sporangia. These sporangia are subtended by leaf-like appendages known as sporophylls. In gymnosperms, microsporophylls and megasporophylls are found. These bear microspores and megaspores respectively.

<https://www.indcareer.com/schools/ncert-solutions-for-11th-class-biology-chapter-3-plant-kingdom/>

(vi) Isogamy: It is a type of sexual reproduction involving the fusion of morphologically-similar gametes. This means that the gametes are of the same size, but perform different functions. This type of reproduction is commonly observed in Spirogyra.

NCERT 11th Biology Chapter 3, class 11 Biology chapter 3 solutions

9. Differentiate between the following:-

(i) red algae and brown algae

(ii) liverworts and moss

(iii) homosporous and heterosporous pteridophyte

(iv) syngamy and triple fusion

Answer

(i)

Red algae

Red algae are grouped under the class Rhodophyceae.

They contain floridean starch as stored food.

They contain the photosynthetic pigments chlorophylls a and d, and phycoerythrin.

Brown algae

Brown algae are grouped under the class Phaeophyceae.

They contain mannitol or laminarin as stored food.

They contain the photosynthetic pigments chlorophylls a and c, and fucoxanthin.

<https://www.indcareer.com/schools/ncert-solutions-for-11th-class-biology-chapter-3-plant-kingdom/>

Their cell walls are composed of cellulose, pectin, and phycocolloids.

Flagella are absent

Their cell walls are composed of cellulose and algin.

Flagella are present

(ii)

Liverworts

They have unicellular rhizoids.

Scales are present very often

They are generally thalloid, with dichotomous branching.

Gemma cups are present

Sporophyte has very little photosynthetic tissue

Moss

They have multicellular rhizoids.

Scales are absent

They are foliage, with lateral branching.

Gemma cups are absent

Sporophyte has abundant photosynthetic tissue

(iii)

Homosporous pteridophytes

They bear spores that are of the same type.

They produce bisexual gametophytes.

Heterosporous pteridophytes

They bear two kinds of spores “microspores and megaspores.

They produce unisexual gametophytes.

<https://www.indcareer.com/schools/ncert-solutions-for-11th-class-biology-chapter-3-plant-kingdom/>

(iv)

Syngamy

It is the process of fusion of the male gamete with the egg in an angiosperm.

A diploid zygote is formed as a result of syngamy.

Triple fusion

It is the process of fusion of the male gamete with the diploid secondary nucleus in an angiosperm.

A triploid primary endosperm is formed as a result of triple fusion.

NCERT 11th Biology Chapter 3, class 11 Biology chapter 3 solutions

10. How would you distinguish monocots from dicots?

Answer

Characteristic	Monocot	Dicot
Morphology		
Roots	Fibrous roots	Tap roots
Venation	Generally parallel venation	Generally reticulate venation
Flowers	Trimerous flowers	Pentamerous flowers
Cotyledons in seeds	One	Two

Anatomy

<https://www.indcareer.com/schools/ncert-solutions-for-11th-class-biology-chapter-3-plant-kingdom/>

No. of vascular bundles in stem	Numerous	Generally 2 – 6
Cambium	Absent	Present
Leaves	Isobilateral	Dorsiventral

11. Match the followings (column I with column II)

Column I	Column II
(a) <i>Chlamydomonas</i>	(i) Moss
(b) <i>Cycas</i>	(ii) Pteridophyte
(c) <i>Selaginella</i>	(iii) Algae
(d) <i>Sphagnum</i>	(iv) Gymnosperm

Answer

Column I	Column II
(a) <i>Chlamydomonas</i>	(i) Algae
(b) <i>Cycas</i>	(ii) Gymnosperm

<https://www.indcareer.com/schools/ncert-solutions-for-11th-class-biology-chapter-3-plant-kingdom/>

- | | |
|----------------------------|-------------------------|
| (c <i>Selaginella</i>
) | (iii Pteridoph
) yte |
| (d <i>Sphagnum</i>
) | (iv Moss
) |

NCERT 11th Biology Chapter 3, class 11 Biology chapter 3 solutions

12. Describe the important characteristics of gymnosperms.

Answer

Important characteristics of gymnosperms are:

- The seeds of these plants are not enclosed in fruits.
- The plant-body ranges from medium to tall trees and shrubs. The giant redwood tree Sequoia is one of the tallest trees in the world.
- The root system consists of tap roots. The coralloid roots present in Cycas are associated with nitrogen-fixing cyanobacteria.
- The stem can be branched (as in Pinus and Cedrus) or un-branched (as in Cycas).
- The leaves can be simple (as in Pinus) or compound (pinnate in Cycas). The leaves are needle-like, with a thick cuticle and sunken stomata. These help in preventing water loss.
- Gymnosperms are heterosporous. They bear two kinds of spores - microspores and megaspores.
- Flowers are absent. The microsporophylls and megasporophylls are arranged to form compact male and female cones.

<https://www.indcareer.com/schools/ncert-solutions-for-11th-class-biology-chapter-3-plant-kingdom/>

- Pollination occurs mostly through wind and pollen grains reach the pollen chamber of the ovule through the micropyle.
- The male and female gametophytes are dependent on the sporophyte.
- The seeds contain haploid endosperms and remain uncovered.

NCERT 11th Biology Chapter 3, class 11 Biology chapter 3 solutions



<https://www.indcareer.com/schools/ncert-solutions-for-11th-class-biology-chapter-3-plant-kingdom/>

Chapterwise NCERT Solutions for Class 11 Biology:

- Chapter 1: The Living World
- Chapter 2: Biological Classification
- Chapter 3: Plant Kingdom
- Chapter 4: Animal Kingdom
- Chapter 5: Morphology of Flowering Plants
- Chapter 6: Anatomy of Flowering Plants
- Chapter 7: Structural Organisation in Animals
- Chapter 8: Cell-The Unit of Life
- Chapter 9: Biomolecules
- Chapter 10: Cell Cycle and Cell Division
- Chapter 11: Transport in Plants
- Chapter 12: Mineral Nutrition
- Chapter 13: Photosynthesis in Higher Plants
- Chapter 14: Respiration in Plants
- Chapter 15: Plant - Growth and Development
- Chapter 16: Digestion and Absorption
- Chapter 17: Breathing and Exchange of Gases
- Chapter 18: Body Fluids and Circulation
- Chapter 19: Excretory Products and Their Elimination
- Chapter 20: Locomotion and Movement
- Chapter 21: Neural Control and Coordination
- Chapter 22: Chemical Coordination and Integration

<https://www.indcareer.com/schools/ncert-solutions-for-11th-class-biology-chapter-3-plant-kingdom/>

About NCERT

The National Council of Educational Research and Training is an autonomous organization of the Government of India which was established in 1961 as a literary, scientific, and charitable Society under the Societies Registration Act. The major objectives of NCERT and its constituent units are to: undertake, promote and coordinate research in areas related to school education; prepare and publish model textbooks, supplementary material, newsletters, journals and develop educational kits, multimedia digital materials, etc.

Organise pre-service and in-service training of teachers; develop and disseminate innovative educational techniques and practices; collaborate and network with state educational departments, universities, NGOs and other educational institutions; act as a clearing house for ideas and information in matters related to school education; and act as a nodal agency for achieving the goals of Universalisation of Elementary Education.

Its headquarters are located at Sri Aurobindo Marg in New Delhi.

[Visit the Official NCERT website](#) to learn more.

<https://www.indcareer.com/schools/ncert-solutions-for-11th-class-biology-chapter-3-plant-kingdom/>