

NCERT Solutions for 11th Class Maths: Chapter 6-Linear Inequalities









NCERT Solutions for 11th Class Maths: Chapter 6-Linear Inequalities

Class 11: Maths Chapter 6 solutions. Complete Class 11 Maths Chapter 6 Notes.

NCERT Solutions for 11th Class Maths: Chapter 6-Linear Inequalities

NCERT 11th Maths Chapter 6, class 11 Maths Chapter 6 solutions

Exercise 6.1



Question 1:

Solve 24x < 100, when (i) x is a natural number (ii) x is an integer

Ans:

The given inequality is $24x \le 100$.

$$\Rightarrow \frac{24x}{24} < \frac{100}{24}$$

[Dividing both sides by same positive number]

$$\Rightarrow x < \frac{25}{6}$$

(i) It is evident that 1, 2, 3, and 4 are the only natural numbers less than $\frac{25}{6}$.

Thus, when x is a natural number, the solutions of the given inequality are 1, 2, 3, and 4.

Hence, in this case, the solution set is {1, 2, 3, 4}.

(ii) The integers less than
$$\frac{25}{6}$$
 are ...-3, -2, -1, 0, 1, 2, 3, 4.

Thus, when x is an integer, the solutions of the given inequality are

Hence, in this case, the solution set is $\{...-3, -2, -1, 0, 1, 2, 3, 4\}$.

Question 2:



Solve -12x > 30, when

(i) x is a natural number (ii) x is an integer

Ans:

The given inequality is -12x > 30.

$$-12x > 30$$

$$\Rightarrow \frac{-12x}{-12} < \frac{30}{-12}$$

 $\Rightarrow \frac{-12x}{-12} < \frac{30}{-12}$ [Dividing both sides by same negative number]

$$\Rightarrow x < -\frac{5}{2}$$

(i) There is no natural number less than $\left(-\frac{5}{2}\right)$.

Thus, when x is a natural number, there is no solution of the given inequality.

(ii) The integers less than $\left(-\frac{5}{2}\right)$ are ..., -5, -4, -3.

Thus, when x is an integer, the solutions of the given inequality are

Hence, in this case, the solution set is $\{..., -5, -4, -3\}$.

Question 3:

Solve 5x - 3 < 7, when

(i) x is an integer (ii) x is a real number



©IndCareer

Ans:

The given inequality is 5x-3 < 7.

$$5x - 3 < 7$$

$$\Rightarrow$$
 5x-3+3<7+3

$$\Rightarrow 5x < 10$$

$$\Rightarrow \frac{5x}{5} < \frac{10}{5}$$

$$\Rightarrow x < 2$$

(i) The integers less than 2 are ..., -4, -3, -2, -1, 0, 1.

Thus, when x is an integer, the solutions of the given inequality are

$$\dots$$
, -4 , -3 , -2 , -1 , 0 , 1 .

Hence, in this case, the solution set is $\{\ldots, -4, -3, -2, -1, 0, 1\}$.

(ii) When x is a real number, the solutions of the given inequality are given by $x \le 2$, that is, all real numbers x which are less than 2.

Thus, the solution set of the given inequality is $x \in (-\infty, 2)$.

Question 4:

Solve 3x + 8 > 2, when

(i) x is an integer (ii) x is a real number

Ans:





The given inequality is 3x + 8 > 2.

$$3x + 8 > 2$$

$$\Rightarrow$$
 3x+8-8>2-8

$$\Rightarrow 3x > -6$$

$$\Rightarrow \frac{3x}{3} > \frac{-6}{3}$$

$$\Rightarrow x > -2$$

(i) The integers greater than -2 are -1, 0, 1, 2, ...

Thus, when x is an integer, the solutions of the given inequality are

Hence, in this case, the solution set is $\{-1, 0, 1, 2, \dots\}$.

(ii) When x is a real number, the solutions of the given inequality are all the real numbers, which are greater than -2.

Thus, in this case, the solution set is $(-2, \infty)$.

Question 5:

Solve the given inequality for real x: 4x + 3 < 5x + 7

Ans:





$$4x + 3 < 5x + 7$$

$$\Rightarrow 4x + 3 - 7 < 5x + 7 - 7$$

$$\Rightarrow 4x - 4 < 5x$$

$$\Rightarrow$$
 4x - 4 - 4x < 5x - 4x

$$\Rightarrow$$
 -4 < x

Thus, all real numbers x, which are greater than -4, are the solutions of the given inequality.

Hence, the solution set of the given inequality is $(-4, \infty)$.

Question 6:

Solve the given inequality for real x: 3x - 7 > 5x - 1

Ans:





$$3x - 7 > 5x - 1$$

$$\Rightarrow 3x - 7 + 7 > 5x - 1 + 7$$

$$\Rightarrow$$
 3x > 5x + 6

$$\Rightarrow$$
 3x - 5x > 5x + 6 - 5x

$$\Rightarrow$$
 - 2x > 6

$$\Rightarrow \frac{-2x}{-2} < \frac{6}{-2}$$

$$\Rightarrow x < -3$$

Thus, all real numbers x, which are less than -3, are the solutions of the given inequality.

Hence, the solution set of the given inequality is $(-\infty, -3)$.

Question 7:

Solve the given inequality for real x: $3(x - 1) \le 2(x - 3)$

Ans:





$$3(x-1) \le 2(x-3)$$

$$\Rightarrow 3x - 3 \le 2x - 6$$

$$\Rightarrow$$
 3x - 3 + 3 \leq 2x - 6 + 3

$$\Rightarrow 3x \le 2x - 3$$

$$\Rightarrow$$
 $3x - 2x \le 2x - 3 - 2x$

$$\Rightarrow x \le -3$$

Thus, all real numbers x, which are less than or equal to -3, are the solutions of the given inequality.

Hence, the solution set of the given inequality is $(-\infty, -3]$.

Question 8:

Solve the given inequality for real x: $3(2 - x) \ge 2(1 - x)$

Ans:



©IndCareer

$$3(2-x) \ge 2(1-x)$$

$$\Rightarrow$$
 6 - 3 $x \ge 2 - 2x$

$$\Rightarrow 6 - 3x + 2x \ge 2 - 2x + 2x$$

$$\Rightarrow$$
 6 - $x \ge 2$

$$\Rightarrow 6-x-6 \ge 2-6$$

$$\Rightarrow -x \ge -4$$

$$\Rightarrow x \le 4$$

Thus, all real numbers x, which are less than or equal to 4, are the solutions of the given inequality.

Hence, the solution set of the given inequality is $(-\infty, 4]$.

Question 9:

Solve the given inequality for real x: $x + \frac{x}{2} + \frac{x}{3} < 11$

Ans:



$$x + \frac{x}{2} + \frac{x}{3} < 11$$

$$\Rightarrow x \left(1 + \frac{1}{2} + \frac{1}{3} \right) < 11$$

$$\Rightarrow x \left(\frac{6 + 3 + 2}{6} \right) < 11$$

$$\Rightarrow \frac{11x}{6} < 11$$

$$\Rightarrow \frac{11x}{6 \times 11} < \frac{11}{11}$$

$$\Rightarrow \frac{x}{6} < 1$$

$$\Rightarrow x < 6$$

Thus, all real numbers x, which are less than 6, are the solutions of the given inequality.

Hence, the solution set of the given inequality is $(-\infty, 6)$.

Question 10:

Solve the given inequality for real x: $\frac{x}{3} > \frac{x}{2} + 1$

Ans:





$$\frac{x}{3} > \frac{x}{2} + 1$$

$$\Rightarrow \frac{x}{3} - \frac{x}{2} > 1$$

$$\Rightarrow \frac{2x-3x}{6} > 1$$

$$\Rightarrow -\frac{x}{6} > 1$$

$$\Rightarrow -x > 6$$

Thus, all real numbers x, which are less than -6, are the solutions of the given inequality.

Hence, the solution set of the given inequality is $(-\infty, -6)$.

Question 11:

Solve the given inequality for real x: $\frac{3(x-2)}{5} \le \frac{5(2-x)}{3}$

Ans:



$$\frac{3(x-2)}{5} \le \frac{5(2-x)}{3}$$

$$\Rightarrow 9(x-2) \le 25(2-x)$$

$$\Rightarrow 9x - 18 \le 50 - 25x$$

$$\Rightarrow$$
 9x - 18 + 25x \leq 50

$$\Rightarrow 34x - 18 \le 50$$

$$\Rightarrow 34x \le 50 + 18$$

$$\Rightarrow 34x \le 68$$

$$\Rightarrow \frac{34x}{34} \le \frac{68}{34}$$

$$\Rightarrow x \le 2$$

Thus, all real numbers x, which are less than or equal to 2, are the solutions of the given inequality.

Hence, the solution set of the given inequality is $(-\infty, 2]$.

Question 12:

Solve the given inequality for real x: $\frac{1}{2} \left(\frac{3x}{5} + 4 \right) \ge \frac{1}{3} (x - 6)$

Ans:



©IndCareer

$$\frac{1}{2} \left(\frac{3x}{5} + 4 \right) \ge \frac{1}{3} (x - 6)$$

$$\Rightarrow 3 \left(\frac{3x}{5} + 4 \right) \ge 2(x - 6)$$

$$\Rightarrow \frac{9x}{5} + 12 \ge 2x - 12$$

$$\Rightarrow 12 + 12 \ge 2x - \frac{9x}{5}$$

$$\Rightarrow 24 \ge \frac{10x - 9x}{5}$$

$$\Rightarrow 24 \ge \frac{x}{5}$$

$$\Rightarrow 120 \ge x$$

Thus, all real numbers x, which are less than or equal to 120, are the solutions of the given inequality.

Hence, the solution set of the given inequality is $(-\infty, 120]$.

Question 13:

Solve the given inequality for real x: 2(2x + 3) - 10 < 6(x - 2)

Ans:





$$2(2x+3)-10 < 6(x-2)$$

$$\Rightarrow 4x+6-10 < 6x-12$$

$$\Rightarrow 4x-4 < 6x-12$$

$$\Rightarrow -4+12 < 6x-4x$$

$$\Rightarrow 8 < 2x$$

$$\Rightarrow 4 < x$$

Thus, all real numbers x, which are greater than or equal to 4, are the solutions of the given inequality.

Hence, the solution set of the given inequality is $[4, \infty)$.

Question 14:

Solve the given inequality for real x: $37 - (3x + 5) \ge 9x - 8(x - 3)$

Ans:

$$37 - (3x+5) \ge 9x - 8(x-3)$$

$$\Rightarrow 37 - 3x - 5 \ge 9x - 8x + 24$$

$$\Rightarrow 32 - 3x \ge x + 24$$

$$\Rightarrow 32 - 24 \ge x + 3x$$

$$\Rightarrow 8 \ge 4x$$

$$\Rightarrow 2 \ge x$$

Thus, all real numbers x, which are less than or equal to 2, are the solutions of the given inequality.

Hence, the solution set of the given inequality is $(-\infty, 2]$.

Question 15:





Solve the given inequality for real \times : $\frac{x}{4} < \frac{(5x-2)}{3} - \frac{(7x-3)}{5}$

Ans:

$$\frac{x}{4} < \frac{(5x-2)}{3} - \frac{(7x-3)}{5}$$

$$\Rightarrow \frac{x}{4} < \frac{5(5x-2)-3(7x-3)}{15}$$

$$\Rightarrow \frac{x}{4} < \frac{25x-10-21x+9}{15}$$

$$\Rightarrow \frac{x}{4} < \frac{4x-1}{15}$$

$$\Rightarrow 15x < 4(4x-1)$$

$$\Rightarrow 15x < 16x-4$$

$$\Rightarrow 4 < 16x-15x$$

$$\Rightarrow 4 < x$$

Thus, all real numbers x, which are greater than 4, are the solutions of the given inequality.

Hence, the solution set of the given inequality is $(4, \infty)$.

Question 16:

Solve the given inequality for real x: $\frac{(2x-1)}{3} \ge \frac{(3x-2)}{4} - \frac{(2-x)}{5}$

Ans:



$$\frac{(2x-1)}{3} \ge \frac{(3x-2)}{4} - \frac{(2-x)}{5}$$

$$\Rightarrow \frac{(2x-1)}{3} \ge \frac{5(3x-2) - 4(2-x)}{20}$$

$$\Rightarrow \frac{(2x-1)}{3} \ge \frac{15x - 10 - 8 + 4x}{20}$$

$$\Rightarrow \frac{(2x-1)}{3} \ge \frac{19x - 18}{20}$$

$$\Rightarrow 20(2x-1) \ge 3(19x - 18)$$

$$\Rightarrow 40x - 20 \ge 57x - 54$$

$$\Rightarrow -20 + 54 \ge 57x - 40x$$

$$\Rightarrow 34 \ge 17x$$

$$\Rightarrow 2 \ge x$$

Thus, all real numbers x, which are less than or equal to 2, are the solutions of the given inequality.

Hence, the solution set of the given inequality is $(-\infty, 2]$.

Question 17:

Solve the given inequality and show the graph of the solution on number line: 3x - 2 < 2x + 1

Ans:




©IndCareer

$$3x - 2 < 2x + 1$$

$$\Rightarrow$$
 3x - 2x < 1 + 2

$$\Rightarrow x < 3$$

The graphical representation of the solutions of the given inequality is as follows.



Question 18:

Solve the given inequality and show the graph of the solution on number line: 5x - 3 $\ge 3x - 5$

Ans:

$$5x - 3 \ge 3x - 5$$


$$\Rightarrow 5x - 3x \ge -5 + 3$$

$$\Rightarrow 2x \ge -2$$

$$\Rightarrow \frac{2x}{2} \ge \frac{-2}{2}$$

$$\Rightarrow x \ge -1$$

The graphical representation of the solutions of the given inequality is as follows.



Question 19:

Solve the given inequality and show the graph of the solution on number line: 3(1 - x) < 2(x + 4)





Ans:

$$3(1-x) < 2(x+4)$$

$$\Rightarrow 3-3x < 2x+8$$

$$\Rightarrow 3-8 < 2x+3x$$

$$\Rightarrow -5 < 5x$$

$$\Rightarrow \frac{-5}{5} < \frac{5x}{5}$$

$$\Rightarrow -1 < x$$

The graphical representation of the solutions of the given inequality is as follows.



Question 20:

Solve the given inequality and show the graph of the solution on number line:

$$\frac{x}{2} \ge \frac{(5x-2)}{3} - \frac{(7x-3)}{5}$$

Ans:



$$\frac{x}{2} \ge \frac{(5x-2)}{3} - \frac{(7x-3)}{5}$$

$$\Rightarrow \frac{x}{2} \ge \frac{5(5x-2) - 3(7x-3)}{15}$$

$$\Rightarrow \frac{x}{2} \ge \frac{25x - 10 - 21x + 9}{15}$$

$$\Rightarrow \frac{x}{2} \ge \frac{4x - 1}{15}$$

$$\Rightarrow 15x \ge 2(4x - 1)$$


$$\Rightarrow 15x \ge 8x - 2$$

$$\Rightarrow 15x - 8x \ge 8x - 2 - 8x$$

$$\Rightarrow 7x \ge -2$$

$$\Rightarrow x \ge -\frac{2}{7}$$

The graphical representation of the solutions of the given inequality is as follows.



Question 21:

Ravi obtained 70 and 75 marks in first two unit test. Find the minimum marks he should get in the third test to have an average of at least 60 marks.

Ans:





Let x be the marks obtained by Ravi in the third unit test.

Since the student should have an average of at least 60 marks,

$$\frac{70+75+x}{3} \ge 60$$

$$\Rightarrow 145 + x \ge 180$$

$$\Rightarrow x \ge 180 - 145$$

$$\Rightarrow x \ge 35$$

Thus, the student must obtain a minimum of 35 marks to have an average of at least 60 marks.

Question 22:

To receive Grade 'A' in a course, one must obtain an average of 90 marks or more in five examinations (each of 100 marks). If Sunita's marks in first four examinations are 87, 92, 94 and 95, find minimum marks that Sunita must obtain in fifth examination to get grade 'A' in the course.

Ans:





Let x be the marks obtained by Sunita in the fifth examination.

In order to receive grade 'A' in the course, she must obtain an average of 90 marks or more in five examinations.

Therefore,

$$\frac{87 + 92 + 94 + 95 + x}{5} \ge 90$$

$$\Rightarrow \frac{368 + x}{5} \ge 90$$

$$\Rightarrow 368 + x \ge 450$$

$$\Rightarrow x \ge 450 - 368$$

$$\Rightarrow x \ge 82$$

Thus, Sunita must obtain greater than or equal to 82 marks in the fifth examination.

Question 23:

Find all pairs of consecutive odd positive integers both of which are smaller than 10 such that their sum is more than 11.

Ans:





Let x be the smaller of the two consecutive odd positive integers. Then, the other integer is x + 2.

Since both the integers are smaller than 10,

$$x + 2 < 10$$

$$\Rightarrow x < 10 - 2$$

$$\Rightarrow x < 8 \dots (i)$$

Also, the sum of the two integers is more than 11.

$$x + (x + 2) > 11$$

$$\Rightarrow$$
 2x + 2 > 11

$$\Rightarrow 2x > 11 - 2$$

$$\Rightarrow 2x > 9$$

$$\Rightarrow x > \frac{9}{2}$$

$$\Rightarrow x > 4.5$$

From (i) and (ii), we obtain

Since x is an odd number, x can take the values, 5 and 7.

...(ii)

Thus, the required possible pairs are (5, 7) and (7, 9).

Question 24:

Find all pairs of consecutive even positive integers, both of which are larger than 5 such that their sum is less than 23.

Ans:





Let x be the smaller of the two consecutive even positive integers. Then, the other integer is x + 2.

Since both the integers are larger than 5,

Also, the sum of the two integers is less than 23.

$$x + (x + 2) < 23$$

$$\Rightarrow$$
 2x + 2 < 23

$$\Rightarrow 2x < 23 - 2$$

$$\Rightarrow 2x < 21$$

$$\Rightarrow x < \frac{21}{2}$$

$$\Rightarrow x < 10.5$$

From (1) and (2), we obtain $5 \le x \le 10.5$.

Since x is an even number, x can take the values, 6, 8, and 10.

Thus, the required possible pairs are (6, 8), (8, 10), and (10, 12).

Question 25:

The longest side of a triangle is 3 times the shortest side and the third side is 2 cm shorter than the longest side. If the perimeter of the triangle is at least 61 cm, find the minimum length of the shortest side.

Ans:





Let the length of the shortest side of the triangle be x cm.

Then, length of the longest side = 3x cm

Length of the third side = (3x - 2) cm

Since the perimeter of the triangle is at least 61 cm,

 $x \text{ cm} + 3x \text{ cm} + (3x - 2) \text{ cm} \ge 61 \text{ cm}$

$$\Rightarrow 7x - 2 \ge 61$$

$$\Rightarrow 7x \ge 61 + 2$$

$$\Rightarrow 7x \ge 63$$

$$\Rightarrow \frac{7x}{7} \ge \frac{63}{7}$$

$$\Rightarrow x \ge 9$$

Thus, the minimum length of the shortest side is 9 cm.

Question 26:

A man wants to cut three lengths from a single piece of board of length 91 cm. The second length is to be 3 cm longer than the shortest and the third length is to be twice as long as the shortest. What are the possible lengths of the shortest board if the third piece is to be at least 5 cm longer than the second?

[Hint: If x is the length of the shortest board, then x, (x + 3) and 2x are the lengths of the second and third piece, respectively. Thus, $x = (x + 3) + 2x \le 91$ and $2x \ge (x + 3) + 5$]

Ans:





Let the length of the shortest piece be x cm. Then, length of the second piece and the third piece are (x + 3) cm and 2x cm respectively.

Since the three lengths are to be cut from a single piece of board of length 91 cm,

 $x \text{ cm} + (x + 3) \text{ cm} + 2x \text{ cm} \le 91 \text{ cm}$

$$\Rightarrow 4x + 3 \le 91$$

$$\Rightarrow 4x \le 91 - 3$$

$$\Rightarrow 4x \le 88$$

$$\Rightarrow \frac{4x}{4} \le \frac{88}{4}$$

$$\Rightarrow x \le 22$$

Also, the third piece is at least 5 cm longer than the second piece.

...(1)

$$\therefore 2x \ge (x + 3) + 5$$

$$\Rightarrow 2x \ge x + 8$$

$$\Rightarrow x \ge 8 \dots (2)$$

From (1) and (2), we obtain

$$8 \le x \le 22$$

Exercise 6.2

Question 1:

Solve the given inequality graphically in two-dimensional plane: x + y < 5

Ans:





The graphical representation of x + y = 5 is given as dotted line in the figure below.

This line divides the xy-plane in two half planes, I and II.

Select a point (not on the line), which lies in one of the half planes, to determine whether the point satisfies the given inequality or not.

We select the point as (0, 0).


It is observed that,

0 + 0 < 5 or, 0 < 5, which is true

Therefore, half plane Π is not the solution region of the given inequality. Also, it is evident that any point on the line does not satisfy the given strict inequality.

Thus, the solution region of the given inequality is the shaded half plane I excluding the points on the line.

This can be represented as follows.



Question 2:

Solve the given inequality graphically in two-dimensional plane: $2x + y \ge 6$





Ans:

The graphical representation of 2x + y = 6 is given in the figure below.

This line divides the xy-plane in two half planes, I and II.

Select a point (not on the line), which lies in one of the half planes, to determine whether the point satisfies the given inequality or not.

We select the point as (0, 0).


It is observed that,

 $2(0) + 0 \ge 6$ or $0 \ge 6$, which is false

Therefore, half plane I is not the solution region of the given inequality. Also, it is evident that any point on the line satisfies the given inequality.

Thus, the solution region of the given inequality is the shaded half plane Π including the points on the line.

This can be represented as follows.



Question 3:

Solve the given inequality graphically in two-dimensional plane: $3x + 4y \le 12$





Ans:

$$3x + 4y \le 12$$

The graphical representation of 3x + 4y = 12 is given in the figure below.

This line divides the xy-plane in two half planes, I and II.

Select a point (not on the line), which lies in one of the half planes, to determine whether the point satisfies the given inequality or not.

We select the point as (0, 0).


It is observed that,

$$3(0) + 4(0) \le 12$$
 or $0 \le 12$, which is true

Therefore, half plane Π is not the solution region of the given inequality. Also, it is evident that any point on the line satisfies the given inequality.

Thus, the solution region of the given inequality is the shaded half plane I including the points on the line.

This can be represented as follows.



Question 4:

Solve the given inequality graphically in two-dimensional plane: $y + 8 \ge 2x$

Ans:





The graphical representation of y + 8 = 2x is given in the figure below.

This line divides the xy-plane in two half planes.

Select a point (not on the line), which lies in one of the half planes, to determine whether the point satisfies the given inequality or not.

We select the point as (0, 0).


It is observed that,

 $0+8 \ge 2(0)$ or $8 \ge 0$, which is true

Therefore, lower half plane is not the solution region of the given inequality. Also, it is evident that any point on the line satisfies the given inequality.

Thus, the solution region of the given inequality is the half plane containing the point (0, 0) including the line.

The solution region is represented by the shaded region as follows.



Question 5:

Solve the given inequality graphically in two-dimensional plane: $x - y \le 2$

Ans:





The graphical representation of x - y = 2 is given in the figure below.

This line divides the xy-plane in two half planes.

Select a point (not on the line), which lies in one of the half planes, to determine whether the point satisfies the given inequality or not.

We select the point as (0, 0).


It is observed that,

 $0-0 \le 2$ or $0 \le 2$, which is true

Therefore, the lower half plane is not the solution region of the given inequality. Also, it is clear that any point on the line satisfies the given inequality.

Thus, the solution region of the given inequality is the half plane containing the point (0, 0) including the line.

The solution region is represented by the shaded region as follows.



Question 6:

Solve the given inequality graphically in two-dimensional plane: 2x - 3y > 6

Ans:





The graphical representation of 2x - 3y = 6 is given as dotted line in the figure below. This line divides the xy-plane in two half planes.

Select a point (not on the line), which lies in one of the half planes, to determine whether the point satisfies the given inequality or not.

We select the point as (0, 0).


It is observed that.

$$2(0) - 3(0) > 6$$
 or $0 > 6$, which is false

Therefore, the upper half plane is not the solution region of the given inequality. Also, it is clear that any point on the line does not satisfy the given inequality.

Thus, the solution region of the given inequality is the half plane that does not contain the point (0, 0) excluding the line.

The solution region is represented by the shaded region as follows.



Question 7:

Solve the given inequality graphically in two-dimensional plane: $-3x + 2y \ge -6$

Ans:





The graphical representation of -3x + 2y = -6 is given in the figure below.

This line divides the xy-plane in two half planes.

Select a point (not on the line), which lies in one of the half planes, to determine whether the point satisfies the given inequality or not.

We select the point as (0, 0).


It is observed that,

$$-3(0) + 2(0) \ge -6$$
 or $0 \ge -6$, which is true

Therefore, the lower half plane is not the solution region of the given inequality. Also, it is evident that any point on the line satisfies the given inequality.

Thus, the solution region of the given inequality is the half plane containing the point (0, 0) including the line.

The solution region is represented by the shaded region as follows.



Question 8:

Solve the given inequality graphically in two-dimensional plane: 3y - 5x < 30

Ans:





The graphical representation of 3y - 5x = 30 is given as dotted line in the figure below.

This line divides the xy-plane in two half planes.

Select a point (not on the line), which lies in one of the half planes, to determine whether the point satisfies the given inequality or not.

We select the point as (0, 0).


It is observed that.

$$3(0) - 5(0) < 30$$
 or $0 < 30$, which is true

Therefore, the upper half plane is not the solution region of the given inequality. Also, it is evident that any point on the line does not satisfy the given inequality.

Thus, the solution region of the given inequality is the half plane containing the point (0, 0) excluding the line.

The solution region is represented by the shaded region as follows.



Question 9:

Solve the given inequality graphically in two-dimensional plane: y < -2

Ans:





The graphical representation of y = -2 is given as dotted line in the figure below. This line divides the xy-plane in two half planes.

Select a point (not on the line), which lies in one of the half planes, to determine whether the point satisfies the given inequality or not.

We select the point as (0, 0).


It is observed that,

0 < -2, which is false

Also, it is evident that any point on the line does not satisfy the given inequality.

Hence, every point below the line, y = -2 (excluding all the points on the line), determines the solution of the given inequality.

The solution region is represented by the shaded region as follows.



Question 10:

Solve the given inequality graphically in two-dimensional plane: x > -3





Ans:

The graphical representation of x = -3 is given as dotted line in the figure below. This line divides the xy-plane in two half planes.

Select a point (not on the line), which lies in one of the half planes, to determine whether the point satisfies the given inequality or not.

We select the point as (0, 0).


It is observed that,

0 > -3, which is true

Also, it is evident that any point on the line does not satisfy the given inequality.

Hence, every point on the right side of the line, x = -3 (excluding all the points on the line), determines the solution of the given inequality.

The solution region is represented by the shaded region as follows.



Exercise 6.3

Question 1:

Solve the following system of inequalities graphically: $x \ge 3$, $y \ge 2$





Ans:


$$x \ge 3 \dots (1)$$

$$y \ge 2 \dots (2)$$

The graph of the lines, x = 3 and y = 2, are drawn in the figure below.

Inequality (1) represents the region on the right hand side of the line, x = 3 (including the line x = 3), and inequality (2) represents the region above the line, y = 2 (including the line y = 2).

Hence, the solution of the given system of linear inequalities is represented by the common shaded region including the points on the respective lines as follows.



Question 2:

Solve the following system of inequalities graphically: $3x + 2y \le 12$, $x \ge 1$, $y \ge 2$





$$3x + 2y \le 12 \dots (1)$$


$$x \ge 1 \dots (2)$$

$$y \ge 2 \dots (3)$$

The graphs of the lines, 3x + 2y = 12, x = 1, and y = 2, are drawn in the figure below.

Inequality (1) represents the region below the line, 3x + 2y = 12 (including the line 3x + 2y = 12). Inequality (2) represents the region on the right side of the line, x = 1 (including the line x = 1). Inequality (3) represents the region above the line, y = 2 (including the line y = 2).

Hence, the solution of the given system of linear inequalities is represented by the common shaded region including the points on the respective lines as follows.



Question 3:

Solve the following system of inequalities graphically: $2x + y \ge 6$, $3x + 4y \le 12$






$$2x + y \ge 6 \dots (1)$$

$$3x + 4y \le 12 \dots (2)$$

The graph of the lines, 2x + y = 6 and 3x + 4y = 12, are drawn in the figure below.

Inequality (1) represents the region above the line, 2x + y = 6 (including the line 2x + y = 6), and inequality (2) represents the region below the line, 3x + 4y = 12 (including the line 3x + 4y = 12).

Hence, the solution of the given system of linear inequalities is represented by the common shaded region including the points on the respective lines as follows.



Question 4:

Solve the following system of inequalities graphically: $x + y \ge 4$, 2x - y > 0





$$x + y \ge 4 \dots (1)$$

$$2x - y > 0 \dots (2)$$


The graph of the lines, x + y = 4 and 2x - y = 0, are drawn in the figure below.

Inequality (1) represents the region above the line, x + y = 4 (including the line x + y = 4).

It is observed that (1, 0) satisfies the inequality, 2x - y > 0. [2(1) - 0 = 2 > 0]

Therefore, inequality (2) represents the half plane corresponding to the line, 2x - y = 0, containing the point (1, 0) [excluding the line 2x - y > 0].

Hence, the solution of the given system of linear inequalities is represented by the common shaded region including the points on line x + y = 4 and excluding the points on line 2x - y = 0 as follows.



Question 5:

Solve the following system of inequalities graphically: 2x - y > 1, x - 2y < -1

Ans:






$$2x - y > 1 \dots (1)$$

$$x - 2y \le -1 \dots (2)$$

The graph of the lines, 2x - y = 1 and x - 2y = -1, are drawn in the figure below.

Inequality (1) represents the region below the line, 2x - y = 1 (excluding the line 2x - y = 1), and inequality (2) represents the region above the line, x - 2y = -1 (excluding the line x - 2y = -1).

Hence, the solution of the given system of linear inequalities is represented by the common shaded region excluding the points on the respective lines as follows.



Question 6:

Solve the following system of inequalities graphically: $x + y \le 6$, $x + y \ge 4$

Ans:






$$x + y \le 6 \dots (1)$$

$$x + y \ge 4 \dots (2)$$

The graph of the lines, x + y = 6 and x + y = 4, are drawn in the figure below.

Inequality (1) represents the region below the line, x + y = 6 (including the line x + y = 6), and inequality (2) represents the region above the line, x + y = 4 (including the line x + y = 4).

Hence, the solution of the given system of linear inequalities is represented by the common shaded region including the points on the respective lines as follows.



Question 7:

Solve the following system of inequalities graphically: $2x + y \ge 8$, $x + 2y \ge 10$

Ans:






$$2x + y = 8 \dots (1)$$

$$x + 2y = 10 \dots (2)$$

The graph of the lines, 2x + y = 8 and x + 2y = 10, are drawn in the figure below.

Inequality (1) represents the region above the line, 2x + y = 8, and inequality (2) represents the region above the line, x + 2y = 10.

Hence, the solution of the given system of linear inequalities is represented by the common shaded region including the points on the respective lines as follows.



Question 8:

Solve the following system of inequalities graphically: $x + y \le 9$, y > x, $x \ge 0$

Ans:





$$x + y \le 9$$
 ... (1)

$$y > x$$
 ... (2)

$$x \ge 0$$
 ... (3)

The graph of the lines, x + y = 9 and y = x, are drawn in the figure below.


Inequality (1) represents the region below the line, x + y = 9 (including the line x + y = 9).

It is observed that (0, 1) satisfies the inequality, y > x. [1 > 0]

Therefore, inequality (2) represents the half plane corresponding to the line, y = x, containing the point (0, 1) [excluding the line y = x].

Inequality (3) represents the region on the right hand side of the line, x = 0 or y-axis (including y-axis).

Hence, the solution of the given system of linear inequalities is represented by the common shaded region including the points on the lines, x + y = 9 and x = 0, and excluding the points on line y = x as follows.



Question 9:

Solve the following system of inequalities graphically: $5x + 4y \le 20$, $x \ge 1$, $y \ge 2$

Ans:





$$5x + 4y \le 20 \dots (1)$$


$$x \ge 1 \dots (2)$$

$$y \ge 2 ... (3)$$

The graph of the lines, 5x + 4y = 20, x = 1, and y = 2, are drawn in the figure below.

Inequality (1) represents the region below the line, 5x + 4y = 20 (including the line 5x + 4y = 20). Inequality (2) represents the region on the right hand side of the line, x = 1 (including the line x = 1). Inequality (3) represents the region above the line, y = 2 (including the line y = 2).

Hence, the solution of the given system of linear inequalities is represented by the common shaded region including the points on the respective lines as follows.



Question 10:

Solve the following system of inequalities graphically: $3x + 4y \le 60$, $x + 3y \le 30$, $x \ge 0$, $y \ge 0$

Ans:






$$3x + 4y \le 60 \dots (1)$$

$$x + 3y \le 30 \dots (2)$$

The graph of the lines, 3x + 4y = 60 and x + 3y = 30, are drawn in the figure below.

Inequality (1) represents the region below the line, 3x + 4y = 60 (including the line 3x + 4y = 60), and inequality (2) represents the region below the line, x + 3y = 30 (including the line x + 3y = 30).

Since $x \ge 0$ and $y \ge 0$, every point in the common shaded region in the first quadrant including the points on the respective line and the axes represents the solution of the given system of linear inequalities.



Question 11:

Solve the following system of inequalities graphically: $2x + y \ge 4$, $x + y \le 3$, $2x - 3y \le 6$

Ans:





$$2x + y \ge 4 \dots (1)$$

$$x + y \le 3 \dots (2)$$


$$2x - 3y \le 6 \dots (3)$$

The graph of the lines, 2x + y = 4, x + y = 3, and 2x - 3y = 6, are drawn in the figure below.

Inequality (1) represents the region above the line, 2x + y = 4 (including the line 2x + y = 4). Inequality (2) represents the region below the line,

x + y = 3 (including the line x + y = 3). Inequality (3) represents the region above the line, 2x - 3y = 6 (including the line 2x - 3y = 6).

Hence, the solution of the given system of linear inequalities is represented by the common shaded region including the points on the respective lines as follows.



Question 12:

Solve the following system of inequalities graphically:

$$x - 2y \le 3$$
, $3x + 4y \ge 12$, $x \ge 0$, $y \ge 1$





$$x - 2y \le 3 \dots (1)$$

$$3x + 4y \ge 12 \dots (2)$$


$$y \ge 1 ... (3)$$

The graph of the lines, x - 2y = 3, 3x + 4y = 12, and y = 1, are drawn in the figure below.

Inequality (1) represents the region above the line, x - 2y = 3 (including the line x - 2y = 3). Inequality (2) represents the region above the line, 3x + 4y = 12 (including the line 3x + 4y = 12). Inequality (3) represents the region above the line, y = 1 (including the line y = 1).

The inequality, $x \ge 0$, represents the region on the right hand side of y-axis (including y-axis).

Hence, the solution of the given system of linear inequalities is represented by the common shaded region including the points on the respective lines and y- axis as follows.



Question 13:

Solve the following system of inequalities graphically:

$$4x + 3y \le 60, y \ge 2x, x \ge 3, x, y \ge 0$$





$$4x + 3y \le 60 \dots (1)$$


$$y \ge 2x ... (2)$$

$$x \ge 3 ... (3)$$

The graph of the lines, 4x + 3y = 60, y = 2x, and x = 3, are drawn in the figure below.

Inequality (1) represents the region below the line, 4x + 3y = 60 (including the line 4x + 3y = 60). Inequality (2) represents the region above the line, y = 2x (including the line y = 2x). Inequality (3) represents the region on the right hand side of the line, x = 3 (including the line x = 3).

Hence, the solution of the given system of linear inequalities is represented by the common shaded region including the points on the respective lines as follows.



Question 14:





Solve the following system of inequalities graphically: $3x + 2y \le 150$, $x + 4y \le 80$, $x \le 15$, $y \ge 0$, $x \ge 0$

Ans:





$$3x + 2y \le 150 \dots (1)$$


$$x + 4y \le 80 \dots (2)$$

$$x \le 15 \dots (3)$$

The graph of the lines, 3x + 2y = 150, x + 4y = 80, and x = 15, are drawn in the figure below.

Inequality (1) represents the region below the line, 3x + 2y = 150 (including the line 3x + 2y = 150). Inequality (2) represents the region below the line, x + 4y = 80 (including the line x + 4y = 80). Inequality (3) represents the region on the left hand side of the line, x = 15 (including the line x = 15).

Since $x \ge 0$ and $y \ge 0$, every point in the common shaded region in the first quadrant including the points on the respective lines and the axes represents the solution of the given system of linear inequalities.



Question 15:





Solve the following system of inequalities graphically: $x + 2y \le 10$, $x + y \ge 1$, $x - y \le 0$, $y \ge 0$

Ans:





$$x + 2y \le 10 \dots (1)$$


$$x + y \ge 1 \dots (2)$$

$$x-y \le 0 \dots (3)$$

The graph of the lines, x + 2y = 10, x + y = 1, and x - y = 0, are drawn in the figure below.

Inequality (1) represents the region below the line, x + 2y = 10 (including the line x + 2y = 10). Inequality (2) represents the region above the line, x + y = 1 (including the line x + y = 1). Inequality (3) represents the region above the line, x - y = 0 (including the line x - y = 0).

Since $x \ge 0$ and $y \ge 0$, every point in the common shaded region in the first quadrant including the points on the respective lines and the axes represents the solution of the given system of linear inequalities.



NCERT 11th Maths Chapter 6, class 11 Maths Chapter 6 solutions









Chapterwise NCERT Solutions for Class 11 Maths:

- Chapter 1-Sets
- Chapter 2-Relations and Functions
- <u>Chapter 3-Trigonometric Functions</u>
- Chapter 4-Principle of Mathematical Induction
- Chapter 5-Complex Numbers and Quadratic Equations
- Chapter 6-Linear Inequalities
- Chapter 7-Permutation and Combinations
- <u>Chapter 8-Binomial Theorem</u>
- Chapter 9-Sequences and Series
- Chapter 10-Straight Lines
- Chapter 11-Conic Sections
- Chapter 12-Introduction to three Dimensional Geometry
- Chapter 13-Limits and Derivatives
- Chapter 14-Mathematical Reasoning
- Chapter 15-Statistics
- <u>Chapter 16-Probability</u>





About NCERT

The National Council of Educational Research and Training is an autonomous organization of the Government of India which was established in 1961 as a literary, scientific, and charitable Society under the Societies Registration Act. The major objectives of NCERT and its constituent units are to: undertake, promote and coordinate research in areas related to school education; prepare and publish model textbooks, supplementary material, newsletters, journals and develop educational kits, multimedia digital materials, etc.

Organise pre-service and in-service training of teachers; develop and disseminate innovative educational techniques and practices; collaborate and network with state educational departments, universities, NGOs and other educational institutions; act as a clearing house for ideas and information in matters related to school education; and act as a nodal agency for achieving the goals of Universalisation of Elementary Education. In addition to research, development, training, extension, publication and dissemination activities, NCERT is an implementation agency for bilateral cultural exchange programmes with other countries in the field of school education. Its headquarters are located at Sri Aurobindo Marg in New Delhi. Visit the Official NCERT website to learn more.

