



# NCERT Solutions for 9th Class Science : Chapter 11 Work and Energy



**IndCareer**  
Schools



indCareer



indCareer



indCareer

## NCERT Solutions for 9th Class Science : Chapter 11 Work and Energy

Class 9: Science Chapter 11 solutions. Complete Class 9 Science Chapter 11 Notes.


### NCERT Solutions for 9th Class Science : Chapter 11 Work and Energy

NCERT 9th Science Chapter 11, class 9 Science Chapter 11 solutions

Page No: 148

<https://www.indcareer.com/schools/ncert-solutions-for-9th-class-science-chapter-11-work-and-energy/>

1. A force of 7 N acts on an object. The displacement is, say 8 m, in the direction of the force (Fig. 11.3). Let us take it that the force acts on the object through the displacement. What is the work done in this case?



### Answer

We know that if force  $F$  acting on an object to displace it through a distance  $S$  in one direction, then the work done  $W$  on the body by the force is given by:

Work done = Force  $\times$  Displacement

$$W = F \times S$$

Where,

$$F = 7 \text{ N}$$

$$S = 8 \text{ m}$$

Therefore, work done,  $W = 7 \times 8$

$$= 56 \text{ Nm}$$

$$= 56 \text{ J}$$

Page No: 149

NCERT 9th Science Chapter 11, class 9 Science Chapter 11 solutions

### 1. When do we say that work is done?

#### Answer

Work is done whenever the given conditions are satisfied:

→ A force acts on the body.

<https://www.indcareer.com/schools/ncert-solutions-for-9th-class-science-chapter-11-work-and-energy/>

→ There is a displacement of the body caused by the applied force along the direction of the applied force.

**2. Write an expression for the work done when a force is acting on an object in the direction of its displacement.**

**Answer**

When a force  $F$  displaces a body through a distance  $S$  in the direction of the applied force, then the work done  $W$  on the body is given by the expression:

Work done = Force  $\times$  Displacement

$$W = F \times s$$

**3. Define 1 J of work.**

**Answer**

1 J is the amount of work done by a force of 1 N on an object that displaces it through a distance of 1 m in the direction of the applied force.

**4. A pair of bullocks exerts a force of 140 N on a plough. The field being ploughed is 15 m long. How much work is done in ploughing the length of the field?**

**Answer**

Work done by the bullocks is given by the expression:

Work done = Force  $\times$  Displacement

$$W = F \times d$$

Where,

Applied force,  $F = 140$  N

Displacement,  $d = 15$  m

$$W = 140 \times 15 = 2100 \text{ J}$$

Hence, 2100 J of work is done in ploughing the length of the field.

<https://www.indcareer.com/schools/ncert-solutions-for-9th-class-science-chapter-11-work-and-energy/>

**1. What is the kinetic energy of an object?****Answer**

The energy possessed by a body by the virtue of its motion is called kinetic energy. Every moving object possesses kinetic energy. A body uses kinetic energy to do work. Kinetic energy of hammer is used in driving a nail into a log of wood, kinetic energy of air is used to run wind mills, etc.

**2. Write an expression for the kinetic energy of an object.****Answer**

If a body of mass  $m$  is moving with a velocity  $v$ , then its kinetic energy  $E_k$  is given by the expression,

$$E_k = \frac{1}{2} mv^2$$

Its SI unit is Joule (J).

**3. The kinetic energy of an object of mass,  $m$  moving with a velocity of  $5 \text{ m s}^{-1}$  is 25 J. What will be its kinetic energy when its velocity is doubled? What will be its kinetic energy when its velocity is increased three times?****Answer**

K.E. of the object = 25 J

Velocity of the object,  $v = 5 \text{ m/s}$

$$\therefore \text{K.E.} = \frac{1}{2} mv^2$$

$$\Rightarrow m = 2 \times \text{K.E.}/v^2$$

$$\Rightarrow m = 2 \times 25/25 = 2 \text{ kg}$$

If velocity is double,  $v = 2 \times 5 = 10 \text{ m/s}$

<https://www.indcareer.com/schools/ncert-solutions-for-9th-class-science-chapter-11-work-and-energy/>

∴ K.E. (for  $v = 10 \text{ m/s}$ ) =  $\frac{1}{2} mv^2 = \frac{1}{2} \times 2 \times 100 = 100 \text{ J}$

If velocity is tripled,  $v = 3 \times 5 = 15 \text{ m/s}$

∴ K.E. (for  $v = 10 \text{ m/s}$ ) =  $\frac{1}{2} mv^2 = \frac{1}{2} \times 2 \times 225 = 225 \text{ J}$

Page No: 156

NCERT 9th Science Chapter 11, class 9 Science Chapter 11 solutions

### 1. What is power?

#### Answer

Power is the rate of doing work or the rate of transfer of energy. If  $W$  is the amount of work done in time  $t$ , then power is given by the expression,

Power = Work/Time = Energy/Time

$$P = W/T$$

It is expressed in watt ( $W$ ).

### 2. Define 1 watt of power.

#### Answer

A body is said to have power of 1 watt if it does work at the rate of 1 joule in 1 s, i.e., 1

$$W = 1\text{J} / 1\text{s}$$

### 3. A lamp consumes 1000 J of electrical energy in 10 s. What is its power?

#### Answer

Power = Work Done/Time

Work done = Energy consumed by the lamp = 1000 J

Time = 10 s

$$\text{Power} = 1000 / 10 = 100 \text{ Js}^{-1} = 100 \text{ W}$$

<https://www.indcareer.com/schools/ncert-solutions-for-9th-class-science-chapter-11-work-and-energy/>

#### 4. Define average power.

##### Answer

The average Power of an agent may be defined as the total work done by it in the total time taken. Average Power = Total Work Done/Total time taken

Page No: 158

1. Look at the activities listed below. Reason out whether or not work is done in the light of your understanding of the term 'work'.

- Suma is swimming in a pond.
- A donkey is carrying a load on its back.
- A wind mill is lifting water from a well.
- A green plant is carrying out photosynthesis.
- An engine is pulling a train.
- Food grains are getting dried in the sun.
- A sailboat is moving due to wind energy.

##### Answer

Work is done whenever the given two conditions are satisfied:

→ A force acts on the body.

→ There is a displacement of the body by the application of force in or opposite to the direction of force.

(a) While swimming, Suma applies a force to push the water backwards. Therefore, Suma swims in the forward direction caused by the forward reaction of water. Here, the force causes a displacement. Hence, work is done by Seema while swimming.

(b) While carrying a load, the donkey has to apply a force in the upward direction. But, displacement of the load is in the forward direction. Since, displacement is perpendicular to force, the work done is zero.

<https://www.indcareer.com/schools/ncert-solutions-for-9th-class-science-chapter-11-work-and-energy/>

(c) A wind mill works against the gravitational force to lift water. Hence, work is done by the wind mill in lifting water from the well.

(d) In this case, there is no displacement of the leaves of the plant. Therefore, the work done is zero.

(e) An engine applies force to pull the train. This allows the train to move in the direction of force. Therefore, there is a displacement in the train in the same direction. Hence, work is done by the engine on the train.

(f) Food grains do not move in the presence of solar energy. Hence, the work done is zero during the process of food grains getting dried in the Sun.

(g) Wind energy applies a force on the sailboat to push it in the forward direction. Therefore, there is a displacement in the boat in the direction of force. Hence, work is done by wind on the boat.

**2. An object thrown at a certain angle to the ground moves in a curved path and falls back to the ground. The initial and the final points of the path of the object lie on the same horizontal line. What is the work done by the force of gravity on the object?**

**Answer**

Work done by the force of gravity on an object depends only on vertical displacement. Vertical displacement is given by the difference in the initial and final positions/heights of the object, which is zero.

Work done by gravity is given by the expression,

$$W = mgh$$

Where,

$$h = \text{Vertical displacement} = 0$$

$$W = mg \times 0 = 0 \text{ J}$$

Therefore, the work done by gravity on the given object is zero joule.

**3. A battery lights a bulb. Describe the energy changes involved in the process.**

<https://www.indcareer.com/schools/ncert-solutions-for-9th-class-science-chapter-11-work-and-energy/>

### Answer

When a bulb is connected to a battery, then the chemical energy of the battery is transferred into electrical energy. When the bulb receives this electrical energy, then it converts it into light and heat energy. Hence, the transformation of energy in the given situation can be shown as:

Chemical Energy  $\rightarrow$  Electrical Energy  $\rightarrow$  Light Energy + Heat Energy

**4. Certain force acting on a 20 kg mass changes its velocity from 5 m s<sup>-1</sup> to 2 m s<sup>-1</sup>. Calculate the work done by the force.**

### Answer

Kinetic energy is given by the expression,  $(E_k)_v = 1/2 mv^2$

Where,

$E_k$  = Kinetic energy of the object moving with a velocity,  $v$

(i) Kinetic energy when the object was moving with a velocity 5 m s<sup>-1</sup>

$$(E_k)_5 = 1/2 \times 20 \times (5)^2 = 250 \text{ J}$$

Kinetic energy when the object was moving with a velocity 2 m s<sup>-1</sup>

$$(E_k)_2 = 1/2 \times 20 \times (2)^2 = 40 \text{ J.}$$

**5. A mass of 10 kg is at a point A on a table. It is moved to a point B. If the line joining A and B is horizontal, what is the work done on the object by the gravitational force? Explain your answer.**

### Answer

Work done by gravity depends only on the vertical displacement of the body. It does not depend upon the path of the body. Therefore, work done by gravity is given by the expression,

$$W = mgh$$

Where,

<https://www.indcareer.com/schools/ncert-solutions-for-9th-class-science-chapter-11-work-and-energy/>



Vertical displacement,  $h = 0$

$$\therefore W = mg \times 0 = 0$$

Hence, the work done by gravity on the body is zero.

**6. The potential energy of a freely falling object decreases progressively. Does this violate the law of conservation of energy? Why?**

**Answer**

No. The process does not violate the law of conservation of energy. This is because when the body falls from a height, then its potential energy changes into kinetic energy progressively. A decrease in the potential energy is equal to an increase in the kinetic energy of the body. During the process, total mechanical energy of the body remains conserved. Therefore, the law of conservation of energy is not violated.

**7. What are the various energy transformations that occur when you are riding a bicycle?**

**Answer**

While riding a bicycle, the muscular energy of the rider gets transferred into heat energy and kinetic energy of the bicycle. Heat energy heats the rider's body. Kinetic energy provides a velocity to the bicycle. The transformation can be shown as:

Muscular Energy  $\rightarrow$  Kinetic Energy + Heat Energy

During the transformation, the total energy remains conserved.

NCERT 9th Science Chapter 11, class 9 Science Chapter 11 solutions

**8. Does the transfer of energy take place when you push a huge rock with all your might and fail to move it? Where is the energy you spend going?**

**Answer**

When we push a huge rock, there is no transfer of muscular energy to the stationary rock. Also, there is no loss of energy because muscular energy is transferred into heat energy, which causes our body to become hot.

<https://www.indcareer.com/schools/ncert-solutions-for-9th-class-science-chapter-11-work-and-energy/>

**9. A certain household has consumed 250 units of energy during a month. How much energy is this in joules?**

**Answer**

1 unit of energy is equal to 1 kilowatt hour (kWh).

1 unit = 1 kWh

1 kWh =  $3.6 \times 10^6$  J

Therefore, 250 units of energy =  $250 \times 3.6 \times 10^6 = 9 \times 10^8$  J.

**10. An object of mass 40 kg is raised to a height of 5 m above the ground. What is its potential energy? If the object is allowed to fall, find its kinetic energy when it is half-way down.**

**Answer**

Gravitational potential energy is given by the expression,

$$W = mgh$$

Where,

$h$  = Vertical displacement = 5 m

$m$  = Mass of the object = 40 kg

$g$  = Acceleration due to gravity =  $9.8 \text{ m s}^{-2}$

$$\therefore W = 40 \times 5 \times 9.8 = 1960 \text{ J.}$$

At half-way down, the potential energy of the object will be  $1960/2 = 980$  J.

At this point, the object has an equal amount of potential and kinetic energy. This is due to the law of conservation of energy. Hence, half-way down, the kinetic energy of the object will be 980 J.

**11. What is the work done by the force of gravity on a satellite moving round the earth? Justify your answer.**

<https://www.indcareer.com/schools/ncert-solutions-for-9th-class-science-chapter-11-work-and-energy/>

**Answer**

Work is done whenever the given two conditions are satisfied:

→ A force acts on the body.

→ There is a displacement of the body by the application of force in or opposite to the direction of force.

If the direction of force is perpendicular to displacement, then the work done is zero.

When a satellite moves around the Earth, then the direction of force of gravity on the satellite is perpendicular to its displacement. Hence, the work done on the satellite by the Earth is zero.

**12. Can there be displacement of an object in the absence of any force acting on it? Think. Discuss this question with your friends and teacher.**

**Answer**

Yes. For a uniformly moving object

Suppose an object is moving with constant velocity. The net force acting on it is zero. But, there is a displacement along the motion of the object. Hence, there can be a displacement without a force.

Page no: 159

NCERT 9th Science Chapter 11, class 9 Science Chapter 11 solutions

**13. A person holds a bundle of hay over his head for 30 minutes and gets tired. Has he done some work or not? Justify your answer.**

**Answer**

Work is done whenever the given two conditions are satisfied:

→ A force acts on the body.

→ There is a displacement of the body by the application of force in or opposite to the direction of force.

<https://www.indcareer.com/schools/ncert-solutions-for-9th-class-science-chapter-11-work-and-energy/>

When a person holds a bundle of hay over his head, then there is no displacement in the bundle of hay. Although, force of gravity is acting on the bundle, the person is not applying any force on it. Hence, in the absence of force, work done by the person on the bundle is zero.

**14. An electric heater is rated 1500 W. How much energy does it use in 10 hours?**

**Answer**

Energy consumed by an electric heater can be obtained with the help of the expression,

$$P = W / T$$

Where,

Power rating of the heater,  $P = 1500 \text{ W} = 1.5 \text{ kW}$

Time for which the heater has operated,  $T = 10 \text{ h}$

Work done = Energy consumed by the heater

Therefore, energy consumed = Power  $\times$  Time

$$= 1.5 \times 10 = 15 \text{ kWh}$$

Hence, the energy consumed by the heater in 10 h is 15 kWh.


**15. Illustrate the law of conservation of energy by discussing the energy changes which occur when we draw a pendulum bob to one side and allow it to oscillate. Why does the bob eventually come to rest? What happens to its energy eventually? Is it a violation of the law of conservation of energy?**

**Answer**

The law of conservation of energy states that energy can be neither created nor destroyed. It can only be converted from one form to another.

Consider the case of an oscillating pendulum.

<https://www.indcareer.com/schools/ncert-solutions-for-9th-class-science-chapter-11-work-and-energy/>



When a pendulum moves from its mean position P to either of its extreme positions A or B, it rises through a height  $h$  above the mean level P. At this point, the kinetic energy of the bob changes completely into potential energy. The kinetic energy becomes zero, and the bob possesses only potential energy. As it moves towards point P, its potential energy decreases progressively. Accordingly, the kinetic energy increases. As the bob reaches point P, its potential energy becomes zero and the bob possesses only kinetic energy. This process is repeated as long as the pendulum oscillates.

The bob does not oscillate forever. It comes to rest because air resistance resists its motion. The pendulum loses its kinetic energy to overcome this friction and stops after some time.

The law of conservation of energy is not violated because the energy lost by the pendulum to overcome friction is gained by its surroundings. Hence, the total energy of the pendulum and the surrounding system remain conserved.

**16. An object of mass,  $m$  is moving with a constant velocity,  $v$ . How much work should be done on the object in order to bring the object to rest?**

**Answer**

Kinetic energy of an object of mass, moving with a velocity,  $v$  is given by the expression,

$$E_k = \frac{1}{2} mv^2$$

To bring the object to rest,  $\frac{1}{2} mv^2$  amount of work is required to be done on the object.

**17. Calculate the work required to be done to stop a car of 1500 kg moving at a velocity of 60 km/h?**

**Answer**

<https://www.indcareer.com/schools/ncert-solutions-for-9th-class-science-chapter-11-work-and-energy/>

Kinetic energy,  $E_k = \frac{1}{2} mv^2$

Where,


Mass of car,  $m = 1500 \text{ kg}$

Velocity of car,  $v = 60 \text{ km/h} = 60 \times \frac{5}{18} \text{ ms}^{-1}$

$$\therefore E_k = \frac{1}{2} \times 1500 \times \left(60 \times \frac{5}{18}\right)^2 = 20.8 \times 10^4 \text{ J}$$

Hence,  $20.8 \times 10^4 \text{ J}$  of work is required to stop the car.

**18. In each of the following a force,  $F$  is acting on an object of mass,  $m$ . The direction of displacement is from west to east shown by the longer arrow. Observe the diagrams carefully and state whether the work done by the force is negative, positive or zero.**



**Answer**

Case I

In this case, the direction of force acting on the block is perpendicular to the displacement. Therefore, work done by force on the block will be zero.

Case II

In this case, the direction of force acting on the block is in the direction of displacement. Therefore, work done by force on the block will be positive.

Case III

In this case, the direction of force acting on the block is opposite to the direction of displacement. Therefore, work done by force on the block will be negative.

<https://www.indcareer.com/schools/ncert-solutions-for-9th-class-science-chapter-11-work-and-energy/>

**19. Soni says that the acceleration in an object could be zero even when several forces are acting on it. Do you agree with her? Why?**

**Answer**

Acceleration in an object could be zero even when several forces are acting on it. This happens when all the forces cancel out each other i.e., the net force acting on the object is zero. For a uniformly moving object, the net force acting on the object is zero. Hence, the acceleration of the object is zero. Hence, Soni is right.

**20. Find the energy in kW h consumed in 10 hours by four devices of power 500 W each.**

**Answer**

Energy consumed by an electric device can be obtained with the help of the expression for power,

$$P = W/T$$

Where,

Power rating of the device,  $P = 500 \text{ W} = 0.50 \text{ kW}$

Time for which the device runs,  $T = 10 \text{ h}$

Work done = Energy consumed by the device

Therefore, energy consumed = Power  $\times$  Time

$$= 0.50 \times 10 = 5 \text{ kWh}$$

Hence, the energy consumed by four equal rating devices in 10 h will be  $4 \times 5 \text{ kWh} = 20 \text{ kWh} = 20 \text{ Units}$ .

**21. A freely falling object eventually stops on reaching the ground. What happens to its kinetic energy?**

**Answer**

<https://www.indcareer.com/schools/ncert-solutions-for-9th-class-science-chapter-11-work-and-energy/>

When an object falls freely towards the ground, its potential energy decreases and kinetic energy increases. As the object touches the ground, all its potential energy gets converted into kinetic energy. As the object hits the hard ground, all its kinetic energy gets converted into heat energy and sound energy. It can also deform the ground depending upon the nature of the ground and the amount of kinetic energy possessed by the object.

NCERT 9th Science Chapter 11, class 9 Science Chapter 11 solutions





# Chapterwise NCERT Solutions for Class 9 Science :

- Chapter 1 Matter in Our Surroundings
- Chapter 2 Is Matter Around Us Pure
- Chapter 3 Atoms And Molecules
- Chapter 4 Structure Of The Atom
- Chapter 5 The Fundamental Unit Of Life
- Chapter 6 Tissues
- Chapter 7 Diversity in Living Organisms
- Chapter 8 Motion
- Chapter 9 Force And Laws Of Motion
- Chapter 10 Gravitation
- Chapter 11 Work and Energy
- Chapter 12 Sound
- Chapter 13 Why Do We Fall ill
- Chapter 14 Natural Resources
- Chapter 15 Improvement in Food Resources

<https://www.indcareer.com/schools/ncert-solutions-for-9th-class-science-chapter-11-work-and-energy/>

# About NCERT

The National Council of Educational Research and Training is an autonomous organization of the Government of India which was established in 1961 as a literary, scientific, and charitable Society under the Societies Registration Act. The major objectives of NCERT and its constituent units are to: undertake, promote and coordinate research in areas related to school education; prepare and publish model textbooks, supplementary material, newsletters, journals and develop educational kits, multimedia digital materials, etc. Organise pre-service and in-service training of teachers; develop and disseminate innovative educational techniques and practices; collaborate and network with state educational departments, universities, NGOs and other educational institutions; act as a clearing house for ideas and information in matters related to school education; and act as a nodal agency for achieving the goals of Universalisation of Elementary Education. In addition to research, development, training, extension, publication and dissemination activities, NCERT is an implementation agency for bilateral cultural exchange programmes with other countries in the field of school education. Its headquarters are located at Sri Aurobindo Marg in New Delhi. [Visit the Official NCERT website](#) to learn more.

<https://www.indcareer.com/schools/ncert-solutions-for-9th-class-science-chapter-11-work-and-energy/>