


Maharashtra Board Solutions Class 12

Chemistry: Chapter 11- Alcohols, Phenols and Ethers

Class 12 - Chapter 11 Alcohols, Phenols and Ethers



For any clarifications or questions you can write to info@indcareer.com

Postal Address

IndCareer.com, 52, Shilpa Nagar, Somalwada Nagpur - 440015
Maharashtra, India

WhatsApp: +91 9561 204 888, **Website:** <https://www.indcareer.com>

<https://www.indcareer.com/schools/maharashtra-board-solutions-class-12-chemistry-chapter-11-alcohols-phenols-and-ethers/>



Maharashtra Board Solutions Class 12

Chemistry: Chapter 11- Alcohols, Phenols and Ethers

Class 12: Chemistry Chapter 11 solutions. Complete Class 12 Chemistry Chapter 11 Notes.



Maharashtra Board Solutions Class 12 Chemistry: Chapter 11- Alcohols, Phenols and Ethers

Maharashtra Board 12th Chemistry Chapter 11, Class 12 Chemistry Chapter 11 solutions

1. Choose the correct option.

Question i.

Which of the following represents the increasing order of boiling points of (1), (2), and (3)?



A. (1) < (2) < (3)

B. (2) < (1) < (3)

C. (3) < (2) < (1)

D. (2) < (3) < (1)


<https://www.indcareer.com/schools/maharashtra-board-solutions-class-12-chemistry-chapter-11-alcohols-phenols-and-ethers/>

Answer:

(a) $(1) < (2) < (3)$

Question ii.

Which is the best reagent for carrying out following conversion ?



- A. LiAlH_4
- B. Conc. H_2SO_4 , H_2O
- C. H_2/Pd
- D. B_2H_6 , $\text{H}_2\text{O}_2 - \text{NaOH}$

Answer:

B. Conc. H_2SO_4 , H_2O

Question iii.

Which of the following reaction will give ionic organic product on reaction ?

- A. $\text{CH}_3 - \text{CH}_2 - \text{OH} + \text{Na}$
- B. $\text{CH}_3 - \text{CH}_2 - \text{OH} + \text{SOCl}_2$
- C. $\text{CH}_3 - \text{CH}_2 - \text{OH} + \text{PCl}_5$
- D. $\text{CH}_3 - \text{CH}_2 - \text{OH} + \text{H}_2\text{SO}_4$

Answer:

C. $\text{CH}_3 - \text{CH}_2 - \text{OH} + \text{PCl}_5$

<https://www.indcareer.com/schools/maharashtra-board-solutions-class-12-chemistry-chapter-11-alcohols-phenols-and-ethers/>

Question iv.

Which is the most resistant alcohol towards oxidation reaction among the following ?

- A. $\text{CH}_3\text{-CH}_2\text{-OH}$ B. $(\text{CH}_3)_2\text{CH-OH}$
C. $(\text{CH}_3)_3\text{C-OH}$ D. $\text{C}_2\text{H}_5\text{-}\underset{\text{CH}_3}{\text{CH}}\text{-OH}$

Answer:

(c)

Question v.

Resorcinol on distillation with zinc dust gives

- A. Cyclohexane
B. Benzene
C. Toluene
D. Benzene-1, 3-diol

Answer:

(b) Benzene

Question vi.

Anisole on heating with concentrated HI gives

- A. Iodobenzene
B. Phenol + Methanol
C. Phenol + Iodomethane

<https://www.indcareer.com/schools/maharashtra-board-solutions-class-12-chemistry-chapter-11-alcohols-phenols-and-ethers/>


D. Iodobenzene + methanol

Answer:

B. Phenol + Methanol

Question vii.

Which of the following is the least acidic compound ?




Answer:

(b)

Question viii.

The compound incapable of hydrogen bonding with water is



<https://www.indcareer.com/schools/maharashtra-board-solutions-class-12-chemistry-chapter-11-alcohols-phenols-and-ethers/>

Answer:

(b)

Question ix.

Ethers are kept in air tight brown bottles because

- A. Ethers absorb moisture
- B. Ethers evaporate readily
- C. Ethers oxidise to explosive peroxide
- D. Ethers are inert

Answer:

- C. Ethers oxidise to explosive peroxide

Question x.

Ethers reacts with cold and concentrated H_2SO_4 to form

- A. oxonium salt
- B. alkene
- C. alkoxides
- D. alcohols

Answer:

- A. oxonium salt

2. Answer in one sentence/ word.

Question i.

Hydroboration-oxidation of propene gives.....

<https://www.indcareer.com/schools/maharashtra-board-solutions-class-12-chemistry-chapter-11-alcohols-phenols-and-ethers/>


Answer:

n-propyl alcohol ($\text{CH}_3 - \text{CH}_2 - \text{CH}_2 - \text{OH}$)

Question ii.

Write the IUPAC name of alcohol having molecular formula $\text{C}_4\text{H}_{10}\text{O}$ which is resistant towards oxidation.


Answer:



Question iii.

Write the structure of optically active alcohol having molecular formula $\text{C}_4\text{H}_{10}\text{O}$

Answer:



Question iv.

Write name of the electrophile used in Kolbe's Reaction.

Answer:

Electrophile : Carbon dioxide ($\text{O} = \text{C} = \text{O}$)

3. Answer in brief.

Question i.


Why phenol is more acidic than ethyl alcohol ?

<https://www.indcareer.com/schools/maharashtra-board-solutions-class-12-chemistry-chapter-11-alcohols-phenols-and-ethers/>

Answer:


(1) In ethyl alcohol, the -OH group is attached to sp^3 – hybridised carbon while in phenols, it is attached to sp^2 – hybridised carbon.

(2) Due to higher electronegativity of sp^2 – hybridised carbon, electron density on oxygen decreases. This increases the polarity of O-H bond and results in more ionization of phenol than that of alcohols.



(3) Electron donating inductive effect (+I effect) of the alkyl group destabilizes alkoxide ion. As a result alcohol does not ionize much in water, therefore alcohol is neutral compound in aqueous medium.

(4) In alkoxide ion, the negative charge is localized on oxygen, while in phenoxide ion the negative charge is delocalized. The delocalization of the negative charge (structure I to V) makes phenoxide ion more stable than that of phenol.



The delocalization of charge in phenol (structures VI to X), the resonating structures have charge separation (where oxygen atom of OH group to be positive and delocalization of negative charge over the ortho and para positions of aromatic ring) due to which phenol molecule is less stable than phenoxide ion. This favours ionization of phenol. Thus phenols are more acidic than ethyl alcohol.

Question ii.


Why p-nitrophenol is a stronger acid than phenol ?

Answer:

(1) In p-nitrophenol, nitro group (NO_2) is an electron withdrawing group present at para position which enhances the acidic strength (-I effect). The O-H bond is under strain and release of proton (H^+) becomes easy. Further p-nitrophenoxide ion is more stabilised due to resonance.

(2) Since the absence of electron withdrawing group (like $-\text{NO}_2$) in phenol at ortho and para position, the acidic strength of phenol is less than that of p-nitrophenol.

<https://www.indcareer.com/schools/maharashtra-board-solutions-class-12-chemistry-chapter-11-alcohols-phenols-and-ethers/>



Question iii.

Write two points of difference between properties of phenol and ethyl alcohol.

Answer:

Alcohol	Phenol
(1) Aqueous alcohol is a volatile liquid and neutral to litmus.	(1) Phenol is a low melting solid. Aqueous phenol turns blue litmus red. Therefore, phenol is acidic in nature.
(2) Alcohol does not react with aq. NaHCO_3 or aq. NaOH .	(2) Phenol does not react with aq. NaHCO_3 but reacts with NaOH $\text{Ar.OH} + \text{NaHCO}_3 \rightarrow \text{No reaction}$ (aq) $\text{Ar.OH} + \text{NaOH} \rightarrow \text{Ar} - \text{O}^-\text{Na}^+ + \text{H}_2\text{O(l)}$ $\text{(aq)} \quad \quad \quad \text{(aq)}$
(3) Alcohol does not react with neutral ferric chloride.	(3) Phenol reacts with neutral ferric chloride solution to give deep (purple/violet/green) colouration of ferric phenoxide. $3\text{Ar} - \text{OH} + \text{FeCl}_3 \rightarrow (\text{Ar} - \text{O})_3 - \text{Fe} + 3\text{HCl}$ $\text{neutral} \quad \quad \quad \text{deep colour}$
(4) It is non-corrosive.	(4) It is corrosive.

Question iv.

Give the reagents and conditions necessary to prepare phenol from

a. Chlorobenzene

b. Benzene sulfonic acid.

Answer:

<https://www.indcareer.com/schools/maharashtra-board-solutions-class-12-chemistry-chapter-11-alcohols-phenols-and-ethers/>

(1) From chlorobenzene : Reagents required : NaOH and dil. HCl Temperature : 623 K, Pressure : 150 atm


(2) From Benzene sulphonic acid : Reagents required : aq NaOH, caustic soda, dil. HCl Temperature : 573 K

Question v.

Give the equations of the reactions for the preparation of phenol from isopropyl benzene.

Answer:

Preparation of phenol from cumene (isopropylbenzene) : This is the commercial method of preparation of phenol. When a stream of air is passed through cumene (isopropylbenzene) suspended in aqueous Na_2CO_3 solution in the presence of cobalt naphthenate catalyst, isopropyl benzene hydroperoxide or cumene hydroperoxide is formed. Isopropylbenzene hydroperoxide on warming with dil. H_2SO_4 gives phenol and acetone. Acetone is an important by-product of the reaction and is separated by distillation. The reaction is called auto oxidation.




Question vi.

<https://www.indcareer.com/schools/maharashtra-board-solutions-class-12-chemistry-chapter-11-alcohols-phenols-and-ethers/>

Give a simple chemical test to distinguish between ethanol and ethyl bromide.










Answer:

When ethyl bromide is heated with aq NaOH; ethyl alcohol is formed whereas ethanol does not react with aq NaOH



4. An ether (A), $\text{C}_5\text{H}_{12}\text{O}$, when heated with excess of hot HI produce two alkyl halides which on hydrolysis form compound (B) and (C), oxidation of (B) gave acid (D), whereas oxidation of (C) gave a ketone (E). Deduce the structural formula of (A), (B), (C), (D) and (E).

Answer:





5. Write structural formulae for

<https://www.indcareer.com/schools/maharashtra-board-solutions-class-12-chemistry-chapter-11-alcohols-phenols-and-ethers/>





- a. 3-Methoxyhexane
- b. Methyl vinyl ether
- c. 1-Ethylcyclohexanol
- d. Pentane-1,4-diol
- e. Cyclohex-2-en-1-ol

Answer:




IUPAC name	Ans.	Structural formula
1. 3-Methoxyhexane		$\begin{array}{c} \text{CH}_3 - \text{CH}_2 - \text{CH} - \text{CH}_2 - \text{CH}_2 - \text{CH}_3 \\ \\ \text{O} - \text{CH}_3 \end{array}$
2. Methyl vinyl ether		$\text{CH}_2 = \text{CH} - \text{OCH}_3$
3. 1-Ethylcyclohexanol		
4. Pentane-1, 4-diol		$\begin{array}{c} \text{H}_2\text{C} - \text{CH}_2 - \text{CH}_2 - \text{CH} - \text{CH}_3 \\ \qquad \qquad \qquad \\ \text{OH} \qquad \qquad \qquad \text{OH} \end{array}$
5. Cyclohex-2-en-1-ol		

6. Write IUPAC names of the following

<https://www.indcareer.com/schools/maharashtra-board-solutions-class-12-chemistry-chapter-11-alcohols-phenols-and-ethers/>



Answer:

Compound	Ans.	IUPAC name
1. 		1-Methyl cyclopentanol
2. $\text{CH}_3 - \underset{\text{OH}}{\text{CH}} - \underset{\text{CH}_3}{\text{CH}} - \text{CH}_2 - \text{OH}$		2-Methyl butane-1, 3-diol
3. 		2-Nitrophenol (o-nitrophenol)
4. 		Methoxy cyclohexane

Activity :

- Collect information about production of ethanol as byproduct in sugar industry and its importance in fuel economy.


<https://www.indcareer.com/schools/maharashtra-board-solutions-class-12-chemistry-chapter-11-alcohols-phenols-and-ethers/>

- Collect information about phenols used as antiseptics and polyphenols having antioxidant activity.

Use your brain power! (Textbook Page No 235)

Question 1.

Classify the following alcohols as 1°/2°/3° and allylic/benzylic



Answer:

- (1) Allylic alcohol (primary)
(2) Allylic alcohol (secondary)
(3) Allylic alcohol (tertiary)
(4) Benzylic alcohol (primary)
(5) Benzylic alcohol (secondary)

Use your brain power (Textbook Page No 236)

Question 1.

Name t-butyl alcohol using carbinol system of nomenclature.

Answer:

Trimethyl carbinol.

Problem 11.1 (Textbook Page No 238)


<https://www.indcareer.com/schools/maharashtra-board-solutions-class-12-chemistry-chapter-11-alcohols-phenols-and-ethers/>

Question 1.

Draw structures of following compounds:

- (i) 2,5-Diethylphenol
- (ii) Prop-2-en-1-ol
- (iii) 2-methoxypropane
- (iv) Phenylmethanol


Solution :






Try this (Textbook Page No 238)

Write IUPAC names of the following compounds.

<https://www.indcareer.com/schools/maharashtra-board-solutions-class-12-chemistry-chapter-11-alcohols-phenols-and-ethers/>



Compound	Ans.	IUPAC name
(i) 		Cyclobutane-1, 1-diol
(ii) $\text{H}_3\text{C}-\underset{\text{OCH}_2-\text{CH}_3}{\text{CH}}-\text{CH}_2-\text{CH}_3$		2-Ethoxybutane
(iii) 		2-Phenylethan-1-ol
(iv) 		3-Methylphenol (m-cresol)

Do you know (Textbook Page No 238)

Question 1.


The mechanism of hydration of ethylene to ethyl alcohol.

Answer:


The mechanism of hydration of ethylene involves three steps:

Step 1: Ethylene gets protonated to form carbocation by electrophilic attack of H_3O^+ (Formation of carbocation intermediate).


<https://www.indcareer.com/schools/maharashtra-board-solutions-class-12-chemistry-chapter-11-alcohols-phenols-and-ethers/>



Step 2 : Nucleophilic attack of water on carbocation




Step 3 : Deprotonation to form an alcohol



Problem 11.2 : (Textbook Page No 239)


Question 1.

Predict the products for the following reaction.




Solution:

The substrate (A) contains an isolated



<https://www.indcareer.com/schools/maharashtra-board-solutions-class-12-chemistry-chapter-11-alcohols-phenols-and-ethers/>

and an aldehyde group. H_2/Ni can reduce both these functional groups while LiAlH_4 can reduce only $-\text{CHO}$ of the two, Hence



Try this (Textbook page 240)

Question 1.

Arrange $\text{O} - \text{H}$, $\text{C} - \text{H}$ and $\text{N} - \text{H}$ bonds in increasing order of their bond polarity.

Answer:

Increasing order of polarity : $\text{C} - \text{H}$, $\text{N} - \text{H}$, $\text{O} - \text{H}$

Problem 11.3 : (Textbook Page No 241)

Question 1.

The boiling point of n-butyl alcohol, isobutyl alcohol, sec-butyl alcohol and tert-butyl alcohol are 118°C , 108°C , 99°C and 82°C respectively. Explain.

Solution:


As branching increases, intermolecular van der Waal's force become weaker and the boiling point decreases. Therefore, n-butyl alcohol has highest boiling point 118°C and tert-butyl alcohol has lowest boiling point 83°C . Isobutyl alcohol is a primary alcohol and hence its boiling point is higher than that of sec-butyl alcohol.

Problem 11.4 : (Textbook Page No 242)

The solubility of o-nitrophenol and p-nitrophenol is 0.2 g and $1.7\text{ g}/100\text{ g}$ of H_2O respectively. Explain the difference.

Solution :

<https://www.indcareer.com/schools/maharashtra-board-solutions-class-12-chemistry-chapter-11-alcohols-phenols-and-ethers/>



p-Nitrophenol has strong intermolecular hydrogen bonding with solvent water. On the other hand, o-nitrophenol has strong intramolecular hydrogen bonding and therefore the intermolecular attraction towards solvent water is weak. The stronger the intermolecular attraction between solute and solvent higher is the solubility. Hence p-nitrophenol has higher solubility in water than that of o-nitrophenol.

Problem 11.5 : (Textbook Page No 243 & 244)

Question 1.


Arrange the following compounds in decreasing order of acid strength and justify.

- (1) $\text{CH}_3 - \text{CH}_2 - \text{OH}$
- (2) $(\text{CH}_3)_3\text{C} - \text{OH}$
- (3) $\text{C}_6\text{H}_5 - \text{OH}$
- (4) $\text{p-NO}_2 - \text{C}_6\text{H}_4 - \text{OH}$

Solution :


Compounds (3) and (4) are phenols and therefore are more acidic than the alcohols (1) and (2). The acidic strengths of compounds depend upon stabilization of the corresponding conjugate bases. Hence let us compare electronic effects in the conjugate bases of these compounds :

Alcohols :



<https://www.indcareer.com/schools/maharashtra-board-solutions-class-12-chemistry-chapter-11-alcohols-phenols-and-ethers/>

The conjugate base of the alcohol (1) is destabilized by + 1 effect of one alkyl group, whereas conjugate base of the alcohol (2) is destabilized by +1 effect of three alkyl groups. Hence (2) is weaker acid than (1)




Phenols : The conjugate base of p-nitrophenol (4) is better resonance stabilized due to six resonance structures compared to the five resonance structure of conjugate base of phenol (3). The resonance structure VI has – ve charge on only electronegative oxygens. Hence the phenol (4) is stronger acid than (3). Thus the decreasing order of acid strength is (4), (3), (1), (2).

Use your brain power (Textbook Page No 244)

Question 1.

What are the electronic effects exerted by – OCH₃ and – Cl? Predict the acid strength of



Answer:


The electronic effects exerted by – Cl and – O CH₃ are as follows :

(1) Cl being more electronegative atom it pulls the bonding electrons towards itself. This is known as negative inductive effect (– I).


(2) – OCH₃ is less electronegative group which repels the bonding electrons away from it. This is known as positive inductive effect (+ I).

<https://www.indcareer.com/schools/maharashtra-board-solutions-class-12-chemistry-chapter-11-alcohols-phenols-and-ethers/>

(3) The relative to parent phenol,



is more acidic than



Problem 11.6 : (Textbook Page No 245)


Question 1.

Mechanism of acid catalyzed dehydration of ethanol to give ethene.


Answer:

The mechanism of dehydration of ethanol involves the following order :


Step 1 : Formation of protonated alcohols : Initially ethyl alcohol gets protonated to form ethyl oxonium ion.



Step 2 : Formation of carbocation : It is the slowest step and hence, the rate determining step of the reaction.



Steps 3: Formation of ethene: Removal of a proton (H^+) from carbocation.



The acid used in step 1 is released in step 3, the equilibrium is shifted to the right, ethene is removed as it is formed.


Problem 11.6 : (Textbook Page No 245)

Question 1.

Write the reaction showing major and minor products formed on heating butan-2-ol with concentrated sulphuric acid.

Solution :

In the reaction described butan-2-ol undergoes dehydration to give but-2-ene (major) and but-1-ene (minor) in accordance with Saytzeff rule.



Problem 11.7 : (Textbook Page No 246)


Question 1.

<https://www.indcareer.com/schools/maharashtra-board-solutions-class-12-chemistry-chapter-11-alcohols-phenols-and-ethers/>

Write and explain reactions to convert propan-1-ol into propan-2-ol.

Solution :

The dehydration of propan-1-ol to propene is the first step. Markownikoff hydration of propene is the second step to get the product propan-2-ol. This is brought about by reaction with concentrated H_2SO_4 followed by hydrolysis.




Problem 11.8 : (Textbook Page No 246)

Question 1.

An organic compound gives hydrogen on reaction with sodium metal. It forms an aldehyde having molecular formula $\text{C}_2\text{H}_4\text{O}$ on oxidation with pyridinium chlorochromate. Name the compounds and give equations of these reactions.

Solution :

The given molecular formula $\text{C}_2\text{H}_4\text{O}$ of aldehyde is written as $\text{CH}_3 - \text{CHO}$. Hence the formula of alcohol from which this is obtained by oxidation must be $\text{CH}_3 - \text{CH}_2 - \text{OH}$. The two reactions can, therefore, be represented as follows :



(Do you know? Textbook Page No 248)

Question 90.


Write the mechanism of dehydration of alcohol to give ether.

<https://www.indcareer.com/schools/maharashtra-board-solutions-class-12-chemistry-chapter-11-alcohols-phenols-and-ethers/>


Answer:

Dehydration of alcohols to form ether is $\text{S}_{\text{N}}2$ reaction. The mechanism of dehydration of ethanol involves the following steps.


Step 1 (Protonation) : Initially ethyl alcohol gets protonated in the presence of acid to form ethyl oxonium ion.



Step 2 ($\text{S}_{\text{N}}2$ mechanism) : Protonated alcohol species undergoes a backside attack by second molecule of alcohol is a slow step.




Step 3 (Deprotonation) : Formation of diethyl ether by elimination of proton



Problem 11.9 : (Textbook Page No 249)

Question 1.

Ethyl isopropyl ether does not form on reaction of sodium ethoxide and isopropyl chloride.




<https://www.indcareer.com/schools/maharashtra-board-solutions-class-12-chemistry-chapter-11-alcohols-phenols-and-ethers/>

(i) What would be the main product of this reaction?


(ii) Write another reaction suitable for the preparation of ethyl isopropyl ether.

Solution :

(i) Isopropyl chloride is a secondary chloride. On treating with sodium ethoxide it gives elimination reaction to form propene as the main product.



(ii) Ethyl isopropyl ether can be prepared as follows using ethyl chloride (1° chloride) as substrate.



Do you know? (Textbook Page No 250)

Question 1.


The mechanism of the reaction of HI with methoxy ethane.

Answer:


The reaction mechanism takes place as follows :

Step 1 : Protonation of ether Initially the ether molecule (methoxy ethane) protonated by conc. HI to form oxonium ion.

<https://www.indcareer.com/schools/maharashtra-board-solutions-class-12-chemistry-chapter-11-alcohols-phenols-and-ethers/>




Step 2 : Iodide is a good nucleophile. It attacks the least substituted carbon of the oxonium ion formed in step 1 and displaces an alcohol molecule by S_N^2 mechanism.




For example :

- Use of excess HI converts the alcohol into alkyl iodide.
- In case of ether having one tertiary alkyl group the reaction with hot HI follows $\text{S}_\text{N}1$ mechanism, and tertiary iodide is formed rather than tertiary alcohol.

Step 1 :



Step 2 :



<https://www.indcareer.com/schools/maharashtra-board-solutions-class-12-chemistry-chapter-11-alcohols-phenols-and-ethers/>

Maharashtra Board Solutions

Class 12 Chemistry

- Chapter 1- Solid State
- Chapter 2- Solutions
- Chapter 3- Ionic Equilibria
- Chapter 4- Chemical Thermodynamics
- Chapter 5- Electrochemistry
- Chapter 6- Chemical Kinetics
- Chapter 7- Elements of Groups 16, 17 and 18
- Chapter 8- Transition and Inner Transition Elements
- Chapter 9- Coordination Compounds
- Chapter 10- Halogen Derivatives
- Chapter 11- Alcohols, Phenols and Ethers
- Chapter 12- Aldehydes, Ketones and Carboxylic Acids
- Chapter 13- Amines
- Chapter 14- Biomolecules
- Chapter 15- Introduction to Polymer Chemistry
- Chapter 16- Green Chemistry and Nanochemistry

<https://www.indcareer.com/schools/maharashtra-board-solutions-class-12-chemistry-chapter-11-alcohols-phenols-and-ethers/>

About About Maharashtra State Board (MSBSHSE)

The Maharashtra State Board of Secondary and Higher Secondary Education or MSBSHSE (Marathi: महाराष्ट्र राज्य माध्यमिक आणि उच्च माध्यमिक शिक्षण मंडळ), is an **autonomous and statutory body established in 1965**. The board was amended in the year 1977 under the provisions of the Maharashtra Act No. 41 of 1965.

The Maharashtra State Board of Secondary & Higher Secondary Education (MSBSHSE), Pune is an independent body of the Maharashtra Government. There are more than 1.4 million students that appear in the examination every year. The Maha State Board conducts the board examination twice a year. This board conducts the examination for SSC and HSC.

The Maharashtra government established the Maharashtra State Bureau of Textbook Production and Curriculum Research, also commonly referred to as Ebalbharati, in 1967 to take up the responsibility of providing quality textbooks to students from all classes studying under the Maharashtra State Board. MSBHSE prepares and updates the curriculum to provide holistic development for students. It is designed to tackle the difficulty in understanding the concepts with simple language with simple illustrations. Every year around 10 lakh students are enrolled in schools that are affiliated with the Maharashtra State Board.

<https://www.indcareer.com/schools/maharashtra-board-solutions-class-12-chemistry-chapter-11-alcohols-phenols-and-ethers/>

FAQs

Where do I get the Maharashtra State Board Books PDF For free download?

You can download the Maharashtra State Board Books from the eBalbharti official website, i.e. cart.ebalbharati.in or from this article.

Add image

How to Download Maharashtra State Board Books?

Students can get the Maharashtra Books for primary, secondary, and senior secondary classes from here. You can view or download the Maharashtra State Board Books from this page or from the official website for free of cost. Students can follow the detailed steps below to visit the official website and download the e-books for all subjects or a specific subject in different mediums.

Step 1: Visit the official website ebalbharati.in

Step 2: On the top of the screen, select "Download PDF textbooks"

Step 3: From the "Classes" section, select your class.

Step 4: From "Medium", select the medium suitable to you.

Step 5: All Maharashtra board books for class 11th will now be displayed on the right side.

Step 6: Click on the "Download" option to download the PDF book.

Who developed the Maharashtra State board books?

As of now, the MSCERT and Balbharti are responsible for the syllabus and textbooks of Classes 1 to 8, while Classes 9 and 10 are under the Maharashtra State Board of Secondary and Higher Secondary Education (MSBSHSE).

How many state boards are there in Maharashtra?

The Maharashtra State Board of Secondary & Higher Secondary Education, conducts the HSC and SSC Examinations in the state of Maharashtra through its nine Divisional Boards located at Pune, Mumbai, Aurangabad, Nasik, Kolhapur, Amravati, Latur, Nagpur and Ratnagiri.

<https://www.indcareer.com/schools/maharashtra-board-solutions-class-12-chemistry-chapter-11-alcohols-phenols-and-ethers/>

About IndCareer

IndCareer.com is a leading developer of online career guidance resources for the Indian marketplace. Established in 2007, IndCareer.com is currently used by over thousands of institutions across India, including schools, employment agencies, libraries, colleges and universities.

IndCareer.com is designed to assist you in making the right career decision - a decision that meets your unique interests and personality.

For any clarifications or questions you can write to **info@indcareer.com**

Postal Address

IndCareer.com
52, Shilpa Nagar,
Somalwada
Nagpur - 440015
Maharashtra, India

WhatsApp: +91 9561 204 888

Website: <https://www.indcareer.com>

<https://www.indcareer.com/schools/maharashtra-board-solutions-class-12-chemistry-chapter-11-alcohols-phenols-and-ethers/>