


Maharashtra Board Solutions Class 11-Chemistry: Chapter 1- Some Basic Concepts of Chemistry

Class 11 - Chapter 1 Some Basic Concepts of Chemistry



For any clarifications or questions you can write to info@indcareer.com

Postal Address

IndCareer.com, 52, Shilpa Nagar, Somalwada Nagpur - 440015
Maharashtra, India

WhatsApp: +91 9561 204 888, **Website:** <https://www.indcareer.com>

<https://www.indcareer.com/schools/maharashtra-board-solutions-class-11-chemistry-chapter-1-some-basic-concepts-of-chemistry/>



Maharashtra Board Solutions Class 11-Chemistry: Chapter 1- Some Basic Concepts of Chemistry

Class 11: Chemistry Chapter 1 solutions. Complete Class 11 Chemistry Chapter 1 Notes.

Maharashtra Board Solutions Class 11-Chemistry: Chapter 1- Some Basic Concepts of Chemistry

Maharashtra Board 11th Chemistry Chapter 1, Class 11 Chemistry Chapter 1 solutions

1. Choose the most correct option.

Question A.

A sample of pure water, whatever the source always contains by mass of oxygen and 11.1 % by mass of hydrogen.

- a. 88.9
- b. 18
- c. 80
- d. 16

Answer:

- a. 88.9

Question B.

<https://www.indcareer.com/schools/maharashtra-board-solutions-class-11-chemistry-chapter-1-some-basic-concepts-of-chemistry/>

Which of the following compounds can NOT demonstrate the law of multiple proportions?

- a. NO, NO₂
- b. CO, CO₂
- c. H₂O, H₂O₂
- d. Na₂S, NaF

Answer:

- d. Na₂S, NaF

Question C.

Which of the following temperature will read the same value on celsius and Fahrenheit scales.

- a. - 40°
- b. + 40°
- c. - 80°
- d. - 20°

Answer:

- a. - 40°

Question D.

SI unit of the quantity electric current is

- a. Volt
- b. Ampere
- c. Candela

<https://www.indcareer.com/schools/maharashtra-board-solutions-class-11-chemistry-chapter-1-some-basic-concepts-of-chemistry/>

d. Newton

Answer:

b. Ampere

Question E.

In the reaction $\text{N}_2 + 3\text{H}_2 \rightarrow 2\text{NH}_3$, the ratio by volume of N_2 , H_2 and NH_3 is 1 : 3 : 2 This illustrates the law of

a. definite proportion

b. reciprocal proportion

c. multiple proportion

d. gaseous volumes

Answer:

d. gaseous volumes

Question F.

Which of the following has maximum number of molecules ?

a. 7 g N_2

b. 2 g H_2

c. 8 g O_2

d. 20 g NO_2

Answer:

b. 2 g H_2

Question G.

How many g of H_2O are present in 0.25 mol of it ?

<https://www.indcareer.com/schools/maharashtra-board-solutions-class-11-chemistry-chapter-1-some-basic-concepts-of-chemistry/>

- a. 4.5
- b. 18
- c. 0.25
- d. 5.4

Answer:

- a. 4.5

Question H.

The number of molecules in 22.4 cm³ of nitrogen gas at STP is

- a. 6.022×10^{20}
- b. 6.022×10^{23}
- c. 22.4×10^{20}
- d. 22.4×10^{23}

Answer:

- a. 6.022×10^{20}

Question I.

Which of the following has the largest number of atoms ?

- a. 1g Au_(s)
- b. 1g Na_(s)
- c. 1g Li_(s)
- d. 1g Cl_{2(g)}

Answer:

<https://www.indcareer.com/schools/maharashtra-board-solutions-class-11-chemistry-chapter-1-some-basic-concepts-of-chemistry/>

c. $1\text{g Li}_{(s)}$

2. Answer the following questions.


Question A.

State and explain Avogadro's law.


Answer:

- i. In the year 1811, Avogadro made a distinction between atoms and molecules and thereby proposed Avogadro's law.
- ii. Avogadro proposed that, "Equal volumes of all gases at the same temperature and pressure contain equal number of molecules".

e.g. Hydrogen gas combines with oxygen gas to produce water vapour as follows:



According to Avogadro's law, if 1 volume contains n molecules, then $2n$ molecules of hydrogen combine with n molecules of oxygen to give $2n$ molecules of water, i.e., 2 molecules of hydrogen gas combine with 1 molecule of oxygen to give 2 molecules of water vapour as represented below:



Question B.

Point out the difference between 12 g of carbon and 12 u of carbon.

Answer:

12 g of carbon is the molar mass of carbon while 12 u of carbon is the mass of one carbon atom.

<https://www.indcareer.com/schools/maharashtra-board-solutions-class-11-chemistry-chapter-1-some-basic-concepts-of-chemistry/>

Question C.



How many grams does an atom of hydrogen weigh ?

Answer:

The mass of a hydrogen atom is 1.6736×10^{-24} g.

Question D.

Calculate the molecular mass of the following in u.



Answer:

i. Molecular mass of $\text{NH}_3 = (1 \times \text{Average atomic mass of N}) + (3 \times \text{Average atomic mass of H})$

$$= (1 \times 14.0 \text{ u}) + (3 \times 1.0 \text{ u})$$

$$= 17 \text{ u}$$

ii. Molecular mass of $\text{CH}_3\text{COOH} = (2 \times \text{Average atomic mass of C}) + (4 \times \text{Average atomic mass of H}) + (2 \times \text{Average atomic mass of O})$

$$= (2 \times 12.0 \text{ u}) + (4 \times 1.0 \text{ u}) + (2 \times 16.0 \text{ u})$$

$$= 60 \text{ u}$$

iii. Molecular mass of $\text{C}_2\text{H}_5\text{OH} = (2 \times \text{Average atomic mass of C}) + (6 \times \text{Average atomic mass of H}) + (1 \times \text{Average atomic mass of O})$

$$= (2 \times 12.0 \text{ u}) + (6 \times 1.0 \text{ u}) + (1 \times 16.0 \text{ u})$$

$$= 46 \text{ u}$$

<https://www.indcareer.com/schools/maharashtra-board-solutions-class-11-chemistry-chapter-1-some-basic-concepts-of-chemistry/>

Ans: i. The molecular mass of $\text{NH}_3 = 17 \text{ u}$

ii. The molecular mass of $\text{CH}_3\text{COOH} = 60 \text{ u}$

iii. The molecular mass of $\text{C}_2\text{H}_5\text{OH} = 46 \text{ u}$

Question E.

How many particles are present in 1 mole of a substance ?

Answer:

The number of particles in one mole is 6.0221367×10^{23} .

Question F.

What is the SI unit of amount of a substance ?

Answer:

The SI unit for the amount of a substance is mole (mol).

Question G.

What is meant by molar volume of a gas ?

Answer:

The volume occupied by one mole of a gas at standard temperature (0°C) and pressure (1 atm) (STP) is called as molar volume of a gas. The molar volume of a gas at STP is 22.4 dm^3 .

Question H.

State and explain the law of conservation of mass.

Answer:

Law of conservation of mass:

<https://www.indcareer.com/schools/maharashtra-board-solutions-class-11-chemistry-chapter-1-some-basic-concepts-of-chemistry/>

- The law of conservation of mass states that, “Mass can neither be created nor destroyed” during chemical combination of matter.
- Antoine Lavoisier who is often referred to as the father of modern chemistry performed careful experimental studies for various combustion reactions, namely burning of phosphorus and mercury in the presence of air.
- Both his experiments resulted in increased weight of products.
- After several experiments, in burning of phosphorus, he found that the weight gained by the phosphorus was exactly the same as the weight lost by the air. Hence, total mass of reactants = total mass of products.
- When hydrogen gas burns and combines with oxygen to form water, the mass of the water formed is equal to the mass of the hydrogen and oxygen consumed. Thus, this is in accordance with the law of conservation of mass.

Question I.

State the law of multiple proportions.

Answer:

The law states that, “When two elements A and B form more than one compounds, the masses of element B that combine with a given mass of A are always in the ratio of small whole numbers”.

3. Give one example of each

Question A.

Homogeneous mixture

Answer:

Homogeneous mixture: Solution (An aqueous solution of sugar)

Question B.

Heterogeneous mixture

Answer:

Heterogeneous mixture: Suspension (of sand in water)

<https://www.indcareer.com/schools/maharashtra-board-solutions-class-11-chemistry-chapter-1-some-basic-concepts-of-chemistry/>

Question C.**Element****Answer:**

Element: Gold

Question D.**Compound****Answer:**

Compound: Distilled water.

4. Solve problems :**Question A.****What is the ratio of molecules in 1 mole of NH_3 and 1 mole of HNO_3 .****Answer:**One mole of any substance contains particles equal to 6.022×10^{23} .1 mole of $\text{NH}_3 = 6.022 \times 10^{23}$ molecules of NH_3 1 mole of $\text{HNO}_3 = 6.022 \times 10^{23}$ molecules of HNO_3 $\therefore$ Ratio = $6.022 \times 10^{23} : 6.022 \times 10^{23} = 1 : 1$

Ans: The ratio of molecules is = 1 : 1.

Question B.**Calculate number of moles of hydrogen in 0.448 litre of hydrogen gas at STP.****Answer:**

Given: Volume of hydrogen at STP = 0.448 L

<https://www.indcareer.com/schools/maharashtra-board-solutions-class-11-chemistry-chapter-1-some-basic-concepts-of-chemistry/>

To find: Number of moles of hydrogen

Formula: Number of moles of a gas (n) = $\frac{\text{Volume of a gas at STP}}{\text{Molar volume of a gas}}$

Molar volume of a gas = $22.4 \text{ dm}^3 \text{ mol}^{-1} = 22.4 \text{ L at STP}$

$$\begin{aligned}\text{Number of moles of a gas (n)} &= \frac{\text{Volume of a gas at STP}}{\text{Molar volume of a gas}} \\ &= \frac{0.448 \text{ L}}{22.4 \text{ L mol}^{-1}} \\ &= \mathbf{0.02 \text{ mol}}\end{aligned}$$

Ans: Number of moles of hydrogen = 0.02 mol

Question C.

The mass of an atom of hydrogen is 1.008 u. What is the mass of 18 atoms of hydrogen.

Answer:

Mass of 1 atom of hydrogen = 1.008 u

$\therefore$ Mass of 18 atoms of hydrogen = $18 \times 1.008 \text{ u} = 18.144 \text{ u}$

Ans: The mass of 18 atoms of hydrogen = 18.144 u

Question D.

Calculate the number of atom in each of the following (Given : Atomic mass of I = 127 u).

a. 254 u of iodine (I)

b. 254 g of iodine (I)

Answer:

<https://www.indcareer.com/schools/maharashtra-board-solutions-class-11-chemistry-chapter-1-some-basic-concepts-of-chemistry/>

a. 254 u of iodine (I) = x atoms

Atomic mass of iodine (I) = 127 u

∴ Mass of one iodine atom = 127 u

∴ $x = \frac{254 \text{ u}}{127 \text{ u}} = 2 \text{ atoms}$

b. 254 g of iodine (I)

Atomic mass of iodine = 127 u

∴ Molar mass of iodine = 127 g mol⁻¹

Now,

$$\begin{aligned}\text{Number of moles} &= \frac{\text{Mass of a substance}}{\text{Molar mass of a substance}} \\ &= \frac{254 \text{ g}}{127 \text{ g mol}^{-1}} \\ &= 2 \text{ mol}\end{aligned}$$

Now,

Number of atoms = Number of moles × Avogadro's constant

= 2 mol × 6.022 × 10²³ atoms/mol

= 12.044 × 10²³ atoms

= 1.2044 × 10²⁴ atoms

Ans. i. Number of iodine atoms in 254 u = 2 atoms

ii. Number of iodine atoms in 254 g = 1.2044 × 10²⁴ atoms

Question E.

A student used a carbon pencil to write his homework. The mass of this was found to be 5 mg. With the help of this calculate.

<https://www.indcareer.com/schools/maharashtra-board-solutions-class-11-chemistry-chapter-1-some-basic-concepts-of-chemistry/>

a. The number of moles of carbon in his homework writing.

b. The number of carbon atoms in 12 mg of his homework writing.

Answer:

a. 5 mg carbon = 5×10^{-3} g carbon

Atomic mass of carbon = 12 u

$\therefore$ Molar mass of carbon 12 g mol^{-1}

$$\begin{aligned}\text{Number of moles} &= \frac{\text{Mass of a substance}}{\text{Molar mass of a substance}} \\ &= \frac{5 \times 10^{-3} \text{ g}}{12 \text{ g mol}^{-1}} \\ &= 4.167 \times 10^{-4} \text{ mol}\end{aligned}$$

b. 12 mg carbon = 12×10^{-3} g carbon

$$\text{Number of moles} = \frac{\text{Mass of a substance}}{\text{Molar mass of a substance}} = \frac{12 \times 10^{-3} \text{ g}}{12 \text{ g mol}^{-1}} = 1 \times 10^{-3} \text{ mol}$$

Number of atoms = Number of moles $\times$ Avogadro's constant

Number of atoms of carbon = $1 \times 10^{-3} \text{ mol} \times 6.022 \times 10^{23} \text{ atoms/mol}$

= 6.022×10^{20} atoms

Ans: Number of moles of carbon in his homework writing = $4.167 \times 10^{-4} \text{ mol}$

Number of atoms of carbon in 12 mg homework writing = 6.022×10^{20} atoms

Question F.

Arjun purchased 250 g of glucose ($\text{C}_6\text{H}_{12}\text{O}_6$) for Rs 40. Find the cost of glucose per mole.

Answer:

<https://www.indcareer.com/schools/maharashtra-board-solutions-class-11-chemistry-chapter-1-some-basic-concepts-of-chemistry/>

Given: Mass of urea = 250 g, cost for 250 g glucose = Rs 40, molecular formula of glucose = $C_6H_{12}O_6$

To find: Cost per mole of glucose

Calculation: Molecular formula of glucose is ($C_6H_{12}O_6$).

Molecular mass of glucose

= (6 × Average atomic mass of C) + (12 × Average atomic mass of H) + (6 × Average atomic mass of O)

= (6 × 12 u) + (12 × 1 u) + (6 × 16 u)

= 180 u

∴ Molar mass of glucose = 180 g mol^{-1}

$$\text{Number of moles} = \frac{\text{Mass of a substance}}{\text{Molar mass of a substance}} = \frac{250 \text{ g}}{180 \text{ g mol}^{-1}} = \frac{250}{180} \text{ mol}$$

Now,

$$\frac{250}{180} \text{ mol of glucose cost} = \text{Rs } 40$$

$$1 \text{ mol glucose cost} = x$$

$$\therefore x = \frac{40 \times 180}{250} = \text{Rs } 28.8/\text{mol of glucose}$$

Ans. The cost of glucose per mole is Rs 28.8.

[Calculation using log table:

$$\frac{40 \times 180}{250}$$

$$= \text{Antilog}_{10} [\log_{10}(40) + \log_{10}(180) + \log_{10}(250)]$$

$$= \text{Antilog}_{10} [1.6021 + 2.2553 - 2.3979]$$

$$= \text{Antilog}_{10} [1.4595] = 28.80]$$

Question G.

The natural isotopic abundance of ^{10}B is 19.60% and ^{11}B is 80.40 %. The exact isotopic masses are 10.13 and 11.009 respectively. Calculate the average atomic mass of boron.

Answer:

Average atomic mass of Boron(B)

$$\begin{aligned} &= \frac{(\text{At. mass of } ^{10}\text{B} \times \% \text{Abundance}) + (\text{At. mass of } ^{11}\text{B} \times \% \text{Abundance})}{100} \\ &= \frac{(10.13 \text{ u} \times 19.60) + (11.009 \text{ u} \times 80.40)}{100} = \mathbf{10.84 \text{ u}} \end{aligned}$$

Ans. Average atomic mass of boron = 10.84 u

Question H.

Convert the following degree Celsius temperature to degree Fahrenheit.

a. 40 °C

b. 30 °C

a. Given: Temperature in degree Celsius = 40 °C

To find: Temperature in degree Fahrenheit

Formula: $^{\circ}\text{F} = \frac{9}{5} (^{\circ}\text{C}) + 32$

Calculation: Substituting 40 °C in the formula,

$$^{\circ}\text{F} = \frac{9}{5} (^{\circ}\text{C}) + 32$$

$$= \frac{9}{5} (40) + 32$$

$$= 72 + 32$$

$$= 104 ^{\circ}\text{F}$$

b. Given: Temperature in degree Celsius = 30 °C

To find: Temperature in degree Fahrenheit

Formula: $^{\circ}\text{F} = \frac{9}{5} (^{\circ}\text{C}) + 32$

Calculation: Substituting 30 °C in the formula,

$$^{\circ}\text{F} = \frac{9}{5} (^{\circ}\text{C}) + 32$$

$$= \frac{9}{5} (30) + 32$$

$$= 54 + 32$$

$$= 86 ^{\circ}\text{F}$$

Ans: i. The temperature 40 °C corresponds to 104 °F.

ii. The temperature 30 °C corresponds to 86 °F.

Question I.

Calculate the number of moles and molecules of acetic acid present in 22 g of it.

Answer:

Given: Mass of acetic acid = 22 g

To find: The number of moles and molecules of acetic acid

Formulae: Number of moles = $\frac{\text{Mass of a substance}}{\text{Molar mass of a substance}}$

ii. Number of molecules = Number of moles $\times$ Avogadro's constant

Calculator: Mass of acetic acid = 22 g

Molecular mass of acetic acid, CH_3COOH

= (2 $\times$ Average atomic mass of C) + (4 $\times$ Average atomic mass of H) + (2 $\times$ Average atomic mass of O)

= (2 $\times$ 12 u) + (4 $\times$ 1 u) + (2 $\times$ 16 u) = 60 u

$\therefore$ Molar mass of acetic acid = 60 g mol⁻¹

$$\text{Number of moles} = \frac{\text{Mass of a substance}}{\text{Molar mass of a substance}} = \frac{22 \text{ g}}{60 \text{ g mol}^{-1}} = \mathbf{0.367 \text{ mol}}$$

Now,

Number of molecules of acetic acid = Number of moles $\times$ Avogadro's constant

= 0.367 mol $\times$ 6.022 $\times$ 10²³ molecules/mol

= 2.210 $\times$ 10²³ molecules

Ans: Number of moles = 0.367 mol

Number of molecules of acetic acid = 2.210 $\times$ 10²³ molecules

Question J.


24 g of carbon reacts with some oxygen to make 88 grams of carbon dioxide. Find out how much oxygen must have been used.

Answer:

Given: Mass of carbon (reactant) = 24 g, mass of carbon dioxide (product) = 88 g

To find: Mass of oxygen (reactant)

Calculation: 12 g of carbon combine with 32 g oxygen to form 44 g of carbon dioxide as follows:



Hence, ($2 \times 12 = 24$ g) of carbon will combine with ($2 \times 32 = 64$ g) of oxygen to give ($2 \times 44 = 88$ g) carbon dioxide.

Ans: Mass of oxygen used = 64 g

Question K.

Calculate number of atoms in each of the following. (Average atomic mass : N = 14 u, S = 32 u)

a. 0.4 mole of nitrogen

b. 1.6 g of sulfur

Answer:

a. 0.4 mole of nitrogen (N)

Number of atoms of N = Number of moles $\times$ Avogadro's constant

$$= 0.4 \text{ mol} \times 6.022 \times 10^{23} \text{ atoms/mol}$$

$$= 2.4088 \times 10^{23} \text{ atoms of N}$$

b. 1.6 g of Sulphur (S)

Molar mass of sulphur = 32 g mol^{-1}

$$\text{Number of moles} = \frac{\text{Mass of a substance}}{\text{Molar mass of a substance}} = \frac{1.6 \text{ g}}{32 \text{ g mol}^{-1}} = 0.05 \text{ mol}$$

Number of atoms of S = Number of moles $\times$ Avogadro's constant

$$= 0.05 \text{ mol} \times 6.022 \times 10^{23} \text{ atoms/mol}$$

$$= 0.3011 \times 10^{23} \text{ atoms}$$

$$= 3.011 \times 10^{22} \text{ atoms of S}$$

Ans: a. Number of nitrogen atoms in 0.4 mole = 2.4088×10^{23} atoms of N

b. Number of sulphur atoms in 1.6 g = 3.011×10^{22} atoms of S

Question L.

2.0 g of a metal burnt in oxygen gave 3.2 g of its oxide. 1.42 g of the same metal heated in steam gave 2.27 g of its oxide. Which law is verified by these data ?

Answer:

Here, metal oxide is obtained by two different methods; reactions of metal with oxygen and reaction of metal with water vapour (steam).

<https://www.indcareer.com/schools/maharashtra-board-solutions-class-11-chemistry-chapter-1-some-basic-concepts-of-chemistry/>

In first reaction (reaction with oxygen),

The mass of oxygen in metal oxide = $3.2 - 2.0 = 1.2$ g

The mass of oxygen in metal oxide = $3.2 - 2.0 = 1.2$ g

$$\% \text{ of oxygen} = \frac{1.2}{3.2} \times 100 = 37.5\%$$

$$\% \text{ of metal} = \frac{2.0}{3.2} \times 100 = 62.5\%$$

In second reaction (reaction with steam),

The mass of oxygen in metal oxide = $2.27 - 1.42 = 0.85$ g

$$\% \text{ of oxygen} = \frac{0.85}{2.27} \times 100 = 37.44 \approx 37.5\%$$

$$\% \text{ of metal} = \frac{1.42}{2.27} \times 100 = 62.56 \approx 62.5\%$$

Therefore, irrespective of the source, the given compound contains same elements in the same proportion. The law of definite proportions states that "A given compound always contains exactly the same proportion of elements by weight". Hence, the law of definite proportions is verified by these data.

Ans: The law of definite proportions is verified by given data.

Question M.

In two moles of acetaldehyde (CH_3CHO) calculate the following

- Number of moles of carbon
- Number of moles of hydrogen
- Number of moles of oxygen
- Number of molecules of acetaldehyde

Answer:

Molecular formula of acetaldehyde: $\text{C}_2\text{H}_4\text{O}$

Moles of acetaldehyde = 2 mol

$$\begin{aligned} \text{a. Number of moles of carbon atoms} &= \text{Moles of acetaldehyde} \times \text{Number of carbon atoms} \\ &= 2 \times 2 \\ &= 4 \text{ moles of carbon atoms} \end{aligned}$$

b. Number of moles of hydrogen atoms = Moles of acetaldehyde $\times$ Number of hydrogen atoms

$$= 2 \times 4$$

= 8 moles of hydrogen atoms

<https://www.indcareer.com/schools/maharashtra-board-solutions-class-11-chemistry-chapter-1-some-basic-concepts-of-chemistry/>

c. Number of moles of oxygen atoms = Moles of acetaldehyde $\times$ Number of oxygen atoms

$$= 2 \times 1$$

= 2 moles of oxygen atoms

d. Number of molecules of acetaldehyde = Moles of acetaldehyde $\times$ Avogadro number

$$= 2 \text{ mol} \times 6.022 \times 10^{23} \text{ molecules/mol}$$

$$= 12.044 \times 10^{23} \text{ molecules of acetaldehyde}$$

Ans: i. Number of moles of carbon, hydrogen and oxygen are 4, 8, 2 respectively,

ii. Number of molecules of acetaldehyde = 12.044×10^{23}

Question N.

Calculate the number of moles of magnesium oxide, MgO in

i. 80 g and

ii. 10 g of the compound.

(Average atomic masses of Mg = 24 and O = 16)

Answer:

Given: i. Mass of MgO = 80 g

ii. Mass of MgO = 10 g

To find: Number of moles of MgO

Formulae: Number of moles (n) = $\frac{\text{Mass of a substance}}{\text{Molar mass of a substance}}$

Calculation: i. Molecular mass of MgO = (1 × Average atomic mass of Mg) + (1 × Average atomic mass of O)

$$= (1 \times 24\text{u}) + (1 \times 16\text{u})$$

$$= 40\text{u}$$

$$\therefore \text{Molar mass of MgO} = 40\text{ g mol}^{-1}$$

Mass of MgO = 80 g

Number of moles (n) = $\frac{\text{Mass of a substance}}{\text{Molar mass of a substance}}$

$$= \frac{80\text{ g}}{40\text{ g mol}^{-1}}$$

$$= 2\text{ mol}$$

ii. Mass of MgO = 10 g, Molar mass of MgO = 40 g mol⁻¹

Number of moles (n) = $\frac{\text{Mass of a substance}}{\text{Molar mass of a substance}}$

$$= \frac{10\text{ g}}{40\text{ g mol}^{-1}}$$

$$= 0.25\text{ mol}$$

Ans: i. The number of moles in 80 g of magnesium oxide, MgO = 2 mol

ii. The number of moles in 10 g of magnesium oxide, MgO = 0.25 mol

Question O.

What is volume of carbon dioxide, CO₂ occupying by i. 5 moles and ii. 0.5 mole of CO₂ gas measured at STP.

Answer:

Given: i. Number of moles of CO₂ = 5 mol

ii. Number of moles of CO₂ = 0.5 mol

To find: Volume at STP

Formula: Number of moles of a gas (n) = $\frac{\text{Volume of a gas at STP}}{\text{Molar volume of a gas}}$

Calculation: Molar volume of a gas $22.4 \text{ dm}^3 \text{ mol}^{-1}$ at STP.

$$\text{Number of moles of a gas (n)} = \frac{\text{Volume of a gas at STP}}{\text{Molar volume of a gas}}$$

$\therefore$ i. Volume of the gas at STP = Number of moles of a gas (n) $\times$ Molar volume of a gas
 $= 5 \text{ mol} \times 22.4 \text{ dm}^3 \text{ mol}^{-1} = 112 \text{ dm}^3$

ii. Volume of the gas at STP Number of moles of a gas (n) $\times$ Molar volume of a gas
 $= 0.5 \text{ mol} \times 22.4 \text{ dm}^3 \text{ mol}^{-1} = 11.2 \text{ dm}^3$

Ans: i. Volume of 5 mol of $\text{CO}_2 = 112 \text{ dm}^3$

ii. Volume of 0.5 mol of $\text{CO}_2 = 11.2 \text{ dm}^3$


Question P.

Calculate the mass of potassium chlorate required to liberate 6.72 dm^3 of oxygen at STP. Molar mass of KClO_3 is 122.5 g mol^{-1} .

Answer:

The molecular formula of potassium chlorate is KClO_3 .

Required chemical equation:



2 moles of $\text{KClO}_3 = 2 \times 122.5 = 245 \text{ g}$

3 moles of O_2 at STP occupy $= (3 \times 22.4 \text{ dm}^3) = 67.2 \text{ dm}^3$

Thus, 245 g of potassium chlorate will liberate 67.2 dm^3 of oxygen gas.

Let 'x' gram of KClO_3 liberate 6.72 dm^3 of oxygen gas at S.T.P.

$$\therefore x = \frac{245 \times 6.72}{67.2} = 24.5 \text{ g}$$

Ans: Mass of potassium chlorate required = 24.5 g

Question Q.

Calculate the number of atoms of hydrogen present in 5.6 g of urea, $(\text{NH}_2)_2\text{CO}$. Also calculate the number of atoms of N, C and O.

Answer:

Given: Mass of urea = 5.6 g

To find: The number of atoms of hydrogen, nitrogen, carbon and oxygen

Calculation: Molecular formula of urea: $(\text{NH}_2)_2\text{CO}$

Molar mass of urea = 60 g mol^{-1}

<https://www.indcareer.com/schools/maharashtra-board-solutions-class-11-chemistry-chapter-1-some-basic-concepts-of-chemistry/>

$$\text{Number of moles} = \frac{\text{Mass of a substance}}{\text{Molar mass of a substance}} = \frac{5.6 \text{ g}}{60 \text{ g mol}^{-1}} = 0.0933 \text{ mol}$$

$\therefore$ Moles of urea = 0.0933 mol

Number of atoms = Number of moles $\times$ Avogadro's constant

Now, 1 molecule of urea has total 8 atoms, out of which 4 atoms are of H, 2 atoms are of N, 1 of C and 1 of O.

$\therefore$ Number of H atoms in 5.6 g of urea = $(4 \times 0.0933) \text{ mol} \times 6.022 \times 10^{23} \text{ atoms/mol}$
 $= 2.247 \times 10^{23}$ atoms of hydrogen

$\therefore$ Number of N atoms in 5.6 g of urea = $(2 \times 0.0933) \text{ mol} \times 6.022 \times 10^{23} \text{ atoms/mol}$
 $= 1.124 \times 10^{23}$ atoms of nitrogen

$\therefore$ Number of C atoms in 5.6 g of urea = $(1 \times 0.0933) \text{ mol} \times 6.022 \times 10^{23} \text{ atoms/mol}$
 $= 0.562 \times 10^{23}$ atoms of carbon

$\therefore$ Number of O atoms in 5.6 g of urea = $(1 \times 0.0933) \text{ mol} \times 6.022 \times 10^{23} \text{ atoms/mol}$
 $= 0.562 \times 10^{23}$ atoms of oxygen

Ans: 5.6 g of urea contain 2.247×10^{23} atoms of H, 1.124×10^{23} atoms of N, 0.562×10^{23} atoms of C and 0.562×10^{23} atoms of O.

Question R.

Calculate the mass of sulfur dioxide produced by burning 16 g of sulfur in excess of oxygen in contact process. (Average atomic mass : S = 32 u, O = 16 u)


Answer:

Given: Mass of sulphur (reactant) = 16 g

<https://www.indcareer.com/schools/maharashtra-board-solutions-class-11-chemistry-chapter-1-some-basic-concepts-of-chemistry/>

To find: Mass of sulphur dioxide (product)

Calculation: 32 g of sulphur combine with 32 g oxygen to form 64 g of sulphur dioxide as follows:



Hence, ($0.5 \times 32 = 16$ g) of sulphur will combine with ($0.5 \times 32 = 16$ g) of oxygen to give ($0.5 \times 64 = 32$ g) sulphur dioxide.

Ans: Mass of sulphur dioxide produced = 32 g

5. Explain

Question A.

The need of the term average atomic mass.

Answer:

- Several naturally occurring elements exist as a mixture of two or more isotopes.
- Isotopes have different atomic masses.
- The atomic mass of such an element is the average of atomic masses of its isotopes.
- For this purpose, the atomic masses of isotopes and their relative percentage abundances are considered.

Hence, the term average atomic mass is needed to express atomic mass of elements containing mixture of two or more isotopes.

Question B.

Molar mass.

Answer:

i. The mass of one mole of a substance (element/compound) in grams is called its molar mass.

<https://www.indcareer.com/schools/maharashtra-board-solutions-class-11-chemistry-chapter-1-some-basic-concepts-of-chemistry/>

ii. The molar mass of any element in grams is numerically equal to atomic mass of that element in u.

e.g.

Element	Atomic mass (u)	Molar mass (g mol ⁻¹)
H	1.0	1.0
C	12.0	12.0
O	16.0	16.0

iii. Similarly, molar mass of polyatomic molecule, in grams is numerically equal to its molecular mass or formula mass in u.

e.g.

Polyatomic substance	Molecular/formula mass (u)	Molar mass (g mol ⁻¹)
O ₂	32.0	32.0
H ₂ O	18.0	18.0
NaCl	58.5	58.5

Question C.

Mole concept.

Answer:

- Even a small amount of any substance contains very large number of atoms or molecules. Therefore, a quantitative adjective 'mole' is used to express the large

<https://www.indcareer.com/schools/maharashtra-board-solutions-class-11-chemistry-chapter-1-some-basic-concepts-of-chemistry/>

number of sub-microscopic entities like atoms, molecules, ions, electrons, etc. present in a substance.

- Thus, one mole is the amount of a substance that contains as many entities or particles as there are atoms in exactly 12 g (or 0.012 kg) of the carbon -12 isotope.
- One mole is the amount of substance which contains 6.0221367×10^{23} particles/entities.

Question D.

Formula mass with an example.

Answer:

- The formula mass of a substance is the sum of atomic masses of the atoms present in the formula.
- In substances such as sodium chloride, positive (sodium), and negative (chloride) entities are arranged in a three-dimensional structure in a way that one sodium (Na^+) ion is surrounded by six chlorides (Cl^-) ions, all at the same distance from it and vice versa. Thus, sodium chloride does not contain discrete molecules as the constituent units.
- Therefore, NaCl is just the formula that is used to represent sodium chloride though it is not a molecule.
- In such compounds, the formula (i.e., NaCl) is used to calculate the formula mass instead of molecular mass.

e.g. Formula mass of sodium chloride = atomic mass of sodium + atomic mass of chlorine

$$= 23.0 \text{ u} + 35.5 \text{ u} = 58.5 \text{ u}$$

Question E.

Molar volume of gas.

Answer:

- i. It is more convenient to measure the volume rather than mass of the gas.

<https://www.indcareer.com/schools/maharashtra-board-solutions-class-11-chemistry-chapter-1-some-basic-concepts-of-chemistry/>

ii. It is found from Avogadro law that one mole of any gas occupies a volume of 22.4 dm^3 at standard temperature (0°C) and pressure (1 atm) (STP).

iii. The volume of 22.4 dm^3 at STP is known as molar volume of a gas.

iv. The relationship between number of moles and molar volume can be expressed as follows:

$$\begin{aligned}\text{Number of moles of a gas (n)} &= \frac{\text{Volume of the gas at STP}}{\text{Molar volume of the gas}} \\ &= \frac{\text{Volume of the gas at STP}}{22.4 \text{ dm}^3 \text{ mol}^{-1}}\end{aligned}$$

[Note: IUPAC has recently changed the standard pressure to 1 bar. Under these new STP conditions the molar volume of a gas is 22.71 L mol^{-1}]

Question F.

Types of matter (on the basis of chemical composition).

Answer:

Matter on the basis of chemical composition can be classified as follows:

i. Pure substances: They always have a definite chemical composition. They always have the same properties regardless of their origin.

e.g. Pure metal, distilled water, etc.

They are of two types:

a. Elements: They are pure substances, which cannot be broken down into simpler substances by ordinary chemical changes.

Elements are further classified into three types:

1. Metals:

- They have a lustre (a shiny appearance).
- They conduct heat and electricity.

<https://www.indcareer.com/schools/maharashtra-board-solutions-class-11-chemistry-chapter-1-some-basic-concepts-of-chemistry/>

- They can be drawn into wire (ductile).
- They can be hammered into thin sheets (malleable).
- e.g. Gold, silver, copper, iron. Mercury is a liquid metal at room temperature.

2. Nonmetals:

- They have no lustre, (except diamond, iodine)
- They are poor conductors of heat and electricity, (except graphite)
- They cannot be hammered into sheets or drawn into wire, because they are brittle. e.g. Iodine

3. Metalloids: Some elements have properties that are intermediate between metals and nonmetals and are called metalloids or semimetals.

e.g. Arsenic, silicon and germanium.

b. Compounds: They are the pure substances which are made up of two or more elements in fixed proportion.

e.g. Water, ammonia, methane, etc.

ii. Mixtures: They have no definite chemical composition and hence no definite properties. They can be separated by physical methods.

e.g. Paint (mixture of oils, pigment, additive), concrete (a mixture of sand, cement, water), etc.

Mixtures are of two types:

- Homogeneous mixture: In homogeneous mixture, constituents remain uniformly mixed throughout its bulk.
e.g. Solution, in which solute and solvent molecules are uniformly mixed throughout its bulk.
- Heterogeneous mixture: In heterogeneous mixture, constituents are not uniformly mixed throughout its bulk.
e.g. Suspension, which contains insoluble solid in a liquid.

Can you tell? (Textbook Page No. 1)

Question 1.

<https://www.indcareer.com/schools/maharashtra-board-solutions-class-11-chemistry-chapter-1-some-basic-concepts-of-chemistry/>

Which are mixtures and pure substances from the following?

- i. Sea water
- ii. Gasoline
- iii. Skin
- iv. A rusty nail
- v. A page of textbook
- vi. Diamond

Answer:

No	Material	Pure substance or mixture
.		
i.	Seawater	Mixture
ii.	Gasoline	Mixture
iii.	Skin	Mixture
iv.	A rusty nail	Mixture
V.	A page of textbook	Mixture
vi.	Diamond	Pure substance

Can you tell? (Textbook Page No. 2)

Question 1.

Classify the following as element and compound.

- i. Mercuric oxide

<https://www.indcareer.com/schools/maharashtra-board-solutions-class-11-chemistry-chapter-1-some-basic-concepts-of-chemistry/>

- ii. Helium gas
- iii. Water
- iv. Table salt
- v. Iodine
- vi. Mercury
- vii. Oxygen
- viii. Nitrogen

Answer:

No.	Material	Element or compound
i.	Mercuric oxide	Compound
ii.	Helium gas	Element
iii.	Water	Compound
iv.	Table salt	Compound
V.	Iodine	Element
vi.	Mercury	Element
vii.	Oxygen	Element
viii	Nitrogen	Element
.		


Can you tell? (Textbook Page No. 6)

Question 1.

<https://www.indcareer.com/schools/maharashtra-board-solutions-class-11-chemistry-chapter-1-some-basic-concepts-of-chemistry/>

If 10 volumes of dihydrogen gas react with 5 volumes of dioxygen gas, how many volumes of water vapour would be produced?

Answer:



If 10 volumes of dihydrogen gas react with 5 volumes of dioxygen gas, then 10 volumes of water vapour would be produced.

Can you recall? (Textbook Page No. 6)

Question 1.

What is an atom and molecule? What is the order of magnitude of mass of one atom? What are isotopes?

Answer:

- The smallest indivisible particle of an element is called an atom.
- A molecule is an aggregate of two or more atoms of definite composition which are held together by chemical bonds.
- Every atom of an element has definite mass. The order of magnitude of mass of one atom is 10^{-27} kg.
- Isotopes are the atoms of the same element having same atomic number but different mass number.

Try this (Textbook Page No. 8)

Question 1.

Find the formula mass of CaSO_4 , if atomic mass of Ca = 40.1 u, S = 32.1 u and O = 16.0 u.

Solution:

Formula mass of CaSO_4

<https://www.indcareer.com/schools/maharashtra-board-solutions-class-11-chemistry-chapter-1-some-basic-concepts-of-chemistry/>

= Average atomic mass of Ca + Average atomic mass of S + Average atomic mass of four O

$$= (40.1) + 32.1 + (4 \times 16.0) = 136.2 \text{ u}$$

Ans: Formula mass of $\text{CaSO}_4 = 136.2 \text{ u}$

Can you recall? (Textbook Page No. 8)

Question 1.

i. One dozen means how many items?

ii. One gross means how many items?

Answer:

i. One dozen means 12 items.

ii. One gross means 144 items.

Try this (Textbook Page No. 10)

Question 1.

Calculate the volume in dm^3 occupied by 60.0 g of ethane at STP.

Solution:

Given: Mass of ethane at STP = 60.0 g

To find: Volume of ethane

Formulae:

$$\text{i. Number of moles} = \frac{\text{Mass of a substance}}{\text{Molar mass of the substance}}$$

$$\text{ii. Number of moles} = \frac{\text{Volume of a gas at STP}}{\text{Molar volume of a gas}}$$

<https://www.indcareer.com/schools/maharashtra-board-solutions-class-11-chemistry-chapter-1-some-basic-concepts-of-chemistry/>

Calculation: Molar volume of a gas = $22.4 \text{ dm}^3 \text{ mol}^{-1}$ at STP

Molecular mass of ethane = 30 g mol^{-1}

$$\begin{aligned}\text{Number of moles} &= \frac{\text{Mass of a substance}}{\text{Molar mass of the substance}} \\ &= \frac{60.0 \text{ g}}{30 \text{ g mol}^{-1}} = 2 \text{ mol}\end{aligned}$$

$$\text{Number of moles of a gas (n)} = \frac{\text{Volume of the gas at STP}}{\text{Molar volume of a gas}}$$

$\therefore$ Volume of the gas at STP = Number of moles of a gas (n) $\times$ Molar volume of a gas

$$= 2 \text{ mol} \times 22.4 \text{ dm}^3 \text{ mol}^{-1} = 44.8 \text{ dm}^3$$

Ans: Volume of ethane = 44.8 dm^3

Activity :

Activity 1.

Collect information from various scientists and prepare charts of their contributions to chemistry.

Answer:

Scientists	Contributions
Joseph Louis Gay-Lussac (1778 – 1850) (French chemist and physicist)	i. Formulated the gas law.

<https://www.indcareer.com/schools/maharashtra-board-solutions-class-11-chemistry-chapter-1-some-basic-concepts-of-chemistry/>

ii. Collected samples of air at different heights and recorded temperatures and moisture contents.

iii. Discovered that the composition of the atmosphere does not change with increasing altitude.

Amedeo
Avogadro (1776
– 1856) (Italian
scholar)

i. Published article in French journal on determining the relative masses of elementary particles of bodies and proportions by which they enter combinations.

ii. Published a research paper titled “New considerations on the theory of proportions and on the determination of the masses of atoms.”



Maharashtra Board Solutions

Class 11 Chemistry

- Chapter 1- Some Basic Concepts of Chemistry
- Chapter 2- Introduction to Analytical Chemistry
- Chapter 3- Basic Analytical Techniques
- Chapter 4- Structure of Atom
- Chapter 5- Chemical Bonding
- Chapter 6- Redox Reactions
- Chapter 7- Modern Periodic Table
- Chapter 8- Elements of Group 1 and 2
- Chapter 9- Elements of Group 13, 14 and 15
- Chapter 10- States of Matter
- Chapter 11- Adsorption and Colloids
- Chapter 12- Chemical Equilibrium
- Chapter 13- Nuclear Chemistry and Radioactivity
- Chapter 14- Basic Principles of Organic Chemistry
- Chapter 15- Hydrocarbons
- Chapter 16- Chemistry in Everyday Life

<https://www.indcareer.com/schools/maharashtra-board-solutions-class-11-chemistry-chapter-1-some-basic-concepts-of-chemistry/>

About About Maharashtra State Board (MSBSHSE)

The Maharashtra State Board of Secondary and Higher Secondary Education or MSBSHSE (Marathi: महाराष्ट्र राज्य माध्यमिक आणि उच्च माध्यमिक शिक्षण मंडळ), is an **autonomous and statutory body established in 1965**. The board was amended in the year 1977 under the provisions of the Maharashtra Act No. 41 of 1965.

The Maharashtra State Board of Secondary & Higher Secondary Education (MSBSHSE), Pune is an independent body of the Maharashtra Government. There are more than 1.4 million students that appear in the examination every year. The Maha State Board conducts the board examination twice a year. This board conducts the examination for SSC and HSC.

The Maharashtra government established the Maharashtra State Bureau of Textbook Production and Curriculum Research, also commonly referred to as Ebalbharati, in 1967 to take up the responsibility of providing quality textbooks to students from all classes studying under the Maharashtra State Board. MSBHSE prepares and updates the curriculum to provide holistic development for students. It is designed to tackle the difficulty in understanding the concepts with simple language with simple illustrations. Every year around 10 lakh students are enrolled in schools that are affiliated with the Maharashtra State Board.

<https://www.indcareer.com/schools/maharashtra-board-solutions-class-11-chemistry-chapter-1-some-basic-concepts-of-chemistry/>

FAQs

Where do I get the Maharashtra State Board Books PDF For free download?

You can download the Maharashtra State Board Books from the eBalbharti official website, i.e. cart.ebalbharati.in or from this article.

Add image

How to Download Maharashtra State Board Books?

Students can get the Maharashtra Books for primary, secondary, and senior secondary classes from here. You can view or download the Maharashtra State Board Books from this page or from the official website for free of cost. Students can follow the detailed steps below to visit the official website and download the e-books for all subjects or a specific subject in different mediums.

Step 1: Visit the official website ebalbharati.in

Step 2: On the top of the screen, select "Download PDF textbooks"

Step 3: From the "Classes" section, select your class.

Step 4: From "Medium", select the medium suitable to you.

Step 5: All Maharashtra board books for class 11th will now be displayed on the right side.

Step 6: Click on the "Download" option to download the PDF book.

Who developed the Maharashtra State board books?

As of now, the MSCERT and Balbharti are responsible for the syllabus and textbooks of Classes 1 to 8, while Classes 9 and 10 are under the Maharashtra State Board of Secondary and Higher Secondary Education (MSBSHSE).

How many state boards are there in Maharashtra?

The Maharashtra State Board of Secondary & Higher Secondary Education, conducts the HSC and SSC Examinations in the state of Maharashtra through its nine Divisional Boards located at Pune, Mumbai, Aurangabad, Nasik, Kolhapur, Amravati, Latur, Nagpur and Ratnagiri.

<https://www.indcareer.com/schools/maharashtra-board-solutions-class-11-chemistry-chapter-1-some-basic-concepts-of-chemistry/>

About IndCareer

IndCareer.com is a leading developer of online career guidance resources for the Indian marketplace. Established in 2007, IndCareer.com is currently used by over thousands of institutions across India, including schools, employment agencies, libraries, colleges and universities.

IndCareer.com is designed to assist you in making the right career decision - a decision that meets your unique interests and personality.

For any clarifications or questions you can write to **info@indcareer.com**

Postal Address

IndCareer.com
52, Shilpa Nagar,
Somalwada
Nagpur - 440015
Maharashtra, India

WhatsApp: +91 9561 204 888

Website: <https://www.indcareer.com>

<https://www.indcareer.com/schools/maharashtra-board-solutions-class-11-chemistry-chapter-1-some-basic-concepts-of-chemistry/>