

Maharashtra Board Solutions for Class 9- Science: Chapter 1- Laws of Motion


BOOK SOLUTIONS
CLASS 9
SCIENCE

CHAPTER 1
Laws of Motion

IndCareer

SCIENCE AND TECHNOLOGY
STANDARD NINE

Maharashtra Board Solutions→



For any clarifications or questions you can write to info@indcareer.com

Postal Address

IndCareer.com, 52, Shilpa Nagar, Somalwada Nagpur - 440015
Maharashtra, India

WhatsApp: +91 9561 204 888, **Website:** <https://www.indcareer.com>

<https://www.indcareer.com/schools/maharashtra-board-solutions-for-class-9-science-chapter-1-laws-of-motion/>



Maharashtra Board Solutions for Class 9- Science: Chapter 1- Laws of Motion

Maharashtra Board 9th Science Chapter 1, Class 9 Science Chapter 1 solutions

1. Match the first column with appropriate entries in the second and third columns and remake the table.

S. No.	Column 1	Column 2	Column 3
1	Negative acceleration	The velocity of the object remains constant	A car, initially at rest reaches a velocity of 50 km/hr in 10 seconds
2	Positive acceleration	The velocity of the object decreases	A vehicle is moving with a velocity of 25 m/s
3	Zero acceleration	The velocity of the object increases	A vehicle moving with the velocity of 10 m/s, stops after 5 seconds.

2. Clarify the differences

A. Distance and displacement

Answer:

Distance

Displacement

<https://www.indcareer.com/schools/maharashtra-board-solutions-for-class-9-science-chapter-1-laws-of-motion/>

- (i) Distance is the length of the actual path travelled by an object.
- (ii) It is a scalar quantity.
- (iii) It is either equal to or greater than displacement.
- (iv) Distance travelled is always positive.

- (i) Displacement is the minimum distance between the starting and finishing points.
- (ii) It is a vector quantity.
- (iii) It is either equal to or less than distance.
- (iv) Displacement may be positive or negative or zero.

B. Uniform and non-uniform motion.

Answer:

Uniform motion

- (i) If an object covers equal distances in equal intervals of time it is said to be in uniform motion.
- (ii) Distance – time graph for uniform motion is a straight line.
- (iii) In uniform motion, acceleration is zero.

Non-uniform motion

- (i) If an object moves unequal distances in equal intervals of time, its motion is said to be nonuniform.
- (ii) Distance – time graph for non-uniform motion is not a straight line.
- (iii) In non-uniform motion acceleration is non-zero.

3. Complete the following table.

<https://www.indcareer.com/schools/maharashtra-board-solutions-for-class-9-science-chapter-1-laws-of-motion/>

u (m/s)	a (m/s ²)	t (sec)	v = u + at (m/s)
2	4	3	-
-	5	2	20

u (m/s)	a (m/s ²)	t (sec)	s = ut + $\frac{1}{2}$ at ² (m)
5	12	3	-
7	-	4	92

u (m/s)	a (m/s ²)	s (m)	v ² = u ² + 2as (m/s) ²
4	3	-	8
-	5	8.4	10

4. Complete the sentences and explain them.

- The minimum distance between the start and finish points of the motion of an object is called the of the object.
- Deceleration is acceleration
- When an object is in uniform circular motion, its changes at every point.
- During collision remains constant.
- The working of a rocket depends on Newton's law of motion.

5. Give scientific reasons.

- When an object falls freely to the ground, its acceleration is uniform.

Answer:

- When the body falls freely to the ground, there are equal changes in velocity of the body in equal intervals of time.
- Thus the acceleration of the body is constant, and it possesses uniform acceleration.

- Even though the magnitudes of action force and reaction force are equal and their directions are opposite, their effects do not get cancelled.

<https://www.indcareer.com/schools/maharashtra-board-solutions-for-class-9-science-chapter-1-laws-of-motion/>

Answer:

- Action and reaction forces act on different bodies.
- They don't act on the same body, hence they cannot cancel each other's effect.
- Hence, even though the magnitudes of action force and reaction force are equal, they do not cancel each other.

c. It is easier to stop a tennis ball as compared to a cricket ball, when both are traveling with the same velocity.

Answer:

- Momentum of an object depends on its mass as well as its velocity.
- Cricket ball is heavier than a tennis ball. Although they are thrown with the same velocity, cricket ball has more momentum than a tennis ball.
- The force required to stop a cricket ball is more than a tennis ball.
- Hence it is easier to stop a tennis ball than a cricket ball moving with same velocity.

d. The velocity of an object at rest is considered to be uniform.

Answer:

- When a body is at rest there is no change in velocity.
- A body with constant velocity is said to be in uniform motion.
- Hence, the state of rest is an example of uniform motion.

6. Take 5 examples from your surroundings and give an explanation based on Newton's laws of motion.

7. Solve the following examples.

a) An object moves 18 m in the first 3 s, 22 m in the next 3 s and 14 m in the last 3 s. What is its average speed? (Ans: 6 m/s)

Answer:

Given:

Total distance (d) = $18 + 22 + 14 = 54$ m

Total time taken (t) = $3 + 3 + 3 = 9$ sec

To find:

<https://www.indcareer.com/schools/maharashtra-board-solutions-for-class-9-science-chapter-1-laws-of-motion/>

Average speed = ?

Formula :

$$\text{Average speed} = \frac{\text{Total distance covered}}{\text{Total time taken}}$$

Solution :

$$\begin{aligned}\text{Average speed} &= \frac{\text{Total distance covered}}{\text{Total time taken}} \\ &= \frac{54}{9} \\ &= 6 \text{ m/s}\end{aligned}$$

The object moves with an average speed of 6 m/s.

b) An object of mass 16 kg is moving with an acceleration of 3 m/s^2 . Calculate the applied force. If the same force is applied on an object of mass 24 kg, how much will be the acceleration? (Ans: 48 N, 2 m/s^2)

Answer:

<https://www.indcareer.com/schools/maharashtra-board-solutions-for-class-9-science-chapter-1-laws-of-motion/>

Given :

Mass of 1st body (m_1) = 16 kg

Acceleration of 1st body (a_1) = 3 m/s²

Mass of 2nd body (m_2) = 24 kg

To find :

Force on 1st body (F_1) = ?

Acceleration of 2nd body (a_2) = ?

Formula :

$$F = m \times a$$

Solution :

$$F_1 = m_1 \times a_1$$

$$F_1 = 16 \times 3$$

$$F_1 = 48 \text{ N}$$

$$F_2 = m_2 \times a_2$$

$$a_2 = \frac{F_2}{m_2}$$

$$a_2 = \frac{48}{24}$$

$$a_2 = 2 \text{ m/s}^2$$

The force acting on the 1 body is 48 N and the acceleration of the 2nd body is 2 m/s²

c) A bullet having a mass of 10 g and moving with a speed of 1.5 m/s, penetrates a thick wooden plank of mass 90 g. The plank was initially at rest. The bullet gets embedded in the plank and both move together. Determine their velocity. (Ans: 0.15 m/s)

Answer:

Given :

$$\text{Mass of bullet } (m_1) = 10\text{g} = \frac{10}{1000} \text{ kg}$$

$$\text{Mass of plank } (m_2) = 90\text{g} = \frac{90}{1000} \text{ kg}$$

$$\text{Initial velocity of bullet } (u_1) = 1.5 \text{ m/s}$$

$$\text{Initial velocity of plank } (u_2) = 0 \text{ m/s}$$

To find : Common velocity

$$\text{Formula: } m_1u_1 + m_2u_2 = m_1v_1 + m_2v_2$$

$$\text{Solution: } v_1 = v_2 = v$$

$$\therefore m_1u_1 + m_2u_2 = m_1v_1 + m_2v_2$$

$$\left(\frac{10}{1000} \times 1.5\right) + \left(\frac{90}{1000} \times 0\right) = \left(\frac{10}{1000} \times v\right) + \left(\frac{90}{1000} \times v\right)$$

$$\frac{15}{1000} + 0 = v \left(\frac{10}{1000} + \frac{90}{1000}\right)$$

$$\frac{15}{1000} = v \left(\frac{100}{1000}\right)$$

$$15 = v \times 100$$

$$v = \frac{15}{100}$$

$$v = 0.15 \text{ m/s}$$

The plank embedded with the bullet moves with a velocity of 0.15 m/s.

d) A person swims 100 m in the first 40 s, 80 m in the next 40 s and 45 m in the last 20 s. What is the average speed? (Ans: 2.25 m/s²)

Answer:

Given:

$$\text{Total distance (d)} = 100 + 80 + 45 = 225 \text{ m}$$

<https://www.indcareer.com/schools/maharashtra-board-solutions-for-class-9-science-chapter-1-laws-of-motion/>

Total time taken (t) = 40 + 40 + 20 = 100 sec

To find:

Average speed =?

Formula :

$$\text{Average speed} = \frac{\text{Total distance covered}}{\text{Total time taken}}$$

Solution :

$$\begin{aligned}\text{Average speed} &= \frac{\text{Total distance covered}}{\text{Total time taken}} \\ &= \frac{225}{100} \\ &= 2.25 \text{ m/s}\end{aligned}$$


The person swims with an average speed of 2.25 m/s.

(i) Who will take less time to reach the school and why?

Answer:

Prashant will take less time as the path followed by him is the shortest.

(2) (a)



Distance and displacement

(a) Every morning, Swaralee walks round the edge of a circular field having a radius of 100 m. As shown in figure (a), if she starts from the point A and takes one round, how much distance has she walked and what is her displacement?

Answer:

Radius (r) = 100 m

Distance covered = Circumference of the circle

= 2 π r


<https://www.indcareer.com/schools/maharashtra-board-solutions-for-class-9-science-chapter-1-laws-of-motion/>

$$= 2 \times 3.14 \times 100$$

$$= 628 \text{ m}$$

Displacement = 0 m (Shortest distance between initial and final position is zero)

(b) If a car, starting from point P, goes to point Q (see figure 1.9) and then returns to point P, how much distance has it travelled and what is its displacement?



Answer:

Distance covered = PQ + QP

$$= 360 + 360$$

$$= 720 \text{ m}$$

Displacement = 0 m (The shortest distance between initial and final position is zero)

(A) Choose and write the correct option:

Question 1

The displacement that occurs in unit time is called

(a) displacement

(b) distance

(c) velocity

(d) acceleration

Answer:

(c) velocity

<https://www.indcareer.com/schools/maharashtra-board-solutions-for-class-9-science-chapter-1-laws-of-motion/>

Question 2

The unit of velocity in the SI system is

- (a) cm/s
- (b) m/s²
- (c) m/s²
- (d) m/s

Answer:

- (d) m/s

Question 3

$v^2 = u^2 + 2as$ is the relation between and

- (a) speed and velocity
- (b) distance and acceleration
- (c) displacement and velocity
- (d) speed and distance

Answer:

- (c) displacement and velocity

Question 4.

..... is the relation between displacement and time.

- (a) $v = u + at$
- (b) $v^2 = u^2 + 2as$
- (c) $s = ut + \frac{1}{2}at^2$
- (d) $v = u + 2as$

<https://www.indcareer.com/schools/maharashtra-board-solutions-for-class-9-science-chapter-1-laws-of-motion/>

Answer:

(c) $s = ut + \frac{1}{2} at^2$

Question 5.

The force necessary to cause an acceleration of 1 m/s^2 in an object of mass 1 kg is called

- (a) 1 dyne
- (b) 1 m/s
- (c) 1 Newton
- (d) 1 cm/s

Answer:

- (c) 1 Newton.

Question 6.

Even if the displacement of an object is zero, the actual distance traversed by it

- (a) may not be zero.
- (b) will be zero
- (c) will be constant
- (d) will be infinity

Answer:

- (a) may not be zero

Question 7.

If the velocity changes by equal amounts in equal time intervals, the object is said to be in

<https://www.indcareer.com/schools/maharashtra-board-solutions-for-class-9-science-chapter-1-laws-of-motion/>

- (a) uniform acceleration
- (b) uniform velocity
- (c) non-uniform acceleration
- (d) non-uniform motion

Answer:

- (a) uniform acceleration

Question 8.

If an object is moving with a uniform velocity

- (a) its speed remains the same, but direction of motion changes
- (b) its speed changes but direction of motion is same
- (c) its speed and direction both change
- (d) its speed and direction both remain the same

Answer:

- (d) its speed and direction both remain the same

Question 9.

is an example of positive acceleration.

- (a) A stone is thrown vertically upwards
- (b) A stone falls freely towards the earth
- (c) Brakes are applied by the truck driver
- (d) The train arriving at the station

Answer:

- (b) a stone falls freely towards the earth

<https://www.indcareer.com/schools/maharashtra-board-solutions-for-class-9-science-chapter-1-laws-of-motion/>

Question 10.

An object continues to remain at rest or in a state of uniform motion along a straight line unless an acts on it.

- (a) internal imbalanced force
- (b) external unbalanced force
- (c) internal balanced force
- (d) external balanced force

Answer:

- (b) external unbalanced force

Question 11.

The is proportional to the applied force and it occurs in the direction of the force.

- (a) change of momentum
- (b) rate of change of velocity
- (c) change of velocity
- (d) rate of change of momentum

Answer:

- (d) rate of change of momentum

Question 12.

..... is a relative concept.

- (a) Motion
- (b) Direction
- (c) Power

<https://www.indcareer.com/schools/maharashtra-board-solutions-for-class-9-science-chapter-1-laws-of-motion/>

(d) Acceleration

Answer:

(a) Motion

Question 13.

A body is said to be in motion if it changes its with respect to its surroundings.

(a) position

(b) direction

(c) speed

(d) force

Answer:

(a) position

Question 14.

A body is said to be at if it does not change its position with respect to its surroundings.

(a) Motion

(b) Rest

(c) Gravity

(d) Force

Answer:

(b) Rest

Question 15.

<https://www.indcareer.com/schools/maharashtra-board-solutions-for-class-9-science-chapter-1-laws-of-motion/>

..... is the length of the actual path travelled by an object in motion while going from one point to another.

- (a) Distance
- (b) Displacement
- (c) Speed
- (d) Velocity

Answer:

- (a) Distance

Question 16.

The distance covered by a body in unit time is called its

- (a) velocity
- (b) speed
- (c) displacement
- (d) rest

Answer:

- (b) speed

Question 17.

S.I. unit of speed is and in C.G.S unit it is

- (a) m/s and cm/s
- (b) km/s and cm/s
- (c) m/s and mm/s
- (d) m/s and nm/s

Answer:

<https://www.indcareer.com/schools/maharashtra-board-solutions-for-class-9-science-chapter-1-laws-of-motion/>

(a) m/s , cm/s

Question 18.

The distance travelled in a particular direction by an object in unit time is called its

(a) velocity

(b) speed

(c) displacement

(d) rest

Answer:

(a) velocity

Question 19.

Units of speed and velocity are the

(a) Same

(b) Different

(c) Greater than each other

(d) Unequal

Answer:

(a) same

Question 20.

..... is related to distance, while is related to displacement.

(a) Gravity and magnetism

(b) Speed and force

(c) Speed and velocity

<https://www.indcareer.com/schools/maharashtra-board-solutions-for-class-9-science-chapter-1-laws-of-motion/>

(d) Motion and rest

Answer:

(c) Speed, velocity

Question 21.

If an object covers equal distances in equal time intervals, it is said to be moving with speed.

(a) Uniform

(b) Non uniform

(c) Changing

(d) Random

Answer:

(a) uniform

Question 22.

If an object covers unequal distances in equal time intervals, it is said to be moving with speed.

(a) Uniform

(b) Non uniform

(c) Changing

(d) Random

Answer:

(b) non uniform

Question 23.

The rate of change of velocity is called

<https://www.indcareer.com/schools/maharashtra-board-solutions-for-class-9-science-chapter-1-laws-of-motion/>

- (a) Speed
- (b) Acceleration
- (c) Velocity
- (d) Rest

Answer:

- (b) acceleration

Question 24.

Speed of light in dry air is m/s.

- (a) 3×10^7
- (b) 3×10^8
- (c) 3×10^9
- (d) 3×10^3

Answer:

- (b) 3×10^8

Question 25.

When velocity of a body increases, its acceleration is

- (a) Negative
- (b) Zero
- (c) Positive
- (d) Equal

Answer:

- (c) positive

<https://www.indcareer.com/schools/maharashtra-board-solutions-for-class-9-science-chapter-1-laws-of-motion/>

Question 26.

When velocity of a body decreases, its acceleration is

- (a) Negative
- (b) Zero
- (c) Positive
- (d) Equal

Answer:

- (a) negative

Question 27.

Negative acceleration is also called or

- (a) Deceleration or retardation
- (b) Deceleration or acceleration
- (c) acceleration or retardation
- (d) Zero

Answer:

- (a) deceleration or retardation

Question 28.

In case of motion, object travels equal in equal intervals of time.

- (a) Uniform, distance
- (b) Non-Uniform, distance
- (c) Uniform, displacement
- (d) Uniform, displacement

<https://www.indcareer.com/schools/maharashtra-board-solutions-for-class-9-science-chapter-1-laws-of-motion/>

Answer:

(a) uniform, distances

Question 29.

Motion of an object was studied by

(a) Sir Albert Einstein

(b) Sir Thomas Edison

(c) Sir Isaac Newton

(d) Sir Ravindranath Tagore

Answer:

(c) Sir Issac Newton

Question 30.

When an object moves in a circular path with uniform speed, its motion is motion.

(a) Non uniform circular

(b) Random circular

(c) Uniform circular

(d) Uniform linear

Answer:

(c) uniform circular

Question 31.

When a coin moves along a circular path, the direction of its motion at every point is

(a) Circular

<https://www.indcareer.com/schools/maharashtra-board-solutions-for-class-9-science-chapter-1-laws-of-motion/>

- (b) Concave
- (c) Tangential
- (d) Convex

Answer:

- (c) tangential

Question 32.

For all uniformly accelerated motions, the velocity-time graph is a

- (a) Curved line
- (b) Straight line
- (c) Negative line
- (d) Positive line

Answer:

- (b) straight line

Question 33.

In the distance-time graph, the slope of the straight line indicates

- (a) Acceleration
- (b) Velocity
- (c) Speed
- (d) Rest

Answer:

- (b) velocity

Question 34.

<https://www.indcareer.com/schools/maharashtra-board-solutions-for-class-9-science-chapter-1-laws-of-motion/>

The first equation of motion gives relation between and time.

- (a) Acceleration
- (b) Velocity
- (c) Speed
- (d) Rest

Answer:

- (b) velocity

Question 35.

Newton's first law explains the phenomenon of

- (a) Rest
- (b) Inertia
- (c) Speed
- (d) Velocity

Answer:

- (b) inertia

Question 36.

..... cause a change in the state of an object at rest or in uniform motion.

- (a) Balanced forces
- (b) Zero forces
- (c) Unbalanced forces
- (d) None of them

Answer:

<https://www.indcareer.com/schools/maharashtra-board-solutions-for-class-9-science-chapter-1-laws-of-motion/>

(c) Unbalanced forces

Question 37.

To describe an object's momentum, we must specify its and

(a) Mass and displacement

(b) Mass and direction

(c) Mass and velocity

(d) Mass and acceleration

Answer:

(c) mass and velocity

Question 38.

..... is the product of mass and velocity of an object.

(a) Speed

(b) Acceleration

(c) Momentum

(d) Force

Answer:

(c) Momentum

Question 39.

The rate of change of momentum is proportional to the applied

(a) Balanced force

(b) Unbalanced force

(c) Mass

<https://www.indcareer.com/schools/maharashtra-board-solutions-for-class-9-science-chapter-1-laws-of-motion/>

(d) Velocity

Answer:

(b) unbalanced force

Question 40.

S.I. unit of momentum is

(a) kg cm/s

(b) kg m/s

(c) gm/s

(d) m/s

Answer:

(b) kg m/s

Question 41.

..... is always conserved in a collision.

(a) Force

(b) Power

(c) Speed

(d) Total momentum

Answer:

(d) Total momentum

Question 42.

When a bullet is fired from the gun, the gun moves in backward direction. This motion is called as

(a) Momentum

<https://www.indcareer.com/schools/maharashtra-board-solutions-for-class-9-science-chapter-1-laws-of-motion/>

- (b) Velocity
- (c) Acceleration
- (d) Recoil

Answer:

- (d) Recoil

Question 43.

In CGS system, the unit of force is

- (a) Newton
- (b) Watt
- (c) Horse power
- (d) Dyne

Answer:

- (d) Dyne.

(B) 1. Find the odd man out:

Question 1.

Displacement, Force, Momentum, Mass

Answer:

Mass

Question 2.

Speed, Power, Energy, Acceleration

Answer:

Acceleration

<https://www.indcareer.com/schools/maharashtra-board-solutions-for-class-9-science-chapter-1-laws-of-motion/>

Question 3.

Newton's 1st law, Newton's 2nd law, Newton's 3rd law, Kepler's laws of motion

Answer:

Newton's 3rd law

(B) 2. Find out the correlation

Question 1.

Speed zero: Body at rest :: Negative acceleration : Retardation

Answer:

Retardation

Question 2.

Displacement : Vector quantity :: Distance : Scalar quantity

Answer:

Vector quantity

Question 3.

When body comes to rest at the end of the motion : Final velocity is zero :: When body is at rest at the starting of motion : Initial velocity is zero

Answer:

Initial velocity is zero

Question 4.

Uniform circular motion: Displacement is zero :: Uniform velocity : Acceleration is zero

Answer:

Displacement is zero

Question 5.

<https://www.indcareer.com/schools/maharashtra-board-solutions-for-class-9-science-chapter-1-laws-of-motion/>

Inertia : Newton's 1st law :: Rate of change of momentum : Newton's 2nd law

Answer:

Newton's 2nd law

Question 6.

Balanced force : Body at rest :: Force equation : Mass x acceleration

Answer:

Body at rest

(B) 3. Distinguish between:

Question 1.

Positive acceleration and Negative acceleration

Answer:

Positive acceleration

Negative acceleration

(i) When the velocity of a body increases, acceleration is said to be positive acceleration.

(i) When the velocity of a body decreases, acceleration is said to be negative acceleration.

Question 2.

Scalar quantity and Vector quantity

Answer:

Scalar quantity

Vector quantity

<https://www.indcareer.com/schools/maharashtra-board-solutions-for-class-9-science-chapter-1-laws-of-motion/>

(i) Scalar quantities are physical quantities having magnitude only.

(i) Vector quantities are physical quantities having both magnitude and direction.

Question 3.

Balanced force and Unbalanced force

Answer:

Balanced force

Unbalanced force

(i) Balanced force keeps the body at rest.

(i) Balanced force keeps the body at rest.

(B) 4. State whether the following statements are true or false:

Question 1.

The velocity of a body is given by the distance covered by it in unit time in a given direction.

Answer:

True

Question 2.

Displacement is a scalar quantity.

Answer:

False

Question 3.

Uniform acceleration means that the body is moving with a uniform velocity.

Answer:

<https://www.indcareer.com/schools/maharashtra-board-solutions-for-class-9-science-chapter-1-laws-of-motion/>

False

Question 4.

The direction of acceleration can be opposite to that of velocity.

Answer:

True

Question 5.

Work is a vector quantity.

Answer:

False

Question 6.

Displacement is always greater than distance.

Answer:

False

Question 7.

The distance and displacement are equal only if, motion is along a straight path.

Answer:

True

Question 8.

If an object experiences acceleration, a force is acting on it.

Answer:

True

Question 9.

<https://www.indcareer.com/schools/maharashtra-board-solutions-for-class-9-science-chapter-1-laws-of-motion/>

A train pulling out from a station is in uniform motion.

Answer:

False

Question 10.

If a bus in motion is suddenly stopped, the passengers fall backwards.

Answer:

False

Question 11.

If a single force is acting on an object, it will always accelerate.

Answer:

True

Question 12.

In circular motion, direction of motion is tangential.

Answer:

True

Question 13.

The inertia of a body is measured in terms of its mass.

Answer:

True

(B) 5. Name the following:

Question 1.

The scientist who summarized motion in a set of equations of motion.

<https://www.indcareer.com/schools/maharashtra-board-solutions-for-class-9-science-chapter-1-laws-of-motion/>

Answer:

Isaac Newton

Question 2.

Motion of an object along a circular path with uniform speed.

Answer:

Uniform circular motion

Question 3.

What is the backward motion of the gun called?

Answer:

Recoil

Question 4.

The motion in which the object covers equal distance in equal intervals of time.

Answer:

Uniform motion

Question 5.

S. I. unit of acceleration.

Answer:

m/s^2

Question 6.

CGS unit of momentum

Answer:

g cm/s

<https://www.indcareer.com/schools/maharashtra-board-solutions-for-class-9-science-chapter-1-laws-of-motion/>

(B) 6. Answer the following in one sentence:

Question 1.

When is acceleration said to be positive?

Answer:

When the velocity of a body increases, acceleration is said to be positive acceleration.

Question 2.

What is negative acceleration?

Answer:

When the velocity of a body decreases, acceleration is said to be negative acceleration.

Question 3.

What is the direction of velocity of an object performing uniform circular motion?

Answer:

The direction of velocity is along the tangential direction to its position.

Question 4.

Give the mathematical expression used to determine velocity of an object moving with uniform circular motion.

Answer:

is the expression used to determine velocity of a body moving with uniform circular motion.

Question 5.

What kind of force keeps the body at rest?

Answer:

Balanced force keeps the body at rest.

Question 6.

<https://www.indcareer.com/schools/maharashtra-board-solutions-for-class-9-science-chapter-1-laws-of-motion/>

Which law of motion gives the measure of force?

Answer:

Newton's second law of motion gives the measure of force.

Question 7.

What are vectors and scalars?

Answer:

Scalars are physical quantities having magnitude only whereas, vectors are physical quantities having both magnitude and direction.

Question 8.

Which of the quantities distance, speed, velocity, time and displacement are scalars and which are vectors?

Answer:

Distance, speed and time are scalars displacement and velocity are vectors.

Give formula:

Question 1.

Force =

Answer:

Mass x Acceleration = ma

Question 2.

Final velocity (v) =

Answer:

Initial Velocity + (Acceleration x Time) = $u + at$

Question 3.

<https://www.indcareer.com/schools/maharashtra-board-solutions-for-class-9-science-chapter-1-laws-of-motion/>

Displacement (s) =

Answer:

$$(\text{Initial Velocity} \times \text{Time}) + \frac{T}{2} \times \text{Acceleration} \times$$

$$\text{Time}^2 = (ut) + \frac{1}{2} at^2$$

Question 4.

Final velocity² (v²) =

Answer:

$$\text{Initial Velocity}^2 + 2 \times \text{Acceleration} \times \text{Displacement} = u^2 + 2as$$

Question 5.

velocity of an object moving with uniform circular motion =

Answer:

$$\frac{\text{Circumference}}{\text{Time}} = \frac{2\pi r}{t}$$

Give scientific reasons:

Question 5.

Motion is relative.

Answer:

- The motion of an object depends on the observer, hence a body may appear moving for one person and at the same time at rest for another one.
- Hence, motion is relative.

Question 6.

Newton's first law of motion is called as law of inertia.

<https://www.indcareer.com/schools/maharashtra-board-solutions-for-class-9-science-chapter-1-laws-of-motion/>

OR

Heavier objects offer more inertia.

Answer:

- Inertia is related to the mass of the object.
- As mass is the quantity of matter in a body, we need to exert more force to push a heavier body.
- Hence heavier objects offer more inertia.
- As the same property is described by Newton's first law of motion, it is called as Law of Inertia.

Question 7.

The launching of a rocket is based on Newton's third law of motion.

Answer:

- Newton's third law of motion states that 'Every action force has an equal and opposite reaction force which acts simultaneously.'
- When the fuel in a rocket is ignited, it burns as a result of chemical reaction.
- The exhaust gases escape with a great force in the backward direction.
- It exerts an equal and opposite reaction force on the rocket, due to which the rocket moves in the forward direction.
- Thus, the principle of launching of rocket is based on Newton's third law of motion.

Solve the following numerical:

Question 1.

An athlete is running on a circular track. He runs a distance of 400 m in 25 s before returning to his original position. What is his average speed and velocity?

Answer:

Given:

Total distance travelled = 400 m

Total displacement = 0, as he returns to his original position.

Total time = 25 seconds.

<https://www.indcareer.com/schools/maharashtra-board-solutions-for-class-9-science-chapter-1-laws-of-motion/>

To find:

Average speed = ?

Average velocity = ?

Formula :

$$\text{Average speed} = \frac{\text{Total distance covered}}{\text{Total time taken}}$$

$$\text{Average velocity} = \frac{\text{Total displacement}}{\text{Total time taken}}$$

Solution :

$$\text{Average speed} = \frac{\text{Total distance covered}}{\text{Total time taken}}$$

$$= \frac{400}{25} = 16 \text{ m/s}$$

$$\text{Average velocity} = \frac{\text{Total displacement}}{\text{Total time taken}}$$

$$= \frac{0}{25} = 0 \text{ m/s}$$

The athlete runs at an average speed of 16 m/s and velocity 0 m/s.

Question 2.

An aeroplane taxis on the runway for 30 s with an acceleration of 3.2 m/s^2 before taking off. How much distance would it have covered on the runway?

Answer:

Given :

$$a = 3.2 \text{ m/s}^2, t = 30 \text{ s}, u = 0,$$

To find :

$$s = ?$$

Formula :

$$s = ut + \frac{1}{2} at^2$$

Solution :

<https://www.indcareer.com/schools/maharashtra-board-solutions-for-class-9-science-chapter-1-laws-of-motion/>

$$\begin{aligned}s &= ut + \frac{1}{2} at^2 \\&= 0 \times 30 + \frac{1}{2} \times 3.2 \times 30^2 \\&= 1440 \text{ m}\end{aligned}$$

The distance covered on the runway is 1440 m.

Question 3.

A kangaroo can jump 2.5 m vertically. What must be the initial velocity of the kangaroo?

Answer:

Given:

$$a = 9.8 \text{ m/s}^2, s = 2.5 \text{ m}, v = 0,$$

To find:

$$u = ?$$

Formula:

$$v^2 = u^2 + 2as$$

Solution:

$$v^2 = u^2 + 2as$$

$0^2 = u^2 + 2 \times (-9.8) (2.5)$: (Negative sign is used as the acceleration is in the direction opposite to that of velocity.)

$$0 = u^2 - 49 u^2$$

$$= 49 u$$

$$= 7 \text{ m/s}$$

The initial velocity of the kangaroo must be 7 m/s.

Question 4.

<https://www.indcareer.com/schools/maharashtra-board-solutions-for-class-9-science-chapter-1-laws-of-motion/>

A motorboat starts from rest and moves with uniform acceleration, if it attains the velocity of 15 m/s in 5s, calculate the acceleration and the distance travelled in that time.

Answer:

Given:

Initial velocity, $u = 0$

Final velocity, $v = 15$ m/s time, $t = 5$ s.

To find:

Acceleration (a) = ?

Distance (s) = ?

Solution:

From the first equation of motion

$$\begin{aligned} a &= \frac{v - u}{t} \\ &= \frac{15 - 0}{5} \\ a &= 3 \text{ m/s}^2 \end{aligned}$$

From the second equation of motion, the distance covered will be

$$\begin{aligned} s &= ut + \frac{1}{2} at^2 \\ s &= 0 \times 5 + \frac{1}{2} \times 3 \times 25 \\ &= \frac{0 + 75}{2} \\ &= 37.5 \text{ m} \end{aligned}$$

The acceleration is 3 m/s^2 and distance travelled is 37.5 m.

Question 5.

<https://www.indcareer.com/schools/maharashtra-board-solutions-for-class-9-science-chapter-1-laws-of-motion/>

The mass of a cannon is 500 kg and it recoils with a speed of 0.25 m/s. What is the momentum of the cannon?

Answer:

Given:

mass of the cannon = 50 kg

recoil speed = 0.25 m/s

To find:

Momentum = ?

Formula:

Momentum = $m \times v$

Solution:

Momentum = $m \times v$

= 500×0.25

= 125 kg m/s

The momentum of cannon is 125 kg m/s

Answer the following in short:

Question 1.

Explain the three different ways to change the velocity.

Answer:

As velocity is related to speed and direction, it can be changed by :

- Changing the speed while keeping the direction constant.
- Changing direction while keeping speed constant.
- Changing both speed as well as direction of motion.

<https://www.indcareer.com/schools/maharashtra-board-solutions-for-class-9-science-chapter-1-laws-of-motion/>

Question 2.

Explain what is positive, negative and zero acceleration.

Answer:

- Positive Acceleration: When the velocity of an object increases, the acceleration is positive. In this case, the acceleration is in the direction of velocity.
- Negative Acceleration: When the velocity of an object decreases with time, it has negative acceleration. Negative acceleration is also called deceleration. Its direction is opposite to the direction of velocity.
- Zero Acceleration: If the velocity of the object does not change with time, it has zero acceleration.

Question 3.

What inference do we draw from the velocity-time graph for a uniformly accelerated motion?

Answer:

- From velocity-time graph we can infer whether velocity changes by equal amounts in equal intervals of time or not.
- Thus, for all uniformly accelerated motion, the velocity – time graph is a straight line and slope of the line gives the acceleration.
- For non-uniformly accelerated motion, velocity-time graph can have any shape according to variation in velocity with respect to time.

Question 4.

State the three equations of motion and give the relationship explained by them.

Answer:

- $v = u + at$: This is the relation between velocity and time.
- $s = ut + \frac{1}{2}at^2$: This is the relation between displacement and time
- $v^2 = u^2 + 2as$: This is the relation between displacement and velocity.

Question 5.

What are the implications of Newton's Third Law of motion?

<https://www.indcareer.com/schools/maharashtra-board-solutions-for-class-9-science-chapter-1-laws-of-motion/>

Answer:

- Action and reaction are terms that express force.
- These forces act in pairs. One force cannot exist by itself.
- Action and reaction forces act simultaneously.
- Action and reaction forces act on different objects. They do not act on the same object and hence cannot cancel each other's effect.

Question 6.

Explain recoil and recoil velocity. Derive its expression.

Answer:


- Let us consider the example of a bullet fired from a gun. When a bullet of mass m_1 is fired from a gun of mass m_2 , its velocity becomes v_1 , and its momentum becomes $m_1 v_1$. Before firing the bullet, both the gun and the bullet are at rest. Hence, total initial momentum is zero.
- According to Newton's third law of motion, the total final momentum also has to be zero. Thus, the forward-moving bullet causes the gun to move backward after firing.
- This backward motion of the gun is called its recoil. The velocity of recoil, v_2 is such that,

$$m_1 v_1 + m_2 v_2 = 0 \quad \text{or} \quad v_2 = \frac{-m_1}{m_2} \times v_1$$

Complete the flow chart:

(1) Types of force and their effects


Answer:



(2) Newton's laws

<https://www.indcareer.com/schools/maharashtra-board-solutions-for-class-9-science-chapter-1-laws-of-motion/>

Answer:



Distinguish between:

Question 1.

Speed and velocity.

Answer:

Speed

Velocity

- (i) Speed is the distance covered by a body in unit time.
- (ii) It is a scalar quantity.
- (iii) Speed is equal to or greater than velocity.
- (iv) $\text{Speed} = \text{distance}/\text{time}$
- (v) It is always positive or zero but never negative.

- (i) The displacement that occurs in unit time is called velocity.
- (ii) It is a vector quantity.
- (iii) Velocity is equal to or less than speed.
- (iv) $\text{Velocity} = \text{displacement}/\text{time}$
- (v) It may be positive, Zero or negative.

Question 2.

Balanced force and unbalanced force.

Answer:

<https://www.indcareer.com/schools/maharashtra-board-solutions-for-class-9-science-chapter-1-laws-of-motion/>

Balanced force

- (i) Two equal forces applied on a body in the opposite direction.
- (ii) This force does not change the state of rest or the state of uniform motion

Unbalanced force

- (i) Two unequal forces applied on a body.
- (ii) This force can change the state of rest or the state of uniform motion of a body in a straight line.

Give examples:**Question 1.****Scalar quantities****Answer:**

Time, Volume, Speed, Mass, Temperature, Distance, Entropy, Energy, and Work

Question 2.**Vector quantities****Answer:**

Acceleration, Velocity, Momentum, Force, and Weight

Answer the following questions:**Observe the figure and answer the questions:**

<https://www.indcareer.com/schools/maharashtra-board-solutions-for-class-9-science-chapter-1-laws-of-motion/>




Fig. 1.2 : Location of the school and houses

(a) Measure the distance between points A and B in different ways as shown in figure (I).

Answer:


Distances measured may be of different lengths depending on the path taken.

(b) Now measure the distance along the dotted line. Which distance is correct according to you and why?

Answer:

Dotted line shows the shortest way of reaching from A to B.

(c) Observe the following figures. If you increase the number of sides of the polygon and make it infinite, how many times will you have to change the direction? What will be the shape of the path?



Changes in direction

<https://www.indcareer.com/schools/maharashtra-board-solutions-for-class-9-science-chapter-1-laws-of-motion/>

Answer:

If we increase the number of sides of the polygon and make it infinite, then we will have to change the direction an infinite number of times. The shape of the path thus obtained will be a circle.

Observe the figure and answer the questions



Effect on velocity

Question 1.

<https://www.indcareer.com/schools/maharashtra-board-solutions-for-class-9-science-chapter-1-laws-of-motion/>

What will be the effect on the velocity of the motorcycle if its speed increases or decreases, but its direction remains unchanged?

Answer:

If the speed is increased the velocity of the motorcycle will increase and if the speed is decreased the velocity of the motorcycle will decrease

Question 2.

In case of a turning on the road, will the velocity and speed be same?

Answer:

As speed is scalar quantity while velocity is vector quantity so by turning velocity will change while speed remains same

Question 3.

If, on a turning, we change the direction as well as the speed of the motorcycle, what will be the effect on its velocity?

Answer:

Its velocity will change because velocity depends on speed as well as direction and here both speed and direction are changed.

Numerical:

Question 1.

A person travels a distance of 72 km in 4 hours. Calculate average speed in m/s.

Answer:

Given :

Total distance (d)

= 72 km

= 72×1000

<https://www.indcareer.com/schools/maharashtra-board-solutions-for-class-9-science-chapter-1-laws-of-motion/>

$$= 72000 \text{ m}$$

Total time taken (t)

$$= 4 \text{ hours}$$

$$= 4 \times 3600 \text{ (v 1hr = 3600 sec)}$$

$$= 14400 \text{ s}$$

To find:

Average speed = ?

Formula :

$$\text{Average speed} = \frac{\text{Total distance covered}}{\text{Total time taken}}$$

Solution :

$$\text{Average speed} = \frac{\text{Total distance covered}}{\text{Total time taken}}$$

$$= \frac{72000}{14400}$$

$$= \frac{720}{144} \text{ m/s}$$

$$= \frac{10}{2} \text{ m/s}$$

$$= 5 \text{ m/s}$$

The person travels with average speed of 5 m/s

Question 2.

balls have masses of 50 gm and 100 gm and they are moving along the same line in the same direction with velocities of 3 m/s and 1.5 m/s respectively. They collide with each other and after the collision, the first ball moves with a velocity of 2.5 m/s. Calculate the velocity of the other ball after collision.

Answer:

<https://www.indcareer.com/schools/maharashtra-board-solutions-for-class-9-science-chapter-1-laws-of-motion/>

Given :

$$\text{Mass of 1}^{\text{st}} \text{ ball } (m_1) = 50 \text{ g} = \frac{50}{1000} \text{ kg.}$$

$$\text{Mass of 2}^{\text{nd}} \text{ ball } (m_2) = 100 \text{ g} = \frac{100}{1000} \text{ kg.}$$

$$\text{Initial velocity of 1}^{\text{st}} \text{ ball } (u_1) = 3 \text{ m/s}$$

$$\text{Initial velocity of 2}^{\text{nd}} \text{ ball } (u_2) = 1.5 \text{ m/s}$$

$$\text{Final velocity of 1}^{\text{st}} \text{ ball } (v_1) = 2.5 \text{ m/s}$$

To find: Final velocity of 2nd ball (v_2) = ?

$$\text{Formula: } m_1 u_1 + m_2 u_2 = m_1 v_1 + m_2 v_2$$

$$\text{Solution: } m_1 u_1 + m_2 u_2 = m_1 v_1 + m_2 v_2$$

$$(0.05 \times 3) + (0.1 \times 1.5) = (0.05 \times 2.5) + (0.1 \times v_2)$$

$$\frac{150}{1000} + \frac{150}{1000} = \frac{125}{1000} + \frac{100v_2}{1000}$$

$$\frac{300}{1000} = \frac{125 + 100v_2}{1000}$$

$$300 = 125 + 100v_2$$

$$100v_2 = 175$$

$$v_2 = \frac{175}{100}$$

$$v_2 = 1.75 \text{ m/s}$$

Final velocity of second ball after collision is 1.75 m/s.

Write laws and explain write implications:

Question 1.

Newton's third law of motion

Answer:

'Every action force has an equal and opposite reaction force which acts simultaneously'.

<https://www.indcareer.com/schools/maharashtra-board-solutions-for-class-9-science-chapter-1-laws-of-motion/>

- Action and reaction are terms that express force.
- These forces act in pairs. One force cannot exist by itself.
- Action and reaction forces act simultaneously.
- Action and reaction forces act on different objects. They do not act on the same object and hence cannot cancel each other's effect.

Question 2.

Explain Newton's second law of motion and derive the formula.

Answer:

Newton's second law explains about change in momentum. It states that The rate of change of momentum is proportional to the applied force and the change of momentum occurs in the direction of the force.

Suppose an object of mass 'm' has an initial velocity 'u'. When a force 'F' is applied in direction of its velocity for time 't', its velocity becomes 'v'. Then, the total initial momentum of the body = 'mu'. Its final momentum after time t = 'mv'.

So, the rate of change of momentum

$$\begin{aligned} &= \frac{\text{Change in momentum}}{\text{time}} \\ &= \frac{mv - mu}{t} \\ &= \frac{m(v - u)}{t} \\ &= ma \quad \dots \left(\because a = \frac{(v - u)}{t} \right) \end{aligned}$$

Hence by Newton's second law of motion, the rate of change of momentum is proportional to the applied force.

$$\therefore ma \propto F$$

$$\therefore F \propto ma$$

$$\therefore F \propto kma \quad (k = \text{Constant of proportionality and value is } 1).$$

$$\therefore F = ma$$

Question 3.

<https://www.indcareer.com/schools/maharashtra-board-solutions-for-class-9-science-chapter-1-laws-of-motion/>

State the law of conservation of momentum and derive the formula.

Answer:

Let mass of object A and B be m_1 and m_2 respectively

Let their initial velocity be u_1 and u_2 Let their final velocity be v_1 and v_2

We know,

$$P = mv$$

Let their initial momentum be m_1u_1 and m_2u_2

Let their final momentum be m_1v_1 and m_2v_2

$$\text{Total initial momentum} = (m_1u_1 + m_2u_2)$$

$$\text{Total final momentum} = (m_1v_1 + m_2v_2)$$

If F_2 is the force that acts on object B,

$$F_2 = -F_1$$

$$m_2a_2 = -m_1a_1 \quad \dots [\because f = ma]$$

$$m_2 \times \frac{v_2 - u_2}{t} = -m_1 \times \frac{v_1 - u_1}{t} \quad \dots \left(\because a = \frac{(v - u)}{t} \right)$$

$$\therefore m_2(v_2 - u_2) - m_1(v_1 - u_1)$$

$$\therefore m_2v_2 - m_2u_2 = -m_1v_1 + m_1u_1$$

$$\therefore (m_2v_2 + m_1v_1) = (m_2u_2 + m_1u_1)$$

i.e. The magnitude of total of total final momentum = the magnitude of total initial momentum

Complete the paragraph:

Question 1.

Moving Objects

Answer:

<https://www.indcareer.com/schools/maharashtra-board-solutions-for-class-9-science-chapter-1-laws-of-motion/>

'Distance' is the length of the actual path travelled by an object in motion while going from one point to another, whereas displacement is the minimum distance between the starting and finishing points. The displacement that occurs in unit time is called velocity. The units of speed and velocity are the same. In the SI system, the unit is m/s while in the CGS system; it is cm/s. Speed is related to distance while velocity is related to the displacement. If the motion is along a straight line, the values of speed and velocity are the same, otherwise they can be different. The first scientist to measure speed as the distance /time was Galileo. The speed of sound in dry air is 343.2 m/s while the speed of light is about 3×10^8 m/s. The speed of revolution of the earth around the sun is about 29770 m/s.

Question 2.

Types of motion

Answer:

If an object covers unequal distances in equal time intervals, it is said to be moving with non-uniform speed. For example the motion of a vehicle being driven through heavy traffic. If an object covers equal distances in equal time intervals, it is said to be moving with uniform speed. The rate of change of velocity is called acceleration. If the velocity changes by equal amounts in equal time intervals, the object is said to be in uniform acceleration. If the velocity changes by unequal amounts in equal time intervals, the object are said to be non-uniform acceleration. The speed of the tip is constant, but the direction of its displacement and therefore, its velocity is constantly changing. As the tip is moving along a circular path, its motion is called uniform circular motion.

Question 3.

Newton's laws and conservation of momentum

Answer:

An object continues to remain at rest or in a state of uniform motion along a straight line unless an external unbalanced force acts on it. The rate of change of momentum is proportional to the applied force and the change of momentum occurs in the direction of the force. Momentum has magnitude as well as direction. Its direction is the same as that of velocity. In SI system, the unit of momentum is kg m/s, while in CGS system, it is g cm/s. If an unbalanced force applied on an object causes a change in the velocity of the object, then it also causes a change in its momentum.

<https://www.indcareer.com/schools/maharashtra-board-solutions-for-class-9-science-chapter-1-laws-of-motion/>

The force necessary to cause a change in the momentum of an object depends upon the rate of change of momentum. Every action force has an equal and opposite reaction force which acts simultaneously. As the mass of the gun is much higher than the mass of the bullet, the velocity of the gun is much smaller than the velocity of the bullet. The magnitude of the momentum of the bullet and that of the gun are equal and their directions are opposite. Thus, the total momentum is constant. Total momentum is also constant during the launch of a rocket.

Answer the following in detail:

Question 1.

What is speed? State its units and types. Explain instantaneous speed and average speed.

Answer:

The speed of a body is the distance travelled in unit time. The units of speed in CGS system is cm/s and in SI system is m/s.

There are two types of speed :

- Uniform speed : When a body covers equal distance in equal intervals of time throughout its motion, it is said to have uniform speed.
- Non-uniform or variable speed: When a body covers unequal distance in equal intervals of time it is said to have non-uniform speed.

The speed of the body at any instant is called instantaneous speed. Average speed is the ratio of total distance covered to total time taken.

Question 2.

What is velocity? State its units and types.

Answer:

The velocity of a body is the distance travelled by a body in a particular direction in unit time. Thus, rate of change of displacement is called velocity.

$$v = s/t$$

where: s = displacement; t = time taken; v = velocity

(MKS unit: m/s CGS unit: cm/s)

<https://www.indcareer.com/schools/maharashtra-board-solutions-for-class-9-science-chapter-1-laws-of-motion/>

There are two types of velocities :

- Uniform velocity: If there is equal displacement taking place in equal intervals of time, it is uniform velocity.
- Non-uniform velocity or variable velocity: If there is unequal displacement in equal intervals of time, it is non-uniform velocity.

Question 3.

What is acceleration? State its units and types.

Answer:

(i) Acceleration is a rate of change in velocity. It is a vector quantity, $a = \frac{v - u}{t}$

where : v = final velocity; u = initial velocity;

a = acceleration

Units of acceleration in SI system is m/s^2 and CGS system is cm/s^2 .

(ii) Types of acceleration: .

(a) Uniform acceleration : If the change in velocity is equal in equal intervals of time, the acceleration is uniform acceleration.

(b) Non-uniform acceleration : If the change in velocity is unequal in equal intervals of time, the acceleration is a non-uniform acceleration.

(iii) Kinds of acceleration:

Positive acceleration : When the velocity of an object goes on increasing, it is said to have Positive acceleration.

Negative acceleration : When the velocity of an object goes on decreasing, it is said to have negative acceleration or retardation or deceleration.

Zero acceleration : If the velocity of the object does not change with time, it has zero acceleration.

Question 4.

Explain Newton's second law of motion and derive the formula.

<https://www.indcareer.com/schools/maharashtra-board-solutions-for-class-9-science-chapter-1-laws-of-motion/>

Answer:

Newton's second law explains about change in momentum. It states that 'The rate of change of momentum is proportional to the applied force and the change of momentum occurs in the direction of the force.'

Suppose an object of mass 'm' has an initial velocity 'u'. When a force 'F' is applied in the direction of its velocity for time 't', its velocity becomes 'v'. Then, the total initial momentum of the body = 'mu'. Its final momentum after time t = 'mv'.

So, the rate of change of momentum

$$\begin{aligned} &= \frac{\text{Change in momentum}}{\text{time}} \\ &= \frac{mv - mu}{t} \\ &= \frac{m(v - u)}{t} \\ &= ma \end{aligned} \quad \dots \left(\because a = \frac{(v - u)}{t} \right)$$

Hence by Newton's second law of motion, the rate of change of momentum is proportional to the applied force.

$$\therefore ma \propto F$$

$$\therefore F \propto ma$$

$$\therefore F = kma \text{ (k = Constant of proportionality and value is 1).}$$

$$\therefore F = ma$$

Question 5.

State the law of conservation of momentum and derive the formula.

Answer:

(i) Let mass of objects A and B be m_1 and m_2 respectively

Let their initial velocity be u_1 and u_2

Let their final velocity be V_1 and v_2

<https://www.indcareer.com/schools/maharashtra-board-solutions-for-class-9-science-chapter-1-laws-of-motion/>

(ii) We know,

$$P = mv$$

Let their initial momentum be m_1u_1 and m_2u_2

Let their final momentum be m_1v_1 and m_2v_2

(iii) Total initial momentum = $(m_1u_1 + m_2u_2)$

Total final momentum = $(m_1v_1 + m_2v_2)$

(iv) If F_2 is the force that acts on object B,

$$F_2 = -F_1$$

$$\therefore m_2a_2 = -m_1a_1 \quad \dots [\because F = ma]$$

$$\therefore m_2 \times \frac{v_2 - u_2}{t} = -m_1 \times \frac{v_1 - u_1}{t} \quad \dots \left(\because a = \frac{(v-u)}{t} \right)$$

$$\therefore m_2(v_2 - u_2) = -m_1(v_1 - u_1)$$

$$\therefore m_2v_2 - m_2u_2 = -m_1v_1 + m_1u_1$$

$$\therefore (m_2v_2 + m_1v_1) = (m_2u_2 + m_1u_1)$$

i.e. The magnitude of total final momentum = the magnitude of total initial momentum.

Question 6.

Obtain the equations of motion by graphical method:

(a) Equation for velocity-time relation.

Answer:

Velocity-time graph: shows the change in velocity with time of a uniformly accelerated object.


The object starts from the point D in the graph with velocity v . Its velocity keeps increasing and after time t it reaches the point B on the graph.

The initial velocity of the object = $u = OD$

<https://www.indcareer.com/schools/maharashtra-board-solutions-for-class-9-science-chapter-1-laws-of-motion/>

The final velocity of the object = $v = OC$

Time = $t = OE$



$$\begin{aligned}\text{Acceleration (a)} &= \frac{\text{Change in velocity}}{\text{Time}} \\ &= \frac{(\text{Final velocity} - \text{Initial velocity})}{\text{Time}} \\ &= \frac{(OC - OD)}{t}\end{aligned}$$

$$\therefore at = OC - OD$$

From the graph,

$$OC = v \text{ and } OD = u$$

$$\therefore at = v - u \quad \dots \text{ (from i)}$$

$$\therefore v = u + at$$

This is the first equation of motion.

(b) Equation for displacement-time relation.

Answer:

Suppose that an object is in uniform acceleration 'a' and it has covered the distance 's' within time 't'. From the graph the distance covered by the object during time 't' is given by the area of quadrangle DOEB.

<https://www.indcareer.com/schools/maharashtra-board-solutions-for-class-9-science-chapter-1-laws-of-motion/>

$$\begin{aligned}\therefore s &= \text{area of quadrangle DOEB} \\ &= \text{area (rectangle DOEA) + area of triangle (DAB)}\end{aligned}$$

$$\therefore = (AE \times OE) + \left(\frac{1}{2} \times [AB \times DA]\right)$$

But, $AE = u$, $OE = t$ and $(OE = DA = t)$

$AB = at$... ($AB = CD$) from

$(CD = OC - OD = (v - u) \quad v - u = at \text{ from i})$

$$\therefore s = u \times t + \frac{1}{2} \times at \times t$$

$\therefore$ Newton's second equation of motion is

$$s = ut + \frac{1}{2} at^2.$$

(c) Equation for displacement-velocity relation.

Answer:

We can determine the distance covered by the object in time t from the area of the quadrangle DOEB. DOEB is a trapezium. So we can use the formula for its area.

$$\begin{aligned}\therefore s &= \text{area of trapezium DOEB} \\ \therefore s &= \frac{1}{2} \times \text{sum of lengths of parallel sides} \\ &\quad \times \text{distance between the parallel sides} \\ \therefore s &= \frac{1}{2} \times (OD + BE) \times OE \\ \text{But, } OD &= u, BE = v, \text{ and } OE = t \\ \therefore s &= \frac{1}{2} \times (u + v) \times t \quad \dots(\text{ii}) \\ \text{But, } a &= \frac{(v - u)}{t} \\ \therefore t &= \frac{(v - u)}{a} \quad \dots(\text{iii}) \\ \therefore s &= \frac{1}{2} \times (u + v) \times \frac{(v - u)}{a} \\ \therefore s &= \frac{(u + v)(v - u)}{2a} \\ \therefore 2as &= (u + v)(v - u) = v^2 - u^2 \\ \therefore v^2 &= u^2 + 2as\end{aligned}$$

This is Newton's third equation of motion.

Read the paragraph and answer the questions:

1. Paragraph

(a) When a bat strikes a ball, the ball exerts an equal and opposite force on the bat. The force acting on the ball projects it with high velocity. Due to the large mass of bat compared to ball, reaction force on the bat slows down the bat's motion.

(b) When a bullet is fired from a gun, the gun exerts a force on the bullet in the forward direction. This is the action force. The bullet also exerts an equal force on the gun in the backward direction. This is the reaction force. Due to the large mass of the gun, it moves only a little distance backward. This backward movement of the gun is called the recoil of the gun.

(c) In a rocket, burning fuel creates a push on the front of the rocket pushing it forward. This creates an equal and opposite push on the exhaust gas backwards.

<https://www.indcareer.com/schools/maharashtra-board-solutions-for-class-9-science-chapter-1-laws-of-motion/>

(i) Which of Newton's law examples are given here?

Answer:

Newton's 3rd law is stated by the above example

(ii) When a rifle is fired it is pushed back this movement is called what?

Answer:

Movement of rifle getting pushed back after firing is called recoil.

(iii) What does the ball acquire after it gets velocity?

Answer:

The ball acquires momentum after it gets velocity.

(iv) State Newton's 1st law of motion

Answer:

An object continues to remain at rest or in a state of uniform motion along a straight line unless an external unbalanced force acts on it.

(v) Which force is required to produce motion in an object?

Answer:

Unbalanced force is required to produce motion in an object.

2. Paragraph 2

constant velocity. If that velocity is zero, then the object remains at rest. If an external force is applied, the velocity will change because of the force. The second law explains how the velocity of an object changes when it is subjected to an external force. The law defines a force to be equal to changes in momentum (mass times velocity) per change in time. Newton also developed the calculus of mathematics, and the "changes" expressed in the second law are most accurately defined in differential forms. (Calculus can also be used to determine the velocity and location variations experienced by an object subjected to an external force.) For an object with a constant mass the second law states that the force F is the product of an object's mass and its acceleration a :

<https://www.indcareer.com/schools/maharashtra-board-solutions-for-class-9-science-chapter-1-laws-of-motion/>

$$F = m \cdot a$$

For an external applied force the change in velocity depends on the mass of the object.

A force will cause in velocity; and likewise, a change in velocity will generate a force. The equation works both ways.

The third law states that for every action (force) in nature there is an equal and opposite reaction. In other words, if object A exerts a force on object B, then object B also exerts an equal force on object: A. Notice that the forces are exerted on different objects. The third law can be used to explain the generation of lift by a wing and the production of thrust by a jet engine

(i) A chalk kept on the table remains in the position of rest until moved by the teacher. Which law of motion is followed in this situation?

Answer:

Newton's 1st law is followed in this situation

(ii) What will happen to momentum if the mass and acceleration both are doubled?

Answer:

If the mass and acceleration both are doubled then the momentum will be increased four times

(iii) What will happen to momentum if the mass and acceleration both are halved?

Answer:

If the mass and acceleration both are doubled then the momentum will be decreased one four times

(iv) A moving stone filled truck collides with a moving car coming from opposite direction. Why is it observed that only the car is pushed backward?

Answer:

A stone filled truck as more mass than a car hence it has more momentum thus it is observed that only the car is pushed backward

(v) What will happen to the force if the jet engines do not produce enough thrust to push the aeroplane in mid-air?

<https://www.indcareer.com/schools/maharashtra-board-solutions-for-class-9-science-chapter-1-laws-of-motion/>

Answer:

If the jet engines do not produce enough thrust to push the aeroplane in mid-air the force of aeroplane and resistance of air will become balanced thus putting the aeroplane at rest which will result in a crash.



Maharashtra Board Solutions

Class 9 Science

- Chapter 1- Laws of Motion
- Chapter 2- Work and Energy
- Chapter 3- Current Electricity
- Chapter 4- Measurement of Matter
- Chapter 5- Acids, Bases and Salts
- Chapter 6- Classification of Plants
- Chapter 7- Energy Flow in an Ecosystem
- Chapter 8- Useful and Harmful Microbes
- Chapter 9- Environmental Management
- Chapter 10- Information Communication Technology (ICT)
- Chapter 11- Reflection of Light
- Chapter 12- Study of Sound
- Chapter 13- Carbon: An Important Element
- Chapter 14- Substances in Common Use
- Chapter 15- Life Processes in Living Organisms
- Chapter 16- Heredity and Variation
- Chapter 17- Introduction to Biotechnology
- Chapter 18- Observing Space: Telescopes

<https://www.indcareer.com/schools/maharashtra-board-solutions-for-class-9-science-chapter-1-laws-of-motion/>

About About Maharashtra State Board (MSBSHSE)

The Maharashtra State Board of Secondary and Higher Secondary Education or MSBSHSE (Marathi: महाराष्ट्र राज्य माध्यमिक आणि उच्च माध्यमिक शिक्षण मंडळ), is an **autonomous and statutory body established in 1965**. The board was amended in the year 1977 under the provisions of the Maharashtra Act No. 41 of 1965.

The Maharashtra State Board of Secondary & Higher Secondary Education (MSBSHSE), Pune is an independent body of the Maharashtra Government. There are more than 1.4 million students that appear in the examination every year. The Maha State Board conducts the board examination twice a year. This board conducts the examination for SSC and HSC.

The Maharashtra government established the Maharashtra State Bureau of Textbook Production and Curriculum Research, also commonly referred to as Ebalbharati, in 1967 to take up the responsibility of providing quality textbooks to students from all classes studying under the Maharashtra State Board. MSBHSE prepares and updates the curriculum to provide holistic development for students. It is designed to tackle the difficulty in understanding the concepts with simple language with simple illustrations. Every year around 10 lakh students are enrolled in schools that are affiliated with the Maharashtra State Board.

<https://www.indcareer.com/schools/maharashtra-board-solutions-for-class-9-science-chapter-1-laws-of-motion/>

FAQs

Where do I get the Maharashtra State Board Books PDF For free download?

You can download the Maharashtra State Board Books from the eBalbharti official website, i.e. cart.ebalbharati.in or from this article.

Add image

How to Download Maharashtra State Board Books?

Students can get the Maharashtra Books for primary, secondary, and senior secondary classes from here. You can view or download the Maharashtra State Board Books from this page or from the official website for free of cost. Students can follow the detailed steps below to visit the official website and download the e-books for all subjects or a specific subject in different mediums.

Step 1: Visit the official website ebalbharati.in

Step 2: On the top of the screen, select "Download PDF textbooks"

Step 3: From the "Classes" section, select your class.

Step 4: From "Medium", select the medium suitable to you.

Step 5: All Maharashtra board books for class 11th will now be displayed on the right side.

Step 6: Click on the "Download" option to download the PDF book.

Who developed the Maharashtra State board books?

As of now, the MSCERT and Balbharti are responsible for the syllabus and textbooks of Classes 1 to 8, while Classes 9 and 10 are under the Maharashtra State Board of Secondary and Higher Secondary Education (MSBSHSE).

How many state boards are there in Maharashtra?

The Maharashtra State Board of Secondary & Higher Secondary Education, conducts the HSC and SSC Examinations in the state of Maharashtra through its nine Divisional Boards located at Pune, Mumbai, Aurangabad, Nasik, Kolhapur, Amravati, Latur, Nagpur and Ratnagiri.

<https://www.indcareer.com/schools/maharashtra-board-solutions-for-class-9-science-chapter-1-laws-of-motion/>

About IndCareer

IndCareer.com is a leading developer of online career guidance resources for the Indian marketplace. Established in 2007, IndCareer.com is currently used by over thousands of institutions across India, including schools, employment agencies, libraries, colleges and universities.

IndCareer.com is designed to assist you in making the right career decision - a decision that meets your unique interests and personality.

For any clarifications or questions you can write to **info@indcareer.com**

Postal Address

IndCareer.com
52, Shilpa Nagar,
Somalwada
Nagpur - 440015
Maharashtra, India

WhatsApp: +91 9561 204 888

Website: <https://www.indcareer.com>

<https://www.indcareer.com/schools/maharashtra-board-solutions-for-class-9-science-chapter-1-laws-of-motion/>