


ML Aggarwal Solutions for Class 9 Maths

Chapter 20- Statistics



www.indcareer.com/schools



ML Agrawal Solutions

CLASS 9 MATHS

Chapter 20: Statistics

For any clarifications or questions you can write to info@indcareer.com

Postal Address

IndCareer.com, 52, Shilpa Nagar, Somalwada Nagpur - 440015
Maharashtra, India

WhatsApp: +91 9561 204 888, **Website:** <https://www.indcareer.com> Class 8: Biology
Chapter 6 solutions. Complete Class 8 Biology Chapter 6 Notes.

<https://www.indcareer.com/schools/ml-aggarwal-solutions-for-class-9-maths-chapter-20-statistics/>

ML Aggarwal Solutions for Class 9 Maths

Chapter 20- Statistics

Class 9: Maths Chapter 20 solutions. Complete Class 9 Maths Chapter 20 Notes.

ML Aggarwal Solutions for Class 9 Maths Chapter 20- Statistics

ML Aggarwal 9th Maths Chapter 20, Class 9 Maths Chapter 20 solutions

Exercise 20.1

1. Find the mean of 8, 6, 10, 12, 1, 3, 4, 4.

Solution:

Given data,

8, 6, 10, 12, 1, 3, 4, 4

Here, $n = 8$

$\therefore$ Mean ($\bar{x}$)

$$\Sigma x_i / n = (8 + 6 + 10 + 12 + 1 + 3 + 4 + 4) / 8$$

$$= 48 / 8 = 6$$

Therefore, mean of the given data is 6.

2. 5 people were asked about the time in a week they spend in doing social work in their community. They replied 10, 7, 13, 20 and 15 hours, respectively. Find the mean time in a week devoted by them for social work.

Solution:

Given data,

10, 7, 13, 20, 15

Here, $n = 5$

<https://www.indcareer.com/schools/ml-aggarwal-solutions-for-class-9-maths-chapter-20-statistics/>

∴ Mean ($\bar{x}$)

$$\Sigma x_i / n = (10 + 7 + 13 + 20 + 15) / 5$$

$$= 65 / 5 = 13$$

Therefore, the mean time in a week devoted by them for social work is 13 hours.

3. The enrollment of a school during six consecutive years was as follows:

1620, 2060, 2540, 3250, 3500, 3710.

Find the mean enrollment.

Solution:

Given data,

1620, 2060, 2540, 3250, 3500, 3710

Here, $n = 6$

∴ Mean ($\bar{x}$)

$$\Sigma x_i / n = (1620 + 2060 + 2540 + 3250 + 3500 + 3710) / 6$$

$$= 16680 / 6 = 2780$$

Therefore, the mean enrollment is 2780.

4. Find the mean of the first twelve natural numbers.

Solution:

The first twelve natural numbers are: 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12

Here, $n = 12$

∴ Mean ($\bar{x}$)

$$\Sigma x_i / n = (1 + 2 + 3 + 4 + 5 + 6 + 7 + 8 + 9 + 10 + 11 + 12) / 12$$

$$= 78 / 12 = 6.5$$

Therefore, the mean of the first twelve natural numbers is 6.5

5. (i) Find the mean of the first six prime numbers.

(ii) Find the mean of the first seven odd prime numbers.

<https://www.indcareer.com/schools/ml-aggarwal-solutions-for-class-9-maths-chapter-20-statistics/>

Solution:

(i) First 6 prime numbers are 2, 3, 5, 7, 11, 13

Here, $n = 6$

$\therefore$ Mean ($\bar{x}$)

$$\Sigma x_i / n = (2 + 3 + 5 + 7 + 11 + 13) / 6$$

$$= 41/6$$

Therefore, the mean of the first six prime numbers is $41/6$.

(ii) First seven odd prime numbers are 3, 5, 7, 11, 13, 17, 19

Here, $n = 7$

$\therefore$ Mean ($\bar{x}$)

$$\Sigma x_i / n = (3 + 5 + 7 + 11 + 13 + 17 + 19) / 7$$

$$= 75/7$$

Therefore, the mean of the first six prime numbers is $75/7$.

6. (i) The marks (out of 100) obtained by a group of students in a Mathematics test are 81, 72, 90, 90, 85, 86, 70, 93 and 71. Find the mean marks obtained by the group of students.

(ii) The mean of the age of three students Vijay, Rahul and Rakhi is 15 years. If their ages are in the ratio 4 : 5 : 6 respectively, then find their ages.

Solution:

(i) The marks obtained by the group of students are:

81, 72, 90, 90, 85, 86, 70, 93, 71

Here, $n = 9$

$\therefore$ Mean ($\bar{x}$)

$$\Sigma x_i / n = (81 + 72 + 90 + 90 + 85 + 86 + 70 + 93 + 71) / 9$$

$$= 738/9 = 82$$

Therefore, the mean marks obtained by the group of students is 82.

<https://www.indcareer.com/schools/ml-aggarwal-solutions-for-class-9-maths-chapter-20-statistics/>

(ii) Given, the mean of the age of three students Vijay, Rahul and Rakhi is 15 years.

So, $n = 3$

Now, the sum of ages of the 3 students = $15 \times 3 = 45$

Also given, ratio of their ages is 4 : 5 : 6

Sum of ratios = $4 + 5 + 6 = 15$

Hence,

Vijay's age = $(45/15) \times 4 = 12$ years

Rahul's age = $(45/15) \times 5 = 15$ years

Rakhi's age = $(45/15) \times 6 = 18$ years

7. The mean of 5 numbers is 20. If one number is excluded, mean of the remaining numbers becomes 23. Find the excluded number.

Solution:

Given,

The mean of 5 numbers = 20

So, the total sum of the numbers = $20 \times 5 = 100$

After excluding one number,

The mean of the remaining 4 numbers = 23

So, the total sum of these numbers = $23 \times 4 = 92$

Hence,

The excluded number is = $100 - 92 = 8$.

8. The mean of 25 observations is 27. If one observation is included, the mean still remains 27. Find the included observation.

Solution:

Given,

The mean of 25 observations is 27.

<https://www.indcareer.com/schools/ml-aggarwal-solutions-for-class-9-maths-chapter-20-statistics/>

So,

The total sum of all the 25 observations = $27 \times 25 = 675$

After one observation is included,

Now the mean of 26 (25 + 1) numbers = 27

So,

The total sum of all the 26 observations = $27 \times 26 = 702$

Hence,

The included observation = $702 - 675 = 27$

9. The mean of 5 observations is 15. If the mean of first three observations is 14 and that

of the last three is 17, find the third observation.

Solution:

Given,

The mean of 5 observations = 15

So, total sum of the 5 observations = $15 \times 5 = 75$

Also given,

Mean of first 3 observations = 14

So, the sum of the 3 observations = $14 \times 3 = 42$

And, the mean of last 3 observations = 17

So, the sum of last 3 observations = $17 \times 3 = 51$

Thus, the total of 3 + 3 observations = $42 + 51 = 93$

Hence,

The third observation = $93 - 75 = 18$.

10. The mean of 8 variate is 10.5. If seven of them are 3, 15, 7, 19, 2, 17 and 8, then find the 8th variate.

<https://www.indcareer.com/schools/ml-aggarwal-solutions-for-class-9-maths-chapter-20-statistics/>

Solution:

Given,

Seven out of eight variates are: 3, 15, 7, 19, 2, 17 and 8

Mean of 8 variates = 10.5

So, the total of 8 variates = $10.5 \times 8 = 84$

Now,

Sum of seven variates = $(3 + 15 + 7 + 19 + 2 + 17 + 8) = 71$

Hence,

The 8th variate = $84 - 71 = 13$.

11. The mean weight of 8 students is 45.5 kg. Two more students having weights 41.7 kg and 53.3 kg join the group. What is the new mean weight?

Solution:

Given,

The mean weight of 8 students = 45.5 kg

So, the total weight of 8 students = $45.5 \times 8 = 364$ kg

Weight of two more students are 41.7 kg and 53.3 kg

Now,

The total weight of 10 (8 + 2) students = $364 + 41.7 + 53.3$

= $364 + 95$

= 459 kg

Hence, the new mean weight of all the 10 students = $459/10 = 45.9$ kg

12. Mean of 9 observations was found to be 35. Later on, it was detected that an observation 81 was misread as 18. Find the correct mean of the observations.

Solution:

Given,

<https://www.indcareer.com/schools/ml-aggarwal-solutions-for-class-9-maths-chapter-20-statistics/>

Mean of 9 observations = 35

So, the sum of all 9 observations = $35 \times 9 = 315$

Now, the difference due to misread = $81 - 18 = 63$

Thus, the actual sum = $315 + 63 = 378$

Hence,

The actual mean = $378 / 9 = 42$.

13. A student scored the following marks in 11 questions of a question paper:

7, 3, 4, 1, 5, 8, 2, 2, 5, 7, 6.

Find the median marks.

Solution:

Given,

Marks scored in 11 questions of a question paper by the student are:

7, 3, 4, 1, 5, 8, 2, 2, 5, 7, 6

Arranging it in descending order, we have

1, 2, 2, 3, 4, 5, 5, 6, 7, 7, 8

Here, $n = 11$ which is odd

$\therefore$ Median = $(n + 1)/2^{\text{th}}$ term

= $(11 + 1)/2 = 12/2 = 6^{\text{th}}$ term i.e 5

Hence, the median mark is 5.

14. Calculate the mean and the median of the numbers:

2, 3, 4, 3, 0, 5, 1, 1, 3, 2.

Solution:

First arrange the number in descending order

0, 1, 1, 2, 2, 3, 3, 3, 4, 5

So $n = 10$ which is even

<https://www.indcareer.com/schools/ml-aggarwal-solutions-for-class-9-maths-chapter-20-statistics/>

$$\text{Mean } (\bar{x}) = \Sigma x_i / n$$

Substituting the values

$$= (0 + 1 + 1 + 2 + 2 + 3 + 3 + 3 + 4 + 5)/10$$

By further calculation

$$= 24/10$$

$$= 2.4$$

$$\text{Median} = \frac{1}{2} [10/2^{\text{th}} + (10/2 + 1)^{\text{th}} \text{ terms}]$$

It can be written as

$$= \frac{1}{2} (5^{\text{th}} + 6^{\text{th}}) \text{ term}$$

Substituting the values

$$= \frac{1}{2} (2 + 3)$$

$$= 5/2$$

$$= 2.5$$

15. A group of students was given a special test in Mathematics. The test was completed by the various students in the following time in (minutes):

24, 30, 28, 17, 22, 36, 30, 19, 32, 18, 20, 24.

Find the mean time and median time taken by the students to complete the test.

Solution:

First arrange the data in descending order

17, 18, 19, 20, 22, 24, 24, 28, 30, 30, 32, 36

So $n = 12$ which is even

$$\text{Mean } (\bar{x}) = \Sigma x_i / n$$

Substituting the values

$$= (17 + 18 + 19 + 20 + 22 + 24 + 24 + 28 + 30 + 30 + 32 + 36)/12$$

So we get

<https://www.indcareer.com/schools/ml-aggarwal-solutions-for-class-9-maths-chapter-20-statistics/>

$$= 300/12$$

$$= 25$$

$$\text{Median} = \frac{1}{2} [12/2^{\text{th}} + (12/2 + 1)^{\text{th}} \text{ terms}]$$

It can be written as

$$= \frac{1}{2} (6^{\text{th}} + 7^{\text{th}}) \text{ terms}$$

Substituting the values

$$= \frac{1}{2} (24 + 24)$$

$$= \frac{1}{2} (48)$$

$$= 24$$

16. In a Science test given to a group of students, the marks scored by them (out of 100) are

41, 39, 52, 48, 54, 62, 46, 52, 40, 96, 42, 40, 98, 60, 52.

Find the mean and median of this data.

Solution:

On arranging the marks obtained by the students, we have

39, 40, 40, 41, 42, 46, 48, 52, 52, 52, 54, 60, 62, 96, 98

Here, $n = 15$ which is odd

$\therefore$ Mean ($\bar{x}$)

$$\Sigma x_i / n = (39 + 40 + 40 + 41 + 42 + 46 + 48 + 52 + 52 + 52 + 54 + 60 + 62 + 96 + 98) / 15$$

$$= 822 / 15 = 54.8$$

And,

$$\text{Median} = (15 + 1) / 2^{\text{th}} \text{ term}$$

$$= 16 / 2 = 8^{\text{th}} \text{ term i.e. } 52$$

Therefore, for the given data mean = 54.8 and median = 52.

17. The points scored by a Kabaddi team in a series of matches are as follows:

<https://www.indcareer.com/schools/ml-aggarwal-solutions-for-class-9-maths-chapter-20-statistics/>

7, 17, 2, 5, 27, 15, 8, 14, 10, 48, 10, 7, 24, 8, 28, 18.

Find the mean and the median of the points scored by the Kabaddi team.

Solution:

Let's arrange the given data in descending order:

2, 5, 7, 7, 8, 8, 10, 10, 14, 15, 17, 18, 24, 27, 28, 48

Here, $n = 16$ when is even

$\therefore$ Mean ($\bar{x}$)

$$\Sigma x_i / n = (2 + 5 + 7 + 7 + 8 + 8 + 10 + 10 + 14 + 15 + 17 + 18 + 24 + 27 + 28 + 48) / 16$$

$$= 248 / 16 = 15.5 \text{ points}$$

And,

$$\text{Median} = \frac{1}{2} [(16/2)^{\text{th}} \text{ term} + (16/2 + 1)^{\text{th}} \text{ term}]$$

$$= \frac{1}{2} (8^{\text{th}} \text{ term} + 9^{\text{th}} \text{ term})$$

$$= \frac{1}{2} (10 + 14)$$

$$= \frac{1}{2} \times 24 = 12 \text{ points}$$

Therefore, the mean and the median of the points scored by the Kabaddi team are 15.5 and 12 respectively.

18. The following observations have been arranged in ascending order. If the median the data is 47.5, find the value of x.

17, 21, 23, 29, 39, 40, x, 50, 51, 54, 59, 67, 91, 93.

Solution:

Given data,

17, 21, 23, 29, 39, 40, x, 50, 51, 54, 59, 67, 91, 93

Here, $n = 14$ which is even

As the given data is arranged in descending order

$$\text{Median} = \frac{1}{2} [(14/2)^{\text{th}} \text{ term} + (14/2 + 1)^{\text{th}} \text{ term}]$$

<https://www.indcareer.com/schools/ml-aggarwal-solutions-for-class-9-maths-chapter-20-statistics/>

$$= \frac{1}{2} (7^{\text{th}} \text{ term} + 8^{\text{th}} \text{ term})$$

$$\Rightarrow 47.5 = \frac{1}{2} (x + 50)$$

$$95 = x + 50$$

$$x = 95 - 50 = 45$$

Hence, the value of x is 45.

19. The following observations have been arranged in ascending order. If the median the data is 13, find the value of x .

3, 6, 7, 10, x , $x + 4$, 19, 20, 25, 28.

Solution:

Given observations in ascending order,

3, 6, 7, 10, x , $x + 4$, 19, 20, 25, 28

Here, $n = 10$ which is even and median = 13

So,

$$\text{Median} = \frac{1}{2} [(10/2)^{\text{th}} \text{ term} + (10/2 + 1)^{\text{th}} \text{ term}]$$

$$= \frac{1}{2} (5^{\text{th}} \text{ term} + 6^{\text{th}} \text{ term})$$

$$= \frac{1}{2} (x + x + 4)$$

$$= (2x + 4)/2$$

$$= x + 2$$

$$\Rightarrow x + 2 = 13$$

$$x = 13 - 2 = 11$$

Hence, the value of x is 11.

Exercise 20.2

1. State which of the following variables are continuous and which are discrete:

(i) marks scored (out of 50) in a test.

(ii) daily temperature of your city.

<https://www.indcareer.com/schools/ml-aggarwal-solutions-for-class-9-maths-chapter-20-statistics/>

(iii) sizes of shoes.

(iv) distance travelled by a man.

(v) time.

Solution:

(i) Discrete

(ii) Continuous

(iii) Discrete

(iv) Continuous

(v) Continuous

2. Using class intervals 0 – 4, 5 – 9, 10 – 14, construct the frequency distribution for the following data:

13, 6, 10, 5, 11, 14, 2, 8, 15, 16, 9, 13, 17, 11, 19, 5, 7, 12, 20, 21, 18, 1, 8, 12, 18.

Solution:

The frequency distribution for the following data is

Class	Tally marks	Frequency
0-4	II	2
5-9	III II	7
10-14	III III	8
15-19	III I	6
20-24	II	2

3. Given below are the marks obtained by 27 students in a test:

21, 3, 28, 38, 6, 40, 20, 26, 9, 8, 14, 18, 20, 16, 17, 10, 8, 5, 22, 27, 34, 2, 35, 31, 16, 28, 37.

(i) Using the class intervals 1-10, 11-20 etc. construct a frequency table.

(ii) State the range of these marks.

<https://www.indcareer.com/schools/ml-aggarwal-solutions-for-class-9-maths-chapter-20-statistics/>

(iii) State the class mark of the third class of your frequency table.

Solution:

(i) The frequency table of the given data is

Class	Tally marks	Frequency
1-10		7
11-20		8
21-30		6
31-40		6

(ii) Range of these marks is 38.

(iii) The class mark of the third class of your frequency table = $(21 + 30) / 2 = 25.5$

4. Explain the meaning of the following terms:

(i) variate

(ii) class size

(iii) class mark

(iv) class limits

(v) true class limits

(vi) frequency of a class

(vii) cumulative frequency of a class.

Solution:

(i) Variant: A particular value of a variable is called variate.

(ii) Class size: The difference between the actual upper limit and the actual lower limit of a class is called its class size.

(iii) Class mark: The class mark of a class is the value midway between its actual lower limit and actual upper limit.

<https://www.indcareer.com/schools/ml-aggarwal-solutions-for-class-9-maths-chapter-20-statistics/>

- (iv) Class limits: In the frequency table the class interval is called class limits.
- (v) True class limits: In a continuous distribution, the class limits are called true or actual class limits.
- (vi) Frequency of a class: The number of tally marks opposite to a variate is its frequency and it is written in the next column opposite to tally marks of the variate.
- (vii) Cumulative frequency of a class: The sum of frequency of all previous classes and that particular class is called the cumulative frequency of the class.

5. Fill in the blanks:

- (i) The number of observations in a particular class is called of the class.
- (ii) The difference between the class marks of two consecutive classes is the of the class.
- (iii) The range of the data 16, 19, 23, 13, 11, 25, 18 is ...
- (iv) The mid-point of the class interval is called its ...
- (v) The class mark of the class 4 – 9 is

Solution:

- (i) The number of observations in a particular class is called frequency of the class.
- (ii) The difference between the class marks of two consecutive classes is the size of the class.
- (iii) The range of the data 16, 19, 23, 13, 11, 25, 18 is 14.
- (iv) The mid-point of the class interval is called its class marks.
- (v) The class mark of the class 4 – 9 is 6.5. [Class mark = $(4 + 9)/2 = 13/2 = 6.5$]

6. The marks obtained (out of 50) by 40 students in a test are given below:

28, 31, 45, 03, 05, 18, 35, 46, 49, 17, 10, 28, 31, 36, 40, 44, 47, 13, 19, 25, 24, 31, 38, 32,

<https://www.indcareer.com/schools/ml-aggarwal-solutions-for-class-9-maths-chapter-20-statistics/>

27, 19, 25, 28, 48, 15, 18, 31, 37, 46, 06, 01, 20, 10, 45, 02.

(i) Taking class intervals 1- 10, 11 – 20, ..., construct a tally chart and a frequency distribution table.

(ii) Convert the above distribution to continuous distribution.

(iii) State the true class limits of the third class.

(iv) State the class mark of the fourth class.

Solution:

(i) A tally chart and a frequency distribution of given data is

Class	Tally	Frequency
1 - 10	II	7
11 - 20	III	8
21 – 30	II	7
31 – 40		10
41 - 50	III	8

(ii) Converting the above distribution to continuous distribution.

Class	Tally	Frequency
0.5 – 10.5	II	7
10.5 – 20.5	III	8
20.5 – 30.5	II	7
30.5 – 40.5		10
40.5 – 50.5	III	8

(iii) The true class limits of the third class = lower limit = 20.5 and upper limit = 30.5

(iv) The class mark of the fourth class $(31 + 40)/2 = 71/2 = 35.5$

7. Use the adjoining table to find:

(i) upper and lower limits of fifth class.

(ii) true class limits of the fifth class.

<https://www.indcareer.com/schools/ml-aggarwal-solutions-for-class-9-maths-chapter-20-statistics/>

(iii) class boundaries of the third class.

(iv) class mark of the fourth class.

(v) width of sixth class.

Classes	Frequency
28-32	5
33-37	8
38-42	13
43-47	9
48-52	7
53-57	5
58-62	2

Solution:

(i) Upper and lower limits of fifth class are as follows.

Upper limit = 52 and lower limit = 48

(ii) True class limits of the fifth class

Upper limit = 52.5 and lower limit = 47.5

(iii) Class boundaries of the third class is 37.5 and 42.5.

(iv) Class mark of the fourth class = $(43 + 47)/2 = 90/2 = 45$

(v) Width of sixth class = $57.5 - 52.5 = 5$

8. The marks of 200 students in a test were recorded as follows:

Marks %	10-19	20-29	30-39	40-49	50-59	60-69	70-79	80-89
No. of	7	11	20	46	57	37	15	7

<https://www.indcareer.com/schools/ml-aggarwal-solutions-for-class-9-maths-chapter-20-statistics/>

students

Draw the cumulative frequency table.

Solution:

The cumulative frequency table is as follows:

Marks % (Class)	Frequency	Cumulative Frequency
10-19	7	7
20-29	11	18
30-39	20	38
40-49	46	84
50-59	57	141
60-69	37	178
70-79	15	193
80-89	7	200

9. Given below are the marks secured by 35 students in a test:

41, 32, 35, 21, 11, 47, 42, 00, 05, 18, 25, 24, 29, 38, 30, 04, 14, 24, 34, 44, 48, 33, 36, 38, 41, 46, 08, 34, 39, 11, 13, 27, 26, 43, 03.

Taking class intervals 0-10, 10-20, 20-30, construct frequency as well as cumulative frequency distribution table. Find the number of students obtaining below 20 marks.

Solution:

The cumulative frequency distribution table is given below:

Class	Tally Marks	Frequency	Cumulative Frequency
0-10		5	5
10-20		5	10

<https://www.indcareer.com/schools/ml-aggarwal-solutions-for-class-9-maths-chapter-20-statistics/>

20-30	III II	7	17
30-40	III III	10	27
40-50	III III	8	35

The number of students obtaining below 20 marks is 10.

10. The marks out of 100 of 50 students in a test are given below:

5 35 6 35 18 36 12 36 85 32

20 36 22 38 24 50 22 39 74 31

25 54 25 64 25 70 28 66 58 25

29 72 31 82 31 84 31 82 37 21

32 84 32 92 35 95 34 92 35 5

(i) Taking a class interval of size 10, construct a frequency as well as cumulative frequency table for the given data.

(ii) Which class has the largest frequency?

(iii) How many students score less than 40 marks?

(iv) How many students score first division (60% or more) marks?

Solution:

(i) The cumulative frequency table for the given data

Class	Tally marks	Frequency	Cumulative frequency
0-10	III	3	3
10-20	II	2	5
20-30	III III I	11	16
30-40	III III III III	18	34
40-50	III III III III	18	52
50-60	III	3	55

<https://www.indcareer.com/schools/ml-aggarwal-solutions-for-class-9-maths-chapter-20-statistics/>

60-70	II	2	39
70-80	III	3	42
80-90	III	5	47
90-100	III	3	50

(ii) 30-40 is the class which has the largest frequency.

(iii) 34 students score less than 40 marks.

(iv) 13 students score first division (60% or more) marks.

11. Construct the frequency distribution table from the following data:

Ages (in years)	Below 4	Below 7	Below 10	Below 13	Below 16
No. of children	7	38	175	248	300

State the number of children in the age group 10-13.

Solution:

The frequency distribution table from the given data:

Class	Frequency
0-4	7
4-7	31
7-10	137
10-13	73
13-16	52

Hence, the number of children in the age group 10-13 is 73.

12. Rewrite the following cumulative frequency distribution into frequency distribution:

<https://www.indcareer.com/schools/ml-aggarwal-solutions-for-class-9-maths-chapter-20-statistics/>

Less than or equal to 10 2

Less than or equal to 20 7

Less than or equal to 30 18

Less than or equal to 40 32

Less than or equal to 50 43

Less than or equal to 60 50

Solution:

The given cumulative frequency distribution is rewritten into frequency distribution below:

Class	Frequency
0-10	2
11-20	5
21-30	11
31-40	14
41-50	11
51-60	7

13. The water bills (in rupees) of 32 houses in a locality are given below. Construct a frequency distribution table with a class size of 10.

80, 48, 52, 78, 103, 85, 37, 94, 72, 73, 66, 52, 92, 85, 78, 81, 64, 60, 75, 78, 108, 63, 71, 54, 59, 75, 100, 103, 35, 89, 95, 73.

Solution:

A frequency distribution with a class size of 10 is follows:

<https://www.indcareer.com/schools/ml-aggarwal-solutions-for-class-9-maths-chapter-20-statistics/>

Class	Tally marks	Frequency
30 – 40		2
40 – 50		1
50 – 60		4
60 – 70		4
70 – 80	 	9
80 – 90	 	5
90 – 100		3
100 - 110		4

Class	Tally marks	Frequency
30 – 40		2
40 – 50		1
50 – 60		4
60 – 70		4
70 – 80	 	9
80 – 90	 	5
90 – 100		3
100 - 110		4

14. The maximum temperatures (in degree Celsius) for Delhi for the month of April, 2014, as reported by the Meteorological Department, are given below:

27.4, 28.3, 23.9, 23.6, 25.4, 27.5, 28.1, 28.4, 30.5, 29.7, 30.6, 31.7, 32.2, 32.6, 33.4, 35.7, 36.1, 37.2, 38.4, 40.1, 40.2, 40.5, 41.1, 42.0, 42.1, 42.3, 42.4, 42.9, 43.1, 43.2.

Construct a frequency distribution table.

Solution:

The frequency distribution table of the given data is as follows:

Class	Tally marks	Frequency
-------	-------------	-----------

<https://www.indcareer.com/schools/ml-aggarwal-solutions-for-class-9-maths-chapter-20-statistics/>

23.5-27.5	IIII	4
27.5-31.5	IIII	7
31.5-35.5	IIII	4
35.5-39.5	IIII	4
39.5-43.5	IIII III	11

15. (i) The class marks of a distribution are 94, 104, 114, 124, 134, 144 and 154. Determine the class size and the class limits of the fourth class.

(ii) The class marks of a distribution are 9.5, 16.5, 23.5, 30.5, 37.5 and 44.5. Determine the class size and the class limits of the third class.

Solution:

(i) We know that

Class size is the difference between two successive class marks

$$\text{Class size} = 104 - 94 = 10$$

Class limits of the fourth class

$$\text{Lower limit} = 119 \text{ and upper limit} = 129$$

(ii) We know that

Class size is the difference between two successive class marks

$$\text{Class size} = 16.5 - 9.5 = 7$$

Class limits of the third class

$$\text{Lower limit} = 20 \text{ and upper limit} = 27.$$

Exercise 20.3

1. The area under wheat cultivation last year in the following states, correct to the nearest lacs hectares was:

	Punjab	Haryana	U.P.	M.P.	Maharashtra	Rajasthan
State						


<https://www.indcareer.com/schools/ml-aggarwal-solutions-for-class-9-maths-chapter-20-statistics/>

Cultivated area 220 120 100 40 80 30

Represent the above information by a bar graph.

Solution:

The required bar graph is given below:



2. The number of books sold by a shopkeeper in a certain week was as follows:


Day	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday
No. of books	420	180	230	340	160	120

Draw a graph for the above data.

<https://www.indcareer.com/schools/ml-aggarwal-solutions-for-class-9-maths-chapter-20-statistics/>

Solution:

The required bar graph is given below:



3. Given below is the data of percentage of passes of a certain school in the ICSE for consecutive years:


Year	2000	2001	2002	2003	2004	2005	2006
% of passes	92	80	70	86	54	78	94

Draw a bar graph to represent the above data.

Solution:

The required bar graph is given below:

<https://www.indcareer.com/schools/ml-aggarwal-solutions-for-class-9-maths-chapter-20-statistics/>




4. Birth rate per thousand of different countries over a certain period is:

Country	India	Pakistan	China	U.S.A.	France
Birth rate	36	45	12	18	20

Draw a horizontal bar graph to represent the above data.

Solution:

The required bar graph is given below:




5. Given below is the data of number of students (boys and girls) in class IX of a certain school:

	IX A	IX B	IX C	IX D
Boys	28	22	40	15
Girls	18	34	12	25

Draw a bar graph to represent the above data.

Solution:

The required bar graph is given below:




6. Draw a histogram to represent the following data:

	0-10	10-20	20-30	30-40	40-50	50-60
Marks obtained						
No. of students	4	10	6	8	5	9

Solution:

The required histogram is given below:

<https://www.indcareer.com/schools/ml-aggarwal-solutions-for-class-9-maths-chapter-20-statistics/>




7. Draw a histogram to represent the following frequency distribution of monthly wages of 255 workers of a factory.

Monthly wages (in rupees)	850-950	950-1050	1050-1150	1150-1250	1250-1350
No. of workers	35	45	75	60	40

Solution:

The required histogram is given below:

<https://www.indcareer.com/schools/ml-aggarwal-solutions-for-class-9-maths-chapter-20-statistics/>




8. Draw a histogram for the following data:

	12.5	17.5	22.5	27.5	32.5	37.5
Class marks						
Frequency	7	12	20	28	8	11

Solution:

The required histogram is given below:

<https://www.indcareer.com/schools/ml-aggarwal-solutions-for-class-9-maths-chapter-20-statistics/>



9. Draw a histogram for the following frequency distribution:

Age (in years)	Below 2	Below 4	Below 6	Below 8	Below 10	Below 12
No. of children	12	15	36	45	72	90


Solution:

First convert the given cumulative frequency into frequency distribution table:

Age (in years)	c.f.	f.
0-2	12	12
2-4	15	3
4-6	36	21
6-8	45	9
8-10	72	27
10-12	90	18

<https://www.indcareer.com/schools/ml-aggarwal-solutions-for-class-9-maths-chapter-20-statistics/>

So represent age on x-axis and number of children on y-axis and draw the histogram as given below:



10. Draw a histogram for the following data:

	59-65	66-72	73-79	80-86	87-93	94-100
Classes						
Frequenc y	10	5	25	15	30	10

Solution:


First write the given data in continuous classes:

Classes	Classes after adjustment	Frequenc y
59-56	58.5-65.5	10
66-72	65.5-72.5	5
73-79	72.5-79.5	25

<https://www.indcareer.com/schools/ml-aggarwal-solutions-for-class-9-maths-chapter-20-statistics/>

80-86	79.5-86.5	15
87-93	86.5-93.5	30
94-100	93.5-100.5	10

Represent classes on x-axis and frequency on y-axis and draw a histogram as given below:



11. Draw a frequency polygon for the following data:


Class intervals	40-50	50-60	60-70	70-80	80-90	90-100
Frequency	15	28	45	32	41	18

Solution:

Take class intervals on x-axis and frequency on y-axis.

Construct a histogram and then taking the mid-point of each class join them with x-axis to get the frequency polygon.

<https://www.indcareer.com/schools/ml-aggarwal-solutions-for-class-9-maths-chapter-20-statistics/>



12. In a class of 60 students, the marks obtained in a monthly test were as under:


	10-20	20-30	30-40	40-50	50-60
Marks					
Student	10	25	12	08	05
s					

Draw a frequency polygon to represent the above data.

Solution:

Consider marks on x-axis and number of students on y-axis.

Construct a histogram and then by joining the midpoints with x-axis we set a frequency polygon as given below.



13. In a class of 90 students, the marks obtained in a weekly test were as under:

Marks	16-20	21-25	26-30	31-25	36-40	41-45	46-50
No. of students	4	12	18	26	14	10	6

Draw a frequency polygon for the above data.

Solution:


Now write the classes as continuous classes:

Marks	Classes after adjustment	Class Mark	No. of students (f)
16-20	15.5-20.5	18.0	4
21-25	20.5-25.5	23.0	12
26-30	25.5-30.5	28.0	18
31-35	30.5-35.5	33.0	26

<https://www.indcareer.com/schools/ml-aggarwal-solutions-for-class-9-maths-chapter-20-statistics/>

36-40	35.5-40.5	38.0	14
41-45	40.5-45.5	43.0	10
46-50	45.5-50.5	48.0	6

Represent marks on x-axis and frequency on y-axis and then draw frequency polygon as shown below:



14. In a city, the weekly observations made in a study on the cost of living index are given in the following table:

Cost of living index	140-150	150-160	160-170	170-180	180-190	190-200
Number of weeks	5	10	20	9	6	2

Draw a frequency polygon for the data given above.

Solution:


Cost of living index	No. of weeks	Mid-points
140-150	5	145

<https://www.indcareer.com/schools/ml-aggarwal-solutions-for-class-9-maths-chapter-20-statistics/>

150-160	10	155
160-170	20	165
170-180	9	175
180-190	6	185
190-200	2	195

Mark the mid-points of the cost of living index on x-axis and number of weeks on the y-axis.

Plot the mid-points and join them to form a frequency polygon as shown in the figure.



15. Construct a combined histogram and frequency polygon for the following data:


	150-16	165-18	180-19	195-21	210-22	225-24
Weekly earnings (in rupees)	5	0	5	0	5	0
No. of workers	8	14	22	12	15	6

Solution:

<https://www.indcareer.com/schools/ml-aggarwal-solutions-for-class-9-maths-chapter-20-statistics/>

Take weekly earnings on x-axis and number of workers on y-axis.

Draw histogram with given data and then by joining the mid-points of each class with x-axis we find frequency polygon as given below.



16. In a study of diabetic patients, the following data was obtained:

Age (in years)	10-20	20-30	30-40	40-50	50-60	60-70	70-80
No. of patients	3	8	30	36	27	15	6


Represent the above data by a histogram and a frequency polygon.

Solution:

Take age (in years) on x-axis and number of patients on y-axis.

Draw a histogram with the given data and then by joining the mid-points of the classes with x-axis, we get a frequency polygon as given below.

<https://www.indcareer.com/schools/ml-aggarwal-solutions-for-class-9-maths-chapter-20-statistics/>



17. The water bills (in rupees) of 32 houses in a locality are given below:

30, 48, 52, 78, 103, 85, 37, 94, 72, 73, 66, 52, 92, 65, 78, 81, 64, 60, 75, 78, 108, 63, 71, 54, 59, 75, 100, 103, 35, 89, 95, 73.

Taking class intervals 30-40, 40-50, 50-60, , form frequency distribution table. Construct a combined histogram and frequency polygon.

Solution:

First represent the given data in the form of a frequency distribution table.


Class Intervals	Tally Marks	Frequency
30-40	III	3
40-50	I	1
50-60	IIII	4
60-70	HHH	5
70-80	HHH IIII	9

<https://www.indcareer.com/schools/ml-aggarwal-solutions-for-class-9-maths-chapter-20-statistics/>

80-90	III	3
90-100	III	3
100-110	III	4

Take class intervals on x-axis and frequency on y-axis and draw a histogram with the given data.

Join the mid-points of each class with x-axis, we get a frequency polygon as given below.



18. The number of matchsticks in 40 boxes on counting was found as given below:

44, 41, 42, 43, 47, 50, 51, 49, 43, 42, 40, 42, 44, 45, 49, 42, 46, 49, 45, 49, 45, 47, 48, 43, 43, 44, 48, 43, 46, 50, 43, 52, 46, 49, 52, 51, 47, 43, 43, 45.

Taking classes 40-42, 42-44, construct the frequency distribution table for the above data. Also draw a combined histogram and frequency polygon to represent the distribution.

Solution:


First represent the given data in a frequency distribution table as shown below:

<https://www.indcareer.com/schools/ml-aggarwal-solutions-for-class-9-maths-chapter-20-statistics/>

Class Intervals	Tally Marks	Frequency
40-42	II	2
42-44	III IIII II	12
44-46	III II	7
46-48	III I	6
48-50	III II	7
50-52	IIII	4
52-54	II	2
Total		40

Take class on x-axis and frequency on y-axis and draw histogram with the given data.

Join the mid-point of each class with the x-axis, we get a frequency polygon as given below.




19. The histogram showing the weekly wages (in rupees) of workers in a factory is given alongside.

<https://www.indcareer.com/schools/ml-aggarwal-solutions-for-class-9-maths-chapter-20-statistics/>

Answer the following about the frequency distribution:

- (i) What is the frequency of the class 400-425?
- (ii) What is the class having minimum frequency?
- (iii) What is the cumulative frequency of the class 425 – 450?
- (iv) Construct a frequency and cumulative frequency table for the given distribution.



Solution:

From the figure given in the question, we get

- (i) The frequency of the class 400-425 is 18.
- (ii) The class having minimum frequency is 475-500.
- (iii) The cumulative frequency of the class 425-450 is $(6 + 18 + 10) = 34$.
- (iv) The frequency table for the given distribution is:

Classes	Frequency	Cumulative Frequency
y		

<https://www.indcareer.com/schools/ml-aggarwal-solutions-for-class-9-maths-chapter-20-statistics/>

375-400	6	6
400-425	18	24
425-450	10	34
450-475	20	54
475-500	4	58

20. The runs scored by two teams A and B on the first 42 balls in a cricket match are given below:

No. of balls	1-6	7-12	13-18	19-24	25-30	31-36	37-42
Runs scored by Team A	2	1	8	9	4	5	6
Runs scored by Team B	5	6	2	10	5	6	3


Draw their frequency polygons on the same graph.

Solution:

No. of balls	Class marks	Team A	Team B
1-6	3.5	2	5
7-12	9.5	1	6
13-18	15.5	8	2
19-24	21.5	9	10
25-30	27.5	4	5
31-36	33.5	5	6
37-42	39.5	6	3

Frequency polygons for both the teams is given on the same graph below:

<https://www.indcareer.com/schools/ml-aggarwal-solutions-for-class-9-maths-chapter-20-statistics/>



Chapter test

1. Find the mean and the median of the following set of numbers:

8, 0, 5, 3, 2, 9, 1, 5, 4, 7, 2, 5.

Solution:

By arranging in descending order

0, 1, 2, 2, 3, 4, 5, 5, 5, 7, 8, 9

$n = 12$ which is even

Mean $(\bar{x}) = \frac{\sum x_i}{n}$

Substituting the values

$= (0 + 1 + 2 + 2 + 3 + 4 + 5 + 5 + 5 + 7 + 8 + 9)/12$

<https://www.indcareer.com/schools/ml-aggarwal-solutions-for-class-9-maths-chapter-20-statistics/>

By further calculation

$$= 51/12$$

$$= 17/4$$

$$= 4.25$$

$$\text{Median} = \frac{1}{2} [12/2^{\text{th}} + (12/2 + 1)^{\text{th}} \text{ terms}]$$

$$= \frac{1}{2} [6^{\text{th}} + 7^{\text{th}} \text{ terms}]$$

Substituting the values

$$= \frac{1}{2} (4 + 5)$$

$$= 9/2$$

$$= 4.5$$

2. Find the mean and the median of all the (positive) factors of 48.

Solution:

We know that

Positive factors of 48 are

1, 2, 3, 4, 6, 8, 12, 16, 24, 48

Here $N = 10$ which is even

$$\text{Mean } (\bar{x}) = \frac{\sum x_i}{n}$$

Substituting the values

$$= (1 + 2 + 3 + 4 + 6 + 8 + 12 + 16 + 24 + 48)/10$$

So we get

$$= 124/10$$

$$= 12.4$$

$$\text{Median} = \frac{1}{2} [10/2^{\text{th}} + (10/2 + 1)^{\text{th}} \text{ terms}]$$

$$= \frac{1}{2} [5^{\text{th}} + 6^{\text{th}} \text{ terms}]$$

Substituting the values

<https://www.indcareer.com/schools/ml-aggarwal-solutions-for-class-9-maths-chapter-20-statistics/>

$$= \frac{1}{2} (6 + 8)$$

$$= 14/2$$

$$= 7$$

3. The mean weight of 60 students of a class is 52.75 kg. If the mean weight of 35 of them is 54 kg, find the mean weight of the remaining students.

Solution:

It is given that

Mean weight of 60 students of a class = 52.75 kg

So the total weight of 60 students = $52.75 \times 60 = 3165$ kg

Mean weight of 35 students among them = 54 kg

So the total weight of 35 students = $54 \times 35 = 1890$ kg

Remaining students = $60 - 35 = 25$

Total weight of 25 students = $3165 - 1890 = 1275$ kg

So the mean weight of 25 students = $1275 \div 25 = 51$ kg

Hence, the mean weight of the remaining students is 51 kg.

4. The mean age of 18 students of a class is 14.5 years. Two more students of age 15 years and 16 years join the class. What is the new mean age?

Solution:

It is given that

Mean age of 18 students = 14.5 years

Total age = $14.5 \times 18 = 261$ years

Total age of 2 more students = $15 + 16 = 31$ years

Total age of $18 + 2 = 20$ students = $261 + 31 = 292$ years

Mean age = $292/20 = 14.6$ years

Hence, the new mean age is 14.6 years.

<https://www.indcareer.com/schools/ml-aggarwal-solutions-for-class-9-maths-chapter-20-statistics/>

5. If the mean of the five observations $x + 1$, $x + 3$, $x + 5$, $2x + 2$, $3x + 3$ is 14, find the mean of first three observations.

Solution:

We know that

Mean of the five observations

$x + 1$, $x + 3$, $x + 5$, $2x + 2$, $3x + 3$ is 14

$$\text{Mean} = (x + 1 + x + 3 + x + 5 + 2x + 2 + 3x + 3)/5$$

By further calculation

$$= (8x + 14)/5$$

Equating to mean

$$(8x + 14)/5 = 14$$

By cross multiplication

$$8x + 14 = 70$$

So we get

$$8x = 70 - 14 = 56$$

By division

$$x = 56/8 = 7$$

Mean of $x + 1 + x + 3 + x + 5$

We get

$$\text{Mean} = (x + 1 + x + 3 + x + 5)/3$$

By further calculation

$$= (3x + 9)/3$$

$$= x + 3$$

Substituting the value of x

$$= 7 + 3$$

<https://www.indcareer.com/schools/ml-aggarwal-solutions-for-class-9-maths-chapter-20-statistics/>

$$= 10$$

Hence, the mean of first three observations is 10.

6. The mean height of 36 students of a class is 150.5 cm. Later on, it was detected that the height of one student was wrongly copied as 165 cm instead of 156 cm. Find the correct mean height.

Solution:

It is given that

Mean height of 36 students of a class = 150.5 cm

$$\text{Total height} = 150.5 \times 36 = 5418 \text{ cm}$$

$$\text{Difference in height which was wrongly copied} = 165 - 156 = 9 \text{ cm}$$

$$\text{Actual height} = 5418 - 9 = 5409 \text{ cm}$$

$$\text{Actual mean height} = 5409/36 = 150.25 \text{ cm}$$

Hence, the correct mean height is 150.25 cm.

7. The mean of 40 items is 35. Later on, it was discovered that two items were misread as 36 and 29 instead of 63 and 22. Find the correct mean.

Solution:

It is given that

$$\text{Mean of 40 items} = 35$$

$$\text{Total of 40 items} = 35 \times 40 = 1400$$

$$\text{Difference between two items which were wrongly read} = (63 + 22) - (36 + 29)$$

By further calculation

$$= 85 - 65$$

$$= 20$$

Here

$$\text{Actual total} = 1400 + 20 = 1420$$

$$\text{Correct mean} = 1420/40 = 35.5$$

<https://www.indcareer.com/schools/ml-aggarwal-solutions-for-class-9-maths-chapter-20-statistics/>

Hence, the correct mean is 35.5.

8. The following observations have been arranged in ascending order. If the median of the data is 63, find the value of x.

29, 32, 48, 50, x, x + 2, 72, 75, 87, 91.

Solution:

We know that

$N = 10$ which is even

Median = $\frac{1}{2}$ [$n/2$ th + ($n/2 + 1$)th term]

It can be written as

$$63 = \frac{1}{2} [10/2\text{th} + (10/2 + 1)\text{th term}]$$

$$63 = \frac{1}{2} (5^{\text{th}} + 6^{\text{th}} \text{ terms})$$

Substituting the values

$$63 = \frac{1}{2} (x + x + 2)$$

$$63 \times 2 = 2x + 2$$

By further calculation

$$2x = 126 - 2 = 124$$

By division

$$x = 124/2 = 62$$

Therefore, the value of x is 62.


9. Draw a histogram showing marks obtained by the students of a school in a Mathematics paper carrying 60 marks.

	0-10	10-20	20-30	30-40	40-50	50-60
Marks						
Students	4	5	10	8	30	40

Solution:

<https://www.indcareer.com/schools/ml-aggarwal-solutions-for-class-9-maths-chapter-20-statistics/>

Represent marks on x-axis and number of students on y-axis and draw a histogram as shown below:



10. In a class of 60 students, the marks obtained in a surprise test were as under:


Marks	14-20	20-26	26-32	32-38	38-44	44-50	50-56	56-62
No. of students	4	10	9	15	12	5	3	2

Represent the above data by a histogram and a frequency polygon.

Solution:

Take marks on x-axis and number of students on the y-axis. Draw a histogram from the given data and then by joining the mid-point of each class with x-axis we obtain a frequency polygon as given below.

<https://www.indcareer.com/schools/ml-aggarwal-solutions-for-class-9-maths-chapter-20-statistics/>



11. Construct a combined histogram and frequency polygon for the following distribution:

Classes	91-100	101-110	111-120	121-130	131-140	141-150	151-160
			0		0		
Frequency	16	28	44	20	32	12	4

Solution:


Write the classes in continuous frequency classes:

Classes	Classes after adjustment	Frequency
91-100	90.5-100.5	16
101-110	100.5-110.5	28
111-120	110.5-120.5	44
121-130	120.5-130.5	20
131-140	130.5-140.5	32

<https://www.indcareer.com/schools/ml-aggarwal-solutions-for-class-9-maths-chapter-20-statistics/>

141-150	140.5-150.5	12
151-160	150.5-160.5	4

Represent classes on x-axis and frequency on y-axis and draw first histogram and from it we can draw a frequency polygon as given below:



12. The electricity bills (in rupees) of 40 houses in a locality are given below:

78 87 81 52 59 65 101 108 115 95

98 65 62 121 128 63 76 84 89 91

65 101 95 81 87 105 129 92 75 105

78 72 107 116 127 100 80 82 61 118

Form a frequency distribution table with a class size of 10. Also represent the above data with a histogram and frequency polygon.

Solution:

We know that

Least term = 52

<https://www.indcareer.com/schools/ml-aggarwal-solutions-for-class-9-maths-chapter-20-statistics/>

Greatest term = 129

Range = $129 - 52 = 77$


Construct a frequency distribution table:

Class Interval	Tally Numbers	Frequency
50-60	II	2
60-70	HHH I	6
70-80	HHH	5
80-90	HHH III	8
90-100	HHH	5
100-110	HHH II	7
110-120	III	3
120-130	IIII	4
Total		40

Take class intervals on x-axis and frequency on y-axis

Histogram and frequency polygon are shown below:

<https://www.indcareer.com/schools/ml-aggarwal-solutions-for-class-9-maths-chapter-20-statistics/>



13. The data given below represent the marks obtained by 35 students:

21 26 21 20 23 24 22 19 24

26 25 23 26 29 21 24 19 25

26 25 22 23 23 27 26 24 25

30 25 23 28 28 24 28 28

Taking class intervals 19-20, 21-22 etc., make a frequency distribution for the above data.

Construct a combined histogram and frequency polygon for the distribution.

Solution:

It is given that

Least mark = 19

Greatest marks = 30

<https://www.indcareer.com/schools/ml-aggarwal-solutions-for-class-9-maths-chapter-20-statistics/>

$$\text{Range} = 30 - 19 = 11$$


Construct the frequency distribution table-

Class Interval	Actual Intervals	Frequency
19-20	18.5-20.5	3
21-22	20.5-22.5	5
23-24	22.5-24.5	10
25-26	24.5-26.5	10
27-28	26.5-28.5	5
29-30	28.5-30.5	2
Total		35

Take class interval on x-axis and frequency on the y-axis

Histogram and frequency polygon are shown below.


<https://www.indcareer.com/schools/ml-aggarwal-solutions-for-class-9-maths-chapter-20-statistics/>



14. The given histogram and frequency polygon shows the ages of teachers in a school. Answer the following:

- (i) What is the class size of each class?
- (ii) What is the class whose class mark is 48?
- (iii) What is the class whose frequency is maximum?
- (iv) Construct a frequency table for the given distribution.

<https://www.indcareer.com/schools/ml-aggarwal-solutions-for-class-9-maths-chapter-20-statistics/>



Solution:

(i) The class size of each class is 6.

(ii) The class whose class mark is 48 is 45 – 51

It can be written as

$$= (45 + 51)/2$$

$$= 96/2$$

$$= 48$$

(iii) The class 51-57 has the maximum frequency i.e., 20.

(iv) Frequency table for the given distribution:

Classes	27-33	33-39	39-45	45-51	51-57	57-63
Frequency	4	12	18	6	20	8

<https://www.indcareer.com/schools/ml-aggarwal-solutions-for-class-9-maths-chapter-20-statistics/>



ML Aggarwal Solutions Class 9 Maths

- Chapter 1- Rational and Irrational Numbers
- Chapter 2- Compound Interest
- Chapter 3- Expansions
- Chapter 4- Factorization
- Chapter 5- Simultaneous Linear Equations
- Chapter 6- Problems on Simultaneous Linear Equations
- Chapter 7- Quadratic Equations
- Chapter 8- Indices
- Chapter 9- Logarithms
- Chapter 10- Triangles
- Chapter 11- Mid Point Theorem
- Chapter 12- Pythagoras Theorem
- Chapter 13- Rectilinear Figures
- Chapter 14- Theorems on Area
- Chapter 15- Circle
- Chapter 16- Mensuration
- Chapter 17- Trigonometric Ratios
- Chapter 18- Trigonometric Ratios and Standard Angles
- Chapter 19- Coordinate Geometry
- Chapter 20- Statistics

<https://www.indcareer.com/schools/ml-aggarwal-solutions-for-class-9-maths-chapter-20-statistics/>

About ML Aggarwal

M. L. Aggarwal, is an Indian mechanical engineer, educator. His achievements include research in solutions of industrial problems related to fatigue design. Recipient Best Paper award, Manipal Institute of Technology, 2004. Member of TSTE.

<https://www.indcareer.com/schools/ml-aggarwal-solutions-for-class-9-maths-chapter-20-statistics/>

About IndCareer

IndCareer.com is a leading developer of online career guidance resources for the Indian marketplace. Established in 2007, IndCareer.com is currently used by over thousands of institutions across India, including schools, employment agencies, libraries, colleges and universities.

IndCareer.com is designed to assist you in making the right career decision - a decision that meets your unique interests and personality.

For any clarifications or questions you can write to **info@indcareer.com**

Postal Address

IndCareer.com
52, Shilpa Nagar,
Somalwada
Nagpur - 440015
Maharashtra, India

WhatsApp: +91 9561 204 888

Website: <https://www.indcareer.com>

<https://www.indcareer.com/schools/ml-aggarwal-solutions-for-class-9-maths-chapter-20-statistics/>